KOLAR Document ID: 1382755

				ivision of Wate		W 11 ID			
<u> </u>		ge in Well Use		sources App. N		Well ID	NY 1		
1 LOCATION OF	WATER WELL:	Fraction 1/4 1/4 1/4	1/4 Se	ection Numbe	1		nge Number		
County:	N. v v			1 A d d	T S	R	□ E □ W		
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here:									
Address:									
Address:									
City:	State:	ZIP:		1					
3 LOCATE WELL	/ DEPTH OF COMPLETED WELL.				ft. 5 Latitude :(decimal degrees)				
WITH "X" IN	Donth(s) Groundwater Engountered: 1)				Longitude:(decimal degrees)				
SECTION BOX:	N 2) ft. 3) ft., or 4) \square Dr			Datum: WGS 84 NAD 83 NAD 27					
	WELL'S STATIC WATER LEVEL:				for Latitude/Longitude				
	below land surface, measured on (mo-day-yr).				☐ GPS (unit make/model:)				
NW NE					(**************************************				
	Pump test data: Well water was ft. after hours pumping gpm				☐ Land Survey ☐ Topographic Map ☐ Online Mapper:				
	Well water was ft.				nine Mapper:	• • • • • • • • • • • • • • • • • • • •			
SW SE - X	after hours pumping								
	Estimated Yield:		C1		t ion :ft				
S		in. to	ft. and	Source	Source: ☐ Land Survey ☐ GPS ☐ Topographic Map ☐ Other				
1 mile	· ·	in. to	ft.		Uther	•••••			
7 WELL WATER TO BE USED AS: 1. Domestic: 5. ☐ Public Water Supply: well ID									
1. Domestic:		ater Supply: well ID							
☐ Household ☐ Lawn & Garden									
—	Livestock Livestock Lives								
2. ☐ Irrigation	<u> </u>				a) Closed Loop Horizontal Vertical				
3. ☐ Feedlot					b) Open Loop Surface Discharge Inj. of Water				
4. Industrial	☐ Recovery	☐ Injection		13. 🔲 Otl	her (specify):				
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☐ No If yes, date sample was submitted:									
Water well disinfected? ☐ Yes ☐ No									
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded									
Casing diameter in. to ft., Diameter ft., Diameter ft.									
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)									
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:									
Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)									
☐ Continuous Stot ☐ Mint Stot ☐ Gauze Wrapped ☐ Total Cut ☐ Diffied Holes ☐ Other (Specify)									
SCREEN-PERFORATED INTERVALS: From ft., From ft., From ft., From ft. to ft.									
GRAVEL PACK INTERVALS: From									
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other									
Grout Intervals: From									
Nearest source of possible contamination:									
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage									
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well									
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well									
☐ Other (Specify)									
10 FROM TO	LITHOLO		FROM		LITHO. LOG (cont.) or		G INTERVALS		
					(,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		-		
				1					
		Notes:							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged									
under my jurisdiction and was completed on (mo-day-year)									
under the business name of									
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.									
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.									
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212									