I.I. = =			the first transfer of the second of the seco	WELL RECORD			2a-1212	
		TER WELL:	Fraction	Approx		ection Numb		그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그
County:		from nearest town	NW 1/4	NW 1/4 SE dress of well if locate	1/4		J T 10	s n 18 x∈W
						f		
O WATE	<u>ゥ Miles</u> R WELL OW			<u>inville, Kans</u>	as			
		10000	Shepard					
	Address, Bo: e, ZIP Code		FF				Board of Agricu	ilture, Division of Water Resourd
		Plainy	ille, Kans	as 67663	20		Application Nun	nder:
H AN "X	IN SECTION	N BOX:	DENTH OF CO	OMPLETED WELL	. 3 .V	ft. ELE\	ATION:YBJJJF	эу
. r	1	±	eptn(s) Groundw	ater Encountered 1	15		. 2	ft. 3
1		\	VELL'S STATIC I	WATER LEVEL	' ft.	below land s	urface measured on mo/o	day/yr 、シ/、キャ/、ジク
	NW	NE _	Pump 10 داداد د	test data: Well wate	erwas	!	after hou	urs pumping 10 gpi
		! 5	ist. Held ; ; .	. gpm: vveii wate	erwas . 30		aπer not	urs pumping
Mile N		ж	VELL WATER TO	O RE LIGED AS T			8 Air conditioning	III. U
-	i		_1_Domestic					
	SW	SE	2 Irrigation				10 Observation well	12 Other (Specify below)
		i I w						If yes, mo/day/yr sample was si
1			nitted	aoionologica, gampie s	sabilitied to		Vater Well Disinfected? Y	그 보통하다 사용하다 하다 하는 것이 하라면 생각하다 사용하는 이 생각이 되었다.
5 TYPE	OF BLANK C		0	5 Wrought iron	8 Cond			Glued X Clamped
ີ 1 Si		3 RMP (SR)		5 Wrought iron6 Asbestos-Cement7 Fiberglass	9 Othe			Welded
2 P	<i>I</i> C	4 ADC		7 Fiberglass	17 17 17 18 18 18			
Blank cas	ing diameter	5in	ı. to 15	, , , ft. Dia	in. 1	to	ft Dia	Inreaded
Casing he	eight above la	ind surface 1.8		n., weight 16	0	lb	s./ft. Wall thickness or ga	uge No . 2 6
		R PERFORATION				1/0		
1 S1	eel	3 Stainless s	steel	5 Fiberglass	8 F	VC IMP (SR) .BS	11 Other (sp	pecify)
2 Bi		4 Galvanized		6 Concrete tile	9 A	BS	12 None us	ed (open hole)
SCREEN	OR PERFOR	RATION OPENING:	SARE: 8	5 Gauz	ed wrapped		8 Saw cut	11 None (open hole)
1 0	ontinuous slo	t 3 Mill	slot	6 Wire	wrapped		9 Drilled holes	
	ouvered shutt		punched	7 Torch				
SCREEN-	PERFORATE	ED INTERVALS:						. ft. to
	00WEL 04	ok wzebili o						. ft. to
	GRAVEL PAI	CK INTERVALS:						. ft. to
el cnour	TAMATEDIAL	. 1 4 11 - 1 - 1		ft. to Cement grout			om	
Grout Inte	nvale: Eror	. I I Near Cer	ment 2	Cement grout	3 Ben	tonite	4 Other	ft. to f
	ne nearest so	urce of possible co	. to ≯r4 ontamination: NO	II., FIOM., Ne	II.			14 Abandoned water well
							el storage	
A10.505510852536536545655	ewer lines	5 Cess p		8 Sewage lage			tilizer storage	16 Other (specify below)
		er lines 6 Seepag		9 Feedyard	JU.,		ecticide storage	To Cine (specify below)
	from well?						any feet?	
FROM	ТО		LITHOLOGIC L	OG	FROM	то		OLOGIC LOG
0	8	Dirt	1 -1					
8	17	Sand, dirt	, rock					
17	30	Shale						
			4-1					
-								
100000000000000000000000000000000000000								
					<u> </u>	.1	<u> </u>	
Z CONT	RACTOR'S (OR LANDOWNER'S	CERTIFICATIO	N: This water well w	as (1) constr	ructed, (2) re	constructed, or (3) plugge	ed under my jurisdiction and wa
								my knowledge and belief. Kansa
water We	II Contractor'	S License No 	199 Oten Moll	This Water W Band Thing ルマハ	ell Record w	vas complet e r	on (molday/yr) .5/30	1995 · · · · · · · · · · · · · · · · · ·
				Brilli ng & Se				ers. Send top three copies to Kansas
Departm	ent of Health an	d Environment, Office	of Oil Field and Envir	ronmental Geology, Regul	lation and Perm	nitting Section. 1	ime or circie the correct answe Topeka, Kansas 66620-7500. T	ers. Send top three copies to Kansas Telephone: 913-862-9360. Send one
to WATE	R WELL OWN	ER and retain one for	your records.				• ಬರ್ಚಿಯ ಕರ್ಮಾಣಕ ಕರ್ಮಿಕಿತಿ	