WAT	TER WELL REC	ORD	Form W	/WC-5	KSA 82a-	1212	No.						
1 LOCATION OF WATER WELL:	Fraction					ction Number	er Tow	nship Nur	mber	Rar	nge Num	ber	
County: OTTAWA	NW ¼	NW	1/4	NE ¼		5	T	10	s	R	2W	E/W	
Distance and direction from nearest tow	n or city street a	ddress of	f well if	located wi	thin city?	•							
1974 RIFLE RD.													
2 WATER WELL OWNER: DAVII	D E. JOHN	NSON											
RR#, St. Address, Box # : 1652	N. 190tl	h. rd	l.				Boa	ard of Agri	iculture, Di	ivision of \	Nater Re	sources	
City, State, ZIP Code : MINN]	EAPOLIS,	KS. 6	7467	7			App	lication N	lumber:				
3 LOCATE WELL'S LOCATION WITH	4 DEPTH OF C	OMPLET	ED WE	LL1.3	2.8	ft. ELE	VATION:						
AN "X" IN SECTION BOX:	Depth(s) Groun	dwater E	incounte	ered 1.	8.3		ft. 2		ft. 3			ft.	
W SE I	WELL'S STATIO Pun Est. Yield4 WELL WATER 1 Domestic 2 Irrigation Was a chemica mitted	np test da 0 gp TO BE US 3 Fe 4 Ind	ata: Wom: Wo SED AS eedlot dustrial	ell water v ell water v : 5 Pu 6 Oi 7 Do	vas8.3 vasblic waters I field water omestic (lav	supply r supply vn & garder	ft. after ft. after 8 Air cond 9 Dewate n) 10 Monitor	ditioning oring well .	hours pu hours pu 11 lnj 12 O	umping umping jection we ther (Spec	1.8 II cify below	gpm gpm v)	
5 TYPE OF BLANK CASING USED:		5 Mrou	aht iron		8 Concre	oto tile	CAS	ING IOIN	ITS: Glued	1 X C	lamped		
1 Steel 3 RMP (SR)			5 Wrought iron6 Asbestos-Cement7 Fiberglass					ING JOIN		a C edbe			
2 PVC 4 ABS						9 Other (specify below)				aded			
Blank casing diameter5	in. to	1.0.8	3 ft.	, Dia		in. to		ft., Dia.		in.	to	ft.	
Casing height above land surface	20	in., v	weight	1.6.0.			lbs./ft. Wal	I thicknes	s or guage	e No S I	R26		
TYPE OF SCREEN OR PERFORATION	N MATERIAL:				7 PV	-		10 Asbe	stos-Cem	ent			
1 Steel 3 Stainless	5 Fiberglass			8 RMP (SR)				r (Specify)			•••••		
2 Brass 4 Galvanize	ed Steel	6 Conc	rete tile		9 AB	S		12 None	used (op	en noie)			
SCREEN OR PERFORATION OPENIN	GS ARE:				wrapped		8 Saw o			11 None	(open he	ole)	
	ill slot 025			6 Wire wi 7 Torch c			9 Drilled	d holes (specify)				ft	
	ey punched 2	-											
SCREEN-PERFORATED INTERVALS:							om						
GRAVEL PACK INTERVALS:							om						
CHAVEE PACK INTERVALS.							om						
6 GROUT MATERIAL: 1 Neat	cement	2 Ca	ment gr	Out	3 Bent	tonite	4 Other				· · · · · · · · · · · · · · · · · · ·		
Grout Intervals: From													
What is the nearest source of possible		Z	, 1 10111				estock pens	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		bandoned			
1 Septic tank 4 Lateral lines			7 Pit privy			11 Fuel storage			15 Oil well/Gas well				
2 Sewer lines 5 Cess	8 Sewage lag			noon		rtilizer storage				<i>(</i>)			
3 Watertight sewer lines 6 Seep	9 Feedyard			13 Insecticide store						,			
Direction from well? NORTHEAST			o i obayara			How many feet?			300				
FROM TO	LITHOLOGIC	LOG			FROM	ТО	,		GGING IN	TERVALS			
0 2 TOP SO													
	AN WITH S	CNAS	Τ.ΔΥΕ	2RS									
	ONE TAN												
120 0111001			21.0 111	`									
7 CONTRACTOR'S OR LANDOWNER completed on (mo/day/year)720. Water Well Contractor's Licence No	-05					and this	record is true	to the bes	st of pay kp	owledge a	nd belief	and was Kansas	
under the business name of PEST							y (signature)			Isl	endo)	

INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks, underline or circle the correct answers. Send type rice copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each <u>constructed</u> well.