WATER WELL RECORD Form WWC-5 Division of Water Resources; App. No.									
Cour	ATION OF WA	WA		Fraction NW 1/4 NW	D/4 NW/4	Section Number	T / O S	Range Number R 2 W E/W	
	nce and direction						g Systems (decimal deg	grees, min. of 4 digits)	
	ed within city?	13921	N. 2	10Th	<i>20.</i>	Latitude: Longitude:			
2 WA	TER WELL OV	WNER: NE	AL	CINDA	5	Elevation:			
RR#	TER WELL OV , St. Address, Bo	ox# : 人39	a N.	مروايي .	χυ.	Datum:			
City	, 51410, 211 0041	$\mathcal{L}_{\mathcal{U}}$	E LUS	$^{\prime}$. \times $^{\prime}$	0)488	Data Collection			
	LOCATE WELL'S 4 DEPTH OF COMPLETED WELL ft.								
	CATION	7 × t							
	H AN "X" IN TION BOX:	WELL'S STATIC WATER LEVEL 28							
	N Pump test data: Well water was 3.6ft. after							a gpm	
	Est. Yieldgpm: Well water wasft. after hours pumping								
w N	NW NE E Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below								
w	2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well								
	SW SE W 16 1/1 1/2								
3,	was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yrs								
	Sample was submitted								
S									
	E OF CASING		Wrought I		8 Concrete tile		VG JOINTS: Glued.		
					9 Otner (specif	y below)	Weided. Threade		
2 PVC 4 ABS 7 Fiberglass Threaded In to ft Diameter in to ft Diameter in to ft									
Blank casing diameter 5 in. to 45 ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface 2.4 in., Weight 1.60 lbs./ft. Wall thickness or guage No. 5.4.2 86									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify)									
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 225 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)									
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw cut 10 Other (specify)									
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From									
From									
GRAVEL PACK INTERVALS: From									
From ft. to ft., From ft. to ft.									
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Rentonite 4 Other									
					om ろ?	. ft. to 4.5.	ft., From	ft. toft.	
What is the nearest source of possible contamination:									
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide storage 16 Other (specify 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below)									
	Sewer lines Watertight sewe			8 Sewage lago 9 Feedyard			oil well/gas well	below)	
	on from well?	SOUT		71 ccayara		ny feet? 5.0			
FROM	TO		HOLOGIC	LOG	FRON		PLUGGING INT	ERVALS	
	24 C	LAYJII	TY L	DHITEGO	GRAY				
24	42 C	KAY UC	HT GA	AY WYS	LAYERS				
42	77 0	ANSJTE		REDINA					
54	<u>55</u> (LAY G	lay						
		w							
		and the second s							
			- vertical en						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 2.7									
under my jurisdiction and was completed on (mo/day/year)									
under the business name of PFSTINGCE PUMP SERVICES (signature)									
under th	ctions: Use two	writer or hall noin	t nen PIFA	V PRESS FIRM	I.Y and PRINT cla	by (signature)	ks, underline or circle the	Ones answers Send ton	
	es to Kansas Depart	ment of Health and	d Environme	nt, Bureau of Wate	er, Geology Sectio	n, 1000 SW Jackson St	., Suite 420, Topeka, Kansa	s 66612-1367. Telephone	
785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.									
mup.//ww	m.nuiicho.guv/waith	TOTALINGEA.HUIII.							