WATER WELL RECORD Form WWC-5				VWC-5	I	Division of Water Resources App. No.			
	1 LOCATION OF WATER WELL: County: Graham		Fraction 4 SW 4 NI	E ¼ SE	Sec	tion Number 31		Range Number R 25 □E ☑W	
Stre	Street/Rural Address of Well Location; if unknown, distance & direction								
fron	n nearest	town or intersection: If at o	owner's address, chec	Lati	Global Positioning System (GPS) information: Latitude:				
1	1310' from E line, 1392' from S line					Longitude: (in decimal degrees)			
	Total main 2 mile, 1992 main 9 mile						Elevation:		
2 11/	2 WATER WELL OWNER: David Robleder						4, □ NAD 83, □	NAD 27	
David Rollingder						Collection Method:			
RR#, Street Address, Box #: 1180 H Rd						GPS unit (Make/Model:)			
City, State, ZIP Code : Morland.			. KS 67650			☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
3 LOCATE WELL						Est. Accuracy:			
	WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 60 ft.								
	Depth(s) Groundwater Encountered (1)								
	WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr								
	Pump test data: Well water wasft. after							ning anm	
N	NIV NE LEST, YIELDgpm. Well water was ft after hours numeric							min ~ ~ ~	
w	E Bore Hole Diameter 0.9 in to 0.9 ft. and in to							ft.	
	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
S'	SW SK Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								
	Lirrigation Industrial Domestic-lawn & garden Monitoring well								
	<u> </u>	was a chemical/l	bacteriological sampl	e submitted	to Depar	rtment? 🔲 `	Yes 🗹 No		
	If yes, mo/day/yr sample was submitted								
Water well disinfected? ✓ Yes No									
5 TYPE OF CASING USED: Steel PVC Other									
CASING JOINTS: ♥ Glued □ Clamped □ Welded □ Threaded									
Casing diameter 4.5 in to 60 ft Diameter in to 6 Diameter									
Casing neight above land surface									
TITE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel									
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)									
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)									
SCREEN-PERFORATED INTERVALS: From 20 ft. to 60 ft., From ft. to ft.									
From							o ft.		
			From	ft to		II., From	π, τ	o ft.	
From									
Grout Intervals: From .0									
What is the nearest source of possible contamination:									
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specific helow)									
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage					ge	Abandoned water well			
	Watertig	ht sewer lines 🔲 Seepage pit	Feedyard	Fertilizer:		Oil well/gas	well		
Direc	tion from	n well				el <u>l</u>		• • • • • • • • • • • • • • • • • • • •	
FROM	TO	LITHOLOGI	C LOG	FROM	TO	LITHO. LO	G (cont.) <u>or</u> PLU(GGING INTERVALS	
0	2	Surface	 						
20	20	Loess							
20	32	Clay		<u> </u>					
32	40	Fine to some med sand							
40	45	Fine to some med sand	w/ clay lens						
45	51	Fine to some med sand	w/ some						
E4	00	gravel w/ river mud lens							
51	60	Black shale							
									
T CONTRACTOR OF THE PARTY OF TH									
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged									
under my jurisdiction and was completed on (mo/day/year), 9/3/14									
Nailsas water well contractor's License No. 0.00. This Woter Woll Decord was seven let 1 - 1 / 1 / 1 / 0/20/44									
under the business name of .D&R. Pump. Service, LLC INSTRUCTIONS: Use preparities of hell point pen. PLEASE REESS FIRMLY and REPORT by (signature).									
Kansas Department of Health and Environment, Bureau of Water Geology Section 1000 SW, Jackson St. Suite 420. Tenels, Veneza (CCID 1267)									
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at									
http://www.kdheks.gov/waterwell/index.html									
									