		W	ATER WELL RE	CORD	Form	WWC-5	KSA 82	2a-1212	ID No.						•	
	ION OF WAT	ER WELL:	Fraction					Section Number			Township Number			Range Number		
County:	SHERID		SW		1/4	NW		25		T	10	S	R	26	/W)	
			wn or city stree f STUDLI		of well i	if located	I within city	?								
2 WATER	WELL OWN		NNIS MAI													
City, State,		· · co	R 1 BOX LLYER KS	676	531		Ėo			App	lication N	umber:	Division of			
3 LOCATE	WELL'S LO	CATION WITH	4 DEPTH OF	COMPLE	TED W	ELL	- 32	ft. El	LEVATI	ON:						
	I SECTION E		Depth(s) Gro	undwater	Encoun	tered	142		ft. 2	2		ft. 3	3	<u></u>	ft.	
	N	1	WELL'S STA	TIC WATE	R LEVE	EL	4.2ft. b	pelow land s 4.2	surface	measure	d_on, mo/o	lay/yr	T.T. () I DU.5		
	1	1	Est. Yield		gpm: V	Nell wate	er was		ft. af	ter ter		. hours p	oumping		gpm	
	-NW -	- NE	WELL WATE	R TO BE	USED A	\S : 5	Public water	er supply	i	8 Air con	ditioning	11 le	njection we	əll		
w×	i .	<u>;</u>	X1XD omes		Feedlot Industria			ater supply lawn & gard		9 Dewate	•		Other (Spe	•	,	
**	!		2 migatio	., -,	maasine	,	Domestic (lawii a gair	JC11) 1	o wormo	ing won					
	-sw	- SE	Was a chemi	cal/hacter	iologica	l cample	submitted	to Denartm	ent? Vo	se N	X,	· If ves r	no/day/yrs	sample	was sub-	
L	1	1	mitted	canbacter	lologica	i sampic	Subinitied	ю Берания			isinfected		no/day/y/o		X X	
5 TYPE C	OF BLANK C	ASING USED:	:	5 Wro	ought iro	n	8 Con	crete tile		CAS	ING JOIN	TS: Glue	d .X.X	Clamped	l	
1 Stee	I	3 RMP (S	SR)	6 Asb	estos-C			er (specify l	-				ded			
Ž ¥vc		4 ABS 5			erglass 2								eaded			
Blank casir	ng diameter .		in. to		1	ft., Dia	160	in. to		/ft \A/-1	ft., Dia.		in	. to	It.	
			ON MATERIAL:		weight			PVC	10	os./π. vvai	tnicknes 10 Asbe					
1 Stee		3 Stainles			erglass			RMP (SR)					neni ()			
2 Bras		4 Galvani	ized Steel		ncrete til	le		ABS `			12 None	used (o	pen hole)			
SCREEN C	R PERFOR	ATION OPENI	NGS ARE:			5 Gua	zed wrappe	ed		8 Saw	cut		11 None	e (open h	nole)	
	tinuous slot		Mill slot				wrapped			9 Drille						
2 Louv	ered shutter	4 F	Key punched			7 Torc										
SCREEN-F	PERFORATE	D INTERVALS						ft.,								
c	RAVEL PAC	K INTERVALS						ft., ft.,								
								ft.,								
6 GROU	T MATERIAL	. 1 No.	at cement	2.0	ement of	arout	X ₂ X _D	entonite	1	Othor						
	vals: From	. 0	ft. to	25 ′	# From	grout n	-3-6	entonite t to	4	ft Fr			ft to		ft	
			e contamination		11., 1 101					ck pens	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		Abandone			
	tic tank	•				Pit privy				•			Oil well/Gas well			
	er lines	5 Ces	s pool								er storage 16 O			Other (specify below)		
3 Wat	ertight sewer		9 Feedyard			13 Insecticide storage										
Direction from	om well?							Hov	v many	feet?					-	
FROM	TO	CIID	LITHOLOG				FROM	ТО			PLUG	GING IN	ITERVALS	3	<u> </u>	
0	10		FACE CLA	AY												
10 20	30		Y CLAY SAND				-		-							
30	40		Y CLAY				-						***			
40	48		TO LAR	GE SA	N D		-									
4 8	52		LOW LIØ						_							
							-		+							
														-		
CONTRA	ACTOR'S OF	R LANDOWNE	ER'S CERTIFIC	ATION: T	his wate	er well w	/as (XI)XcXin	structed, (2) recon	structed,	or (3) plu	gged un	der my jur	isdiction	and was	
			1-08-05											and belie	f. Kansas	
under the bu	Contractor's usiness name	Licence No e of ANDY	ANDERS	ON DR	ILLI	nis Wate NG	r Well Reco	ord was com	pleted by (si	on (mo/d ignature)	ay/yr)	lu (inde	MÔ	1.	
			en. PLEASE PRESS ection, 1000 SW Jac													
		ch constructed wel														