

		RECORD		WWC-5		8260		sion of Wate			Well II		
Original Record Correction Chan LOCATION OF WATER WELL:			e in Well U Fraction		Resources App. No Section Number			Township Number					
County:					1/4 1	/4 ¹ /4	Sect	ion Numbe	er	T S	er K R	ange Number □ E □ W	
· · · · · · · · · · · · · · · · · · ·							treet or Rural Address where well is located (if unknown, distance and						
								rection from nearest town or intersection): If at owner's address, check here:					
Address:													
Address: City: State: ZIP:													
3 LOCATE WELL													
WITH "		PLETED WELL: ft.				5 Latitude:(decimal degrees)							
SECTIO		1 • 7	pth(s) Groundwater Encountered: 1)					Longitude:					
Ν	٨		2) ft. 3) ft., or 4) □ Dry WELL'S STATIC WATER LEVEL:					Datum: 🗌 WGS 84 🔲 NAD 83 🔲 NAD 27					
			□ below land surface, measured on (mo-day-yr)							Latitude/Longitude: init make/model:)	
NW	NE		□ above land surface, measured on (mo-day-yr).							VAAS enabled?			
			Pump test data: Well water was ft.					Land Survey Topographic Map					
W	K E	after	after hours pumping						nline	Mapper:			
SW	SE	often	Well water was ft.										
			after hours pumping gp Estimated Yield:gpm					6 Elevation:ft. Ground Level TOC				ind Level 🔲 TOC	
	S		Bore Hole Diameter: in. to									Topographic Map	
1 r	nile		in. to					□ Other					
7 WELL WATER TO BE USED AS:													
1. Domestic: 5. Public Water Supply: well ID 													
			6. Dewatering: how many wells?										
			 7. ☐ Aquifer Recharge: well ID 8. ☐ Monitoring: well ID 										
2. \Box Irrigati													
_ 0						Soil Vapor Extraction			b) Open Loop 🗌 Surface Discharge 🗌 Inj. of Water				
4. 🗌 Industrial 🔅 Recovery 🔅 Injecti							13. 🗌 Other (specify):						
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:													
Water well disinfected? \square Yes \square No													
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded													
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.													
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No													
TYPE OF SCREEN OR PERFORATION MATERIAL:													
	Steel Fiberglass PVC Other (Specify) Brass Galvanized Steel Concrete tile None used (open hole)												
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:													
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify)													
		🗌 Key Punc	hed 🗌 W	vire Wrappe	d 🗆 S	aw Cut	🗌 No	one (Open H	Iole)				
										ft., From			
										ft., From			
												•••••	
		ft. to le contaminat i		ft., From		. ft. to	••••	ft., From	•••••	ft. to	ft.		
Septic			un: Lateral Line	s L	Pit Privy			Livestock Pe	ens	☐ Insectio	ride Stora	σe	
	Lines		Cess Pool		Sewage L	agoon		Fuel Storage					
Waterti	ight Sewer L	ines 🔲	Seepage Pit		Feedyard	U	Ē	Fertilizer Sto	orage	Oil We			
Other (Specify)												
Sewer Lines Cess Pool Sewage Lage Watertight Sewer Lines Seepage Pit Feedyard Other (Specify) Direction from well? Distance from well 10 FROM TO LITHOLOGIC LOG							1? ft.						
10 FROM	TO	1	THOLO	GICLOG		FRC	DM	ТО	LIII	HO. LOG (cont.) or	PLUGG	NGINTERVALS	
						Note	s:						
11 001	DACTOR			agener				11 -	_			<u> </u>	
										nstructed, \square reco			
under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No													
under the business name of													
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each <u>constructed</u> well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.													
-		and Environment eks.gov/waterwel		water, Geolog	gy Section, 1	.000 SW Ja	ckson S	st., Suite 420,	Topel	ka, Kansas 66612-136		one 785-296-3565. KSA 82a-1212	
visit us at n	пр.//www.каг	cks.gov/waterwel	1/ IIIUeX.IIUIII								_	ASA 020-1212	