WATER WELL RECOR			ion of Water		Well ID			
Original Record Correct 1 LOCATION OF WATER V			irces App. No.	Township Number		ge Number		
County: Sheridan	WELL: Fraction NW4 SE 1/4	NE 1/4 Section	29	T /O S		DE MAN		
2 WELL OWNER: Last Name:	Vauricka First: Rita	Street or Rura		ere well is located				
Business: Address: 303 W Court 55								
Address:								
City: Ness C:ty State: KS ZIP:69360								
3 LOCATE WELL 4 DE	WITH "V" IN 4 DEPTH OF COMPLETED WELL:				5 Latitude:(decimal degrees)			
SECTION BOY. Depth(Depth(s) Groundwater Encountered: 1)							
N 2)	2)					83 🗆 NAD 27		
	WELL'S STATIC WATER LEVEL: . 18			Source for Latitude/Longitude: GPS (unit make/model:)				
				(WAAS enabled? ☐ Yes ☐ No)				
	test data: Well water was ft.							
W E at	ter hours pumping		☐ Online Mapper:					
SWSE	Well water was ter hours pumping							
, , , , , , , ,	ted Yield: 20gpm	6 Elevation:tt. Ground Level 100						
S Bore F	lole Diameter:9 in. to5.0.	ft. and	Source:					
1 mile in. to ft.								
7 WELL WATER TO BE USED AS: 1. Domestic: 5. Public Water Supply: well ID								
1. Domestic: ☐ Household	5. ☐ Public Water Supply: well ID 6. ☐ Dewatering: how many wells?							
☐ Lawn & Garden		11. Test Hole: well ID						
Livestock	8. Monitoring: well ID			12. Geothermal: how many bores?				
2. Irrigation	9. Environmental Remediation: well II		a) Closed Loop Horizontal Vertical					
3. ☐ Feedlot ☐ Air Sparge ☐ Soil Vapor Extraction 4. ☐ Industrial ☐ Recovery ☐ Injection			b) Open Loop Surface Discharge Inj. of Water 13. Other (specify):					
	Recovery Injection	=						
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:								
Water well disinfected? Yes No								
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter ft., Diameter ft., Diameter ft.								
Casing height above land surface								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☑ PVC ☐ Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:								
Continuous Slot								
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)								
SCREEN-PERFORATED INTERVALS: From 30. ft. to 5.0. ft., From ft. to ft. from ft.								
GRAVEL PACK INTERVALS: From . 2.0. ft. to . 50. ft., From ft. to ft., From ft.								
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From ft. to ft. to ft. to ft. to ft.								
Nearest source of psk-sible contamination: Septic Tank								
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well								
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well								
Direction from well? Distance from well?								
10 FROM TO	LITHOLOGIC LOG	FROM		THO. LOG (cont.) or		GINTERVALS		
0 5 700	Soi (,							
5 20 Madi	in Grove							
20 45 Cla	with sand streaks							
45 48 och 1 48 50 Sha								
48 50 Sha	le	 						
		Notes						
		Notes:						
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \Box constructed. \Box reconstructed. or \Box plugged								
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No Inis water Well Record was completed on (mo-day-year)								
under the business name of 134.B. A. W. Signature Signature Signature Water, GWTS Section,								
1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.								
	Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 7/10/2015							