WATER WELL RECORD	Form WWC-5	Division of Water Resources; App. No.
1 LOCATION OF WATER WELL: County: Special County	Fraction SE 1/4 SW 1/4 SE 1/4	Section Number Township Number Range Number R 29 E/W
Distance and direction from nearest town or	r city street address of well if	Global Positioning Systems (decimal degrees, min. of 4 digits)
4 north, 2 34 cast of	Grinnell KS	Latitude: Longitude:
2 WATER WELL OWNER: VINCE	70xx	Elevation:
RR#, St. Address, Box # : 24 1 BD	χώÖ	Datum:
City, State, ZIP Code : COOOCA	1, KS 67738 1-7	Data Collection Method:
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL		
WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered WELL'S STATIC WATER LEVEL 105 ft. (2) ft. (3) ft. (3) ft. (3) ft. (below land surface measured on mo/day/yr.		
WITH AN "X" IN SECTION BOX: Depth(s) Groundwa WELL'S STATIC	WATER LEVEL 10.5 f	t. below land surface measured on mo/day/yr
Pump test data: Well water was		
	D BE USED AS: 5 Public water	supply 8 Air conditioning 11 Injection well
$ W ^{-NW-1}$ $ E $ Domestic 3 I	Feedlot 6 Oil field water s	supply 9 Dewatering 12 Other (Specify below)
Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well		
Was a chemical/bacteriological sample submitted to Department? Yes No		
Sample was submitted		
	tht Iron 8 Concrete tile	CASING JOINTS: Clamped Clamped
	tos-Cement 9 Other (specif	v below) Welded
2PVC 4 ABS 7 Fiberg	lass	Threaded Certi-lak
Blank casing diameter in. to 1.5.	ft., Diameter.,	in. toft.
Blank casing diameter in, to 155 ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface in, Weight lbs./ft. Wall thickness or guage No. SDR 1.1		
1 Steel 3 Stainless Steel 5 Fiberglass 7 VC 9 ABS 11 Other (Specify)		
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)		
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot		
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From ft. to 1.1.5 ft., From ft. to ft.		
GRAVEL PACK INTERVALS: From 140 ft. to ft., From ft. to ft.		
GRAVEL PACK INTERVALS: From 190 ft. to 100 ft., From ft. to 110 ft., From ft., From ft. to 110 ft., From ft.		
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout (3 Bentonite 4 Other		
Grout Intervals: From		
What is the nearest source of possible contami 1 Septic tank 4 Lateral line		stock pens 13 Insecticide Storage 16 Other (specify
Sewer lines 5 Cess pool	8 Sewage lagoon 11 Fuel	
3 Watertight sewer lines 6 Seepage pi	t 9 Feedyard 12 Fertil	izer Storage 15 Oil well/gas well
Direction from well? Southwest		ny feet?
FROM TO LITHOLOG	GIC LOG FROM	
5 31 tan Cau	170	
31 48 Sund		1 J Divide Brown
48 61 tan-aray da	u	
82 142 Sanay Clay	J	
142 149 tan aay		
149 152 time sound		
160 170 5000		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged		
under my jurisdiction and was completed on (mo/day/year)		
Kansas Water Well Contractor's License No		
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks, underline or circle the correct answers. Send top		
three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at		
1 /03-270-3322. Sein one to Water Well U	WINER and retain one for Your	records. The or \$5.00 for each constitution well. Visit us a

http://www.kdheks.gov/waterwell/index.html.