KOLAR Document ID: 1540262

	WELL R			WWC-5		vision of Wat						
		Correction		ge in Well Use		sources App. 1			Well ID			
1 LOCATION OF WATER WELL: Fraction						1 0			ige Number			
County: $\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$						1 4 1 1						
						treet or Rural Address where well is located (if unknown, distance and						
Address:					direction from	irection from nearest town or intersection): If at owner's address, check here:						
Address:												
City:			State:	ZIP:								
3 LOCAT		4 DEPTH	OF COM	APLETED WELL:		ft 5 Latit	ahu			(decimal degrees)		
	WITH "A" IN Donth(s) Groundwater Encountered: 1)											
	SECTION BOX: N 2) ft. 3) ft., or						Datum: WGS 84 NAD 83 NAD 27					
		WELL'S ST			Source		Latitude/Longitude					
				-yr)			unit make/model:					
NW	NE	Pump test d		-yr)			WAAS enabled?		(o)			
w	Е	-	hours				Survey 🔲 Topogra					
			Well v			Online Mapper:						
sw	SE		hours	gpm								
		Estimated Y				6 Elevation:ft. □ Ground Level □ TOC Source: □ Land Survey □ GPS □ Topographic Map						
	S mile	Bore Hole I	Bore Hole Diameter: in. to			Source	\square Other					
7 WELL WATER TO BE USED AS: 1. Domestic: 5. Public Water Supply: well ID 10. Oil Field Water Supply: lease 												
	☐ Household											
			7. Aquifer Recharge: well ID									
	Livestock 8. Monitoring: well ID					12. Geothermal: how many bores?						
	2. Irrigation9. Environmental Remediation: well ID						a) Closed Loop Horizontal Vertical					
	3. 🗌 Feedlot 🔅 🗋 Air Sparge 🔅 Soil Vapor E					b) Open Loop \Box Surface Discharge \Box Inj. of Water						
4. Industrial Recovery Injection 13. Other (specify):												
Was a chemical/bacteriological sample submitted to KDHE? \Box Yes \Box No If yes, date sample was submitted:												
Water well disinfected? Yes No												
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter in. to ft., Diameter ft., Diameter in. to ft.												
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No												
TYPE OF SCREEN OR PERFORATION MATERIAL:												
□ Steel □ Stainless Steel □ PVC □ Other (Specify)												
□ Brass □ Galvanized Steel □ None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE:												
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify)												
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)												
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft. to ft. to ft.												
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft., From ft. to ft. o ft. o ft. o ft. to ft. ft. to ft. to ft. to ft. ft. to ft. ft. to ft. ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft												
Grout Intervals: From												
		e contaminati	on: No	potential source of con	tamination w	rithin 200 ft.						
□ Septic			Lateral Line			Livestock P			cide Storage			
Sewer]			Cess Pool	Sewage La		Fuel Storage			oned Water			
	ight Sewer Lir			☐ Feedyard		Fertilizer St	orage	□ Oil We	ll/Gas Well			
Direction from well? ft.												
10 FROM	ТО		ITHOLO		FROM	ТО		HO. LOG (cont.) or		G INTERVALS		
		-		-		-						
Notes:												
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, a reconstructed, or a plugged												
under mv i	urisdiction ar	id was compl	leted on (n	no-day-year)	and	this record	is tru	ie to the best of m	y knowled	ge and belief.		
Kansas Wa	ter Well Con	tractor's Lice	ense No	This Wa	ater Well Re	ecord was co	mple	eted on (mo-day-ye	ear)			
under the b	usiness name	<u>e of</u>				<u></u>	-	· · · · · · · · · · · · · · · · · · ·				
KS Departr				ELL OWNER and retain						~ 785-296-3565		
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212												