

1 LOCATION OF WATER WELL: County: <u>Thomas</u>	Fraction <u>NE</u> $\frac{1}{4}$ <u>NW</u> $\frac{1}{4}$ <u>NE</u> $\frac{1}{4}$	Section Number <u>5</u>	Township Number <u>T</u> <u>10</u> <u>S</u>	Range Number <u>R</u> <u>31</u> <u>EW</u>
--	---	----------------------------	--	--

Distance and direction from nearest town or city street address of well if located within city?

5 miles north 3 miles east of Oakley, Ks.

2 WATER WELL OWNER: <u>Alvin Albers</u> RR#, St. Address, Box #: <u>104 Lakeridge Rd.</u> City, State, ZIP Code: <u>Quinter, Ks. 67752</u>	<u>Murfin Drilling</u> Box <u>661</u> <u>Colby, Ks. 67701</u>	Board of Agriculture, Division of Water Resources Application Number: <u>T89-514</u>
--	---	---

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: <u>140</u> ft. ELEVATION:
--	--

<p>1 Mile</p>	Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.		
	WELL'S STATIC WATER LEVEL <u>70</u> ft. below land surface measured on mo/day/yr		
	Pump test data: Well water was ft. after hours pumping gpm		
	Est. Yield gpm: Well water was ft. after hours pumping gpm		
Bore Hole Diameter: <u>8</u> in. to <u>140</u> ft., and in. to ft.	WELL WATER TO BE USED AS:		
1 Domestic	5 Public water supply	8 Air conditioning	11 Injection well
2 Irrigation	3 Feedlot	6 Oil field water supply	9 Dewatering
4 Industrial	7 Lawn and garden only	10 Monitoring well	12 Other (Specify below)
Was a chemical/bacteriological sample submitted to Department? Yes No <u>X</u> If yes, mo/day/yr sample was submitted			
Water Well Disinfected? Yes No <u>X</u>			

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued <u>X</u> Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
2 <u>PVC</u>	4 ABS	7 Fiberglass	Welded
			Threaded

Blank casing diameter 4.5 in. to 120 ft., Dia. in. to ft., Dia. in. to ft.
Casing height above land surface 18 in., weight 2.38 lbs./ft. Wall thickness or gauge No. 248

TYPE OF SCREEN OR PERFORATION MATERIAL:	7 PVC	10 Asbestos-cement
1 Steel	8 RMP (SR)	11 Other (specify)
2 Brass	9 ABS	12 None used (open hole)
3 Stainless steel		
4 Galvanized steel		
5 Fiberglass		
6 Concrete tile		

SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
1 Continuous slot	6 Wire wrapped	9 Drilled holes	
2 Louvered shutter	7 Torch cut	10 Other (specify)	
4 Key punched			

SCREEN-PERFORATED INTERVALS:	From <u>120</u> ft. to <u>140</u> ft.	From ft. to ft.
	From ft. to ft.	From ft. to ft.
GRAVEL PACK INTERVALS:	From <u>20</u> ft. to <u>140</u> ft.	From ft. to ft.
	From ft. to ft.	From ft. to ft.

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other
Grout Intervals:	From <u>0</u> ft. to <u>20</u> ft.	From ft. to ft.	From ft. to ft.	From ft. to ft.

What is the nearest source of possible contamination:	10 Livestock pens	14 Abandoned water well
1 Septic tank	11 Fuel storage	15 Oil well/Gas well
2 Sewer lines	12 Fertilizer storage	16 Other (specify below)
3 Watertight sewer lines	13 Insecticide storage	
4 Lateral lines		
5 Cess pool		
6 Seepage pit		
7 Pit privy		
8 Sewage lagoon		
9 Feedyard		
Direction from well? <u>North</u>	How many feet? <u>1200</u>	<u>Supply well</u>

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	3	Surface			
3	34	Clay & caliche			
34	52	Med. sand			
42	70	Clay			
70	80	Med. sand			
80	82	Caliche			
82	98	Med. sand			
98	120	Clay & caliche			
120	124	Med. sand			
124	129	Clay & caliche			
129	133	Med. sand			
133	135	Med. sand			
135	137	Ochre			
137	140	Shale			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) <u>constructed</u> , (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>11-11-89</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>394</u> This Water Well Record was completed on (mo/day/yr) <u>11-13-89</u> under the business name of <u>WOOFER PUMP & WELL</u> by (signature) <u>W. Albers</u>
