USE TYPEWRITER OF EALLY POINT PEN-PRESE FIRMLY, PRINT CLEARLY

DAKLEY NE

WATER WELL RECORD
KSA 820-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeko, Kansas 66620

1. Location wells: 7p h and 2 o	Section number	Township number Range number
NW 1/4 NW/4 NW/		т 10 s R 31 x8x/w
2. Distance and district from necessity of a city: From Oakley, Ks. 3. 1 mile east miles North	Owner of well: R. or street:	Wayne Krug
Street address of well location if in city:	ity, state, zip code:	Oakley, Kansas
4. Lacate with "X" in section below: Sketch map:		6. Bore hole dia 30 th, in. Completion data Well depth 230 ft. 11-08-75
N E I I I		7 Cable tool _ Rotary _ Driven _ Dug
		Hollow rod Jetted BoredX Reverse rotary
		8. Use: Domestic Public supply Industry
		X Irrigation Air conditioning Stock Lawn Oil field water Other
		9. Casing: Material Stee Height Above or below Threaded Welded X Surface 12 in
	,	RMPPVClWeight188_lbs./ft.
I → 1 Mile —→I		Dia. 16 in. to 160, depth Wall Thickness: inches or Dia in. to ft. depth gage No. 7 guage
5. Type and color of material	From To	10. Screen, Magufacturer's name
Clay	0 57	Type regular Dio. 16"
Coarse sand & gravel	57 66	Slot gauze 10% Length 60
_	66 79	Set between 160 ft. and 220 ft.
Sandy clay	- 1 00 / 3	Gravel pack? Yes Size range of material 4 X 3/8
Coarse sand & gravel	79 104	11. Static water level: mo./day/yr. 135 t. below land surface Date 11-10-75
Clay	104 108	
Coarse sand & gravel	108 141	ft. ofter brs, pumping g.p.m.
Clay	141 148	Estimated maximum yieldg.p.m.
Modium to goarge gand & grayel	148 155	Yes X No Date
Medium to coarse sand & gravel		Pilles admits 12 Inches above and
Clay & sand streaks	155 173	15. Well grouted? <u>yes</u> & clay
Medium to coarse sand & gravel	173 194	With: Neat cement X Bentonite Concrete Depth: From 0 ft. to 10 ft.
Clay	194 202	
Coarse sand & gravel	202 209	Well disinfected upon completion? Yes _X _No _L
Clay	209 210	17. Pump: Not installed FIOWAY
Coarse sand & gravel	210 230	Model number 10 DOH HP 75 Volts
COALSE Salin a Braver	210 250	Туре:
Ochre & Shale	230	Submersible X Turbine Reciprocating
(Use a second sheet If needed)		Centrifugal Other 0
18. Elevation: 19. Remarks:		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report
30% (1010)		is true to the best of my knowledge and belief.
Topography:		Western Well & Pump, Inc. 245 Business name P.O. Box 582, Colby RS.
Slope X Upland		Address
Valley		Signed Authorized representative Date Jan 9

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5