

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: THOMAS		SW 1/4 NE 1/4 NE 1/4	8	T 10 S	R 31 W EW
Distance and direction from nearest town or city street address of well if located within city? <div style="text-align: center; font-size: 1.2em;">5 N 4 E of 0 alley</div>					
2 WATER WELL OWNER:		JOSEPH STRABALA			
RR#, St. Address, Box # :		Colorado, Springs Colo.			
City, State, ZIP Code :		Board of Agriculture, Division of Water Resources Application Number: T 87-55			
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 190 ft. ELEVATION:			
		Depth(s) Groundwater Encountered 1. 90 ft. 2. ft. 3. ft.			
		WELL'S STATIC WATER LEVEL 90 ft. below land surface measured on mo/day/yr.			
		Pump test data: Well water was ft. after hours pumping gpm			
		Est. Yield 50 gpm: Well water was ft. after hours pumping gpm			
		Bore Hole Diameter 9 in. to 190 ft., and in. to ft.			
WELL WATER TO BE USED AS:		5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well			
Was a chemical/bacteriological sample submitted to Department? Yes No X		If yes, mo/day/yr sample was submitted			
Water Well Disinfected? Yes X No					
5 TYPE OF BLANK CASING USED:		CASING JOINTS: Glued X Clamped			
1 Steel 3 RMP (SR)		Welded			
2 PVC 4 ABS		Threaded			
Blank casing diameter 8.5 in. to 180 ft., Dia		in. to ft., Dia			
Casing height above land surface 12 in., weight 250 lbs./ft.		Wall thickness or gauge No. 250			
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 PVC 10 Asbestos-cement			
1 Steel 3 Stainless steel 5 Fiberglass		8 RMP (SR) 11 Other (specify)			
2 Brass 4 Galvanized steel 6 Concrete tile		9 ABS 12 None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped 8 Saw cut 11 None (open hole)			
1 Continuous slot 3 Mill slot		9 Drilled holes			
2 Louvered shutter 4 Key punched		10 Other (specify)			
SCREEN-PERFORATED INTERVALS:		From 180 ft. to 190 ft., From ft. to ft.			
GRAVEL PACK INTERVALS:		From 90 ft. to 190 ft., From ft. to ft.			
6 GROUT MATERIAL:		1 Neat cement 2 Cement grout 3 Bentonite 4 Other			
Grout Intervals: From 0 ft. to 20 ft., From ft. to ft.		From ft. to ft.			
What is the nearest source of possible contamination:		10 Livestock pens 14 Abandoned water well			
1 Septic tank 4 Lateral lines 7 Pit privy		11 Fuel storage 15 Oil well/Gas well			
2 Sewer lines 5 Cess pool 8 Sewage lagoon		12 Fertilizer storage 16 Other (specify below)			
3 Watertight sewer lines 6 Seepage pit 9 Feedyard		13 Insecticide storage			
Direction from well? Level ground		How many feet? F 100 ft.			
FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	19	Topsoil			
19	36	M. Gravel			
36	55	Sandy Clay			
55	67	Fine Sand			
67	89	M. Gravel			
89	100	Sandy Clay			
100	130	M. Gravel			
130	137	Sandy Clay			
137	146	Fine Sand			
146	150	Sandy Clay			
150	164	M. Gravel			
164	186	Sandy Clay			
186	190	Ochre			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 3-3-87 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 376 This Water Well Record was completed on (mo/day/yr) 5-87 under the business name of B & B DRILLING by (signature) Joseph Beckman					
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Office of Oil Field and Environmental Geology, Regulation and Permitting Section, Topeka, Kansas 66620-7500, Telephone: 913-882-9360. Send one to WATER WELL OWNER and retain one for your records.					