USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

ABA WATER WELL RECORD
KSA-820-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Konsas 66620

		, ,								
	County	Froction			Section	number	Township number	Range number		
1. Location of well:	Th	ME 1/4 NO	11/4 m	1/4	2	7	X -10 - S	R 31	F CO	
0.01.					er of well		G. SumiER	<u> </u>		
2. Distance and dire	ction from nearest town or city: 34			R.R. or		: C7 .	U. Juante C			
						rade:	1. L1. U			
City,					ule, zip (ude: (6. Bore holedia. 9 in. Completion date 4-249			
4. Locate with "X" i	1	Sketch map:					6. Bore hole dia in. Well depth ft.	Completion date	7-3-1	
- 	$3t_{00}$	K Wel	1 j						 -	
					AINI	00	7Cable toolKotary Driven Dug Hollow rod Jetted Bored Reverse rotary			
DRILLED ON GOOD a					, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	36				
E Lucation							8. Use: Domestic Public supply Industry Irrigation Air conditioning 🗶 Stock			
							Lawn Oil field water Other			
SW SE							9. Casing: Material			
							Threaded WeldediSurfacein.			
S S							RMP PVC	_iVaghidoe/Si	lbs./ft.	
1 1 M	ile 1						Ya. 25n. to 60 ft. dep	th Wall Thickness: in	nches or	
5. Type and color of	material				From	To	Dia in. to ft. dept			
			w				10. Screen: Manufacturer's n			
100 00	Î.				0	3		Dia	-	
1	A 2						Slot/gauze // 2 2			
Sandy	Clay				3	15	Set between 42	ft. and	ft.	
m	. 9				1 =	111			tt.	
-ore and	rice				13	17# EM	Gravel pack? Size rai		<u> </u>	
Sands	Clay				22	27	1. Static water level:		./day/yr.	
0	000	1					12. Pumping level below land			
Find Sa	and M grand				22	32	ft. after h		_ g.p.m.	
Sande	1000				31	40	ft. after h		_ g.p.m.	
Janay	Cay					70	Estimated maximum yield —		g.p.m.	
arrivel					40	46	13. Water sample submitted:		./day/yr.	
100	01/				11.	e- 1		Date		
Sandy	clay				46	1	 Well head completion: Pitless adapter 	Inches above	grade	
movel					51	59	15. Well grouted?	Meller above	9,000	
100	<i>î</i>)						With: X Neat cement	Bentonite	Concrete	
Sand	·lay				59	60	Depth: From ft. to .			
	9						16. Nearest source of possible	e contamination:		
	RPA	CV					ft. <u>AO</u> Direction	Type C	ككنا	
	17KU	<u>. </u>					Well disinfected upon comple		No	
							17. Pump:	▲ Not installed	\ _{\rightarrow}	
					<u> </u>		Manufacturer's name Model number	HP Vo	olts	
							Length of drop pipe			
	7 IST WES-2-1-18 MARKET 1. 11. 11. 11.						Туре:	,		
							Submersible	Turbin	1 100	
	(Use a second s	heat if panded)					Jet Centrifugal	Recipr Other	ocating S	
10.51	•			4 .	11		_ 		—— " ~	
18. Elevation:	19. Remarks: Hing t	finial	our	W	W		20. Water well contractor's on This well was drilled under m		s report	
	7	/					is true to the best of my know	, ,		
Topography:							B+B Dullen		26 5 7	
—_Hill							Business name	K- Lie	cense No.	
Slope							Address 2	12	3 4	
Upland Valley							Signed Authorized rep	Date resentative	4-3-0	
· unity							//		1 - 1 /8	