


1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: THOMAS	SE 1/4 SE 1/4 SE 1/4	33	T 10 S S	R 31 W E (W)

Distance and direction from nearest town or city street address of well if located within city?

4 E of Oakley

2 WATER WELL OWNER: EMPHASIS OIL CO.	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box #: 4 ST. KANSAS	Application Number: T 88-57
City, State, ZIP Code: RUSSELL, KANSAS	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: 191 ft. ELEVATION:
	Depth(s) Groundwater Encountered 1. 100 ft. 2. ft. 3. ft.
	WELL'S STATIC WATER LEVEL 100 ft. below land surface measured on mo/day/yr
	Pump test data: Well water was ft. after hours pumping gpm
	Est. Yield 40 gpm: Well water was ft. after hours pumping gpm
	Bore Hole Diameter 9 in. to 191 ft., and in. to ft.
	WELL WATER TO BE USED AS:
	5 Public water supply 8 Air conditioning 11 Injection well
	1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
	2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well
	Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted
	Water Well Disinfected? Yes X No

5 TYPE OF BLANK CASING USED:	3 Wrought iron	8 Concrete tile	CASING JOINTS: Glued X Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
2 PVC	4 ABS	7 Fiberglass	10 Asbestos-cement
Blank casing diameter 5 in. to 181 ft. Dia			11 Other (specify)
Casing height above land surface 12 in. weight 250 lbs./ft. Wall thickness or gauge No. 250			12 None used (open hole)
TYPE OF SCREEN OR PERFORATION MATERIAL:	5 Fiberglass	7 PVC	8 RMP (SR)
1 Steel	3 Stainless steel	6 Concrete tile	9 ABS
2 Brass	4 Galvanized steel	5 Gauzed wrapped	8 Saw cut
SCREEN OR PERFORATION OPENINGS ARE:	1 Continuous slot	3 Mill slot	6 Wire wrapped
2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify)
SCREEN-PERFORATED INTERVALS:	From 181 ft. to 191 ft.	From ft. to ft.	From ft. to ft.
GRAVEL PACK INTERVALS:	From 100 ft. to 191 ft.	From ft. to ft.	From ft. to ft.

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other
Grout Intervals:	From 0 ft. to 20 ft.	From ft. to ft.	From ft. to ft.	From ft. to ft.
What is the nearest source of possible contamination:	1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	14 Abandoned water well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	15 Oil well/Gas well
Direction from well? West			13 Insecticide storage	16 Other (specify below)
			How many feet? 1000	

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	19	Topsoil			
19	36	M. Gravel			
36	55	Sandy Clay			
55	69	M. Gravel			
69	78	Gravel			
78	95	Sandy Clay			
95	101	M. Gravel			
101	111	Sandy Clay			
111	122	Fine Sand			
122	140	Sandy Clay			
140	181	M. Gravel			
181	190	Sandy Clay			
190	191	Ochre			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 3-88 and this record is true to the best of my knowledge and belief. Kansas
Water Well Contractor's License No. 376 This Water Well Record was completed on (mo/day/yr) 3-88
under the business name of B & B DRILLING by (signature) Joseph B. B...

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water Protection, Topeka, Kansas 66620-7320, Telephone: 913-862-9360. Send one to WATER WELL OWNER and retain one for your records.