OCATION OF WATER WELL:		WELL RECORD	Form WWC-5	KSA 82			
	Fraction	11/= -		tion Numbe			Range Number
nty: Thomas		NE 1/4 St		34	T 10	S	R 3/ E/W
ance and direction from nearest to	·						
NA Location		d by GMO	7 = 9		-		
VATER WELL OWNER: 17/4		`			Doord of As		Nivisian of Mater Descues
	W. 4th	774 <b>8</b>			•		Division of Water Resource
			7.0		Application		
OCATE WELL'S LOCATION WITI N "X" IN SECTION BOX:							
Z	1 ' ' '						
NW NE							nping gpm
	l .					•	nping gpm
w	E I						to
	WELL WATER TO		5 Public wate	• • •	•		njection well
SVY SE	Domestic	3 Feedlot	6 Oil field wat				Other (Specify below)
	2 Irrigation	4 Industrial	/ Lawn and g	arden only	10 Monitoring Well		mo/day/yr sample was su
	1	acteriological sample	submitted to Di				
<u> </u>	mitted				ater Well Disinfected		No No
YPE OF BLANK CASING USED:		5 Wrought iron	8 Concre				Clamped
(1 Steel 3 RMP (	•	6 Asbestos-Cement		specify bek	•		id
2 PVC 4 ABS		7 Fiberglass			# Dia		ded
ng height above land surface		n., weight					
E OF SCREEN OR PERFORATION		5 Eibaarinaa	7 PV	-		stos-ceme	
1 Steel 3 Stainle		5 Fiberglass		P (SR)			
		6 Concrete tile	9 AB	•		used (ope	
REEN OR PERFORATION OPEN			zed wrapped		8 Saw cut		11 None (open hole)
	Mill slot		wrapped		9 Drilled holes		
	Key punched	7 Torcl	h cut		10 Other (specify)		
REEN-PERFORATED INTERVALS							•
		π. το .		ft., Fr	om	ft. tc	)
	From	ft. to .		ft., Fr	om	ft. to	)
GRAVEL PACK INTERVALS	From	ft. to .		ft., Fr	om	ft. to	)
GRAVEL PACK INTERVALS	From S: From From	ft. to . ft. to . ft. to		ft., Fn ft., Fn ft., Fn	om	ft. to ft. to ft. to	)
GRAVEL PACK INTERVALS	From		3 Bento	ft., Fn ft., Fn ft., Fn	om	ft. to	)
GRAVEL PACK INTERVALS GROUT MATERIAL:   O Nea	From S: From  From t cement 2ft. to		3 Bento	ft., Fn ft., Fn ft., Fn nite 4	omom om l Otherft., From	ft. to	
GRAVEL PACK INTERVALS  GROUT MATERIAL:  (i) Nea  ut Intervals: From	From S: From From t cement 2ft. to	t. to .  t. to .  t. to .  Cement grout  tt., From	3 Bento ft.	ft., Fn ft., Fn ft., Fn nite 4 to	omom  Notherft., From	ft. to	
GRAVEL PACK INTERVALS  GROUT MATERIAL:   O Nea  ut Intervals: From	From S: From From t cement 2ft. to	t. to	3 Bento ft.	ft., Fnft., Fn ft., Fr nite 4 to 10 Live	omomomomomomomomother	ft. to ft. to ft. to	
GRAVEL PACK INTERVALS  GROUT MATERIAL:  One Near Street Intervals:  The rear street is the nearest source of possible 1 Septic tank  2 Sewer lines  5 Ces	From S: From From  t cement 2ft. to le contamination: eral lines ss pool	t. to	3 Bento ft.	ft., Fnft., Frn ft., Fr ft., Fr  10 Live 11 Fue 12 Fert	om	ft. to ft. t	
GRAVEL PACK INTERVALS  GROUT MATERIAL:  O Near  at intervals: From  at is the nearest source of possible  1 Septic tank  2 Sewer lines  5 Ces  3 Watertight sewer lines  6 See	From S: From From  t cement 2ft. to le contamination: eral lines ss pool	t. to	3 Bento ft.	10 Live 11 Fue 12 Fert 13 Inse	om	ft. to ft. t	
GRAVEL PACK INTERVALS  GROUT MATERIAL:  It Intervals: From  It is the nearest source of possible 1 Septic tank 4 Late 2 Sewer lines 5 Ces 3 Watertight sewer lines 6 Section from well?	From S: From From  t cement 2ft. to le contamination: eral lines ss pool epage pit	ft. to .	3 Bento ft.	10 Live 11 Fue 12 Fert 13 Inse	om	14 Ab	ft. to
GRAVEL PACK INTERVALS  ROUT MATERIAL: (1) Near at Intervals: From	From S: From From  t cement 2ft. to le contamination: eral lines ss pool	ft. to .	3 Bento ft.	10 Live 11 Fue 12 Fert 13 Inse	om	14 Ab	tt.  ft. toft.  ft. toft.  pandoned water well  I well/Gas well  her (specify below)
GRAVEL PACK INTERVALS  ROUT MATERIAL: (1) Near at Intervals: From	From S: From From  t cement 2ft. to le contamination: eral lines ss pool epage pit	ft. to .	3 Bento ft.	10 Live 11 Fue 12 Fert 13 Inse	om	14 Ab 15 Oi 16 Ot	ft. toft.  ft. toft.  pandoned water well  well/Gas well  her (specify below)  Cans.
GRAVEL PACK INTERVALS  ROUT MATERIAL: ① Nea at Intervals: From  t is the nearest source of possible 1 Septic tank 4 Lat 2 Sewer lines 5 Ces 3 Watertight sewer lines 6 Section from well?	From S: From From  t cement 2ft. to le contamination: eral lines ss pool epage pit	ft. to .	3 Bento ft.	10 Live 12 Fert 13 Inse How m	om	14 Ab	ft. toft.  ft. toft.  pandoned water well  well/Gas well  her (specify below)  Cans.
GRAVEL PACK INTERVALS  GROUT MATERIAL:  It Intervals: From  It is the nearest source of possible 1 Septic tank 4 Late 2 Sewer lines 5 Ces 3 Watertight sewer lines 6 Section from well?	From S: From From  t cement 2ft. to le contamination: eral lines ss pool epage pit	ft. to .	3 Bento ft.	10 Live 12 Fert 13 Inse	om	14 Ab 15 Oi 16 Ot	ft. toft.  ft. toft.  pandoned water well I well/Gas well her (specify below)  Canse
GRAVEL PACK INTERVALS  GROUT MATERIAL:  of Near  ut Intervals: From  at is the nearest source of possible  1 Septic tank  2 Sewer lines  5 Ces  3 Watertight sewer lines  6 Secution from well?	From S: From From  t cement 2ft. to	ft. to .	3 Bento ft.	10 Live 12 Fert 13 Inse How m	om	14 Ab 15 Oi 16 Ot	ft. to ft.  ft. to ft.  pandoned water well  well/Gas well  her (specify below)  Cansel
GRAVEL PACK INTERVALS  GROUT MATERIAL:  It Intervals: From  It is the nearest source of possible 1 Septic tank 4 Late 2 Sewer lines 5 Ces 3 Watertight sewer lines 6 Section from well?	From S: From From  t cement 2ft. to	ft. to .	3 Bento ft.	10 Live 12 Fert 13 Inse	om	14 Ab 15 Oi 16 Ot	ft. to
GRAVEL PACK INTERVALS  GROUT MATERIAL:  It Intervals: From  It is the nearest source of possible 1 Septic tank 4 Late 2 Sewer lines 5 Ces 3 Watertight sewer lines 6 Section from well?	From S: From From  t cement 2ft. to	ft. to .	3 Bento ft.	10 Live 12 Fert 13 Inse	om	14 Ab 15 Oi 16 Ot	ft. to
GRAVEL PACK INTERVALS  GROUT MATERIAL:  It Intervals: From  It is the nearest source of possible 1 Septic tank 4 Late 2 Sewer lines 5 Ces 3 Watertight sewer lines 6 Section from well?	From S: From From  t cement 2ft. to	ft. to .	3 Bento ft.	10 Live 12 Fert 13 Inse	om	14 Ab 15 Oi 16 Ot	ft. to
GRAVEL PACK INTERVALS  GROUT MATERIAL:  It Intervals: From  It is the nearest source of possible 1 Septic tank 4 Late 2 Sewer lines 5 Ces 3 Watertight sewer lines 6 Section from well?	From S: From From  t cement 2ft. to	ft. to .	3 Bento ft.	10 Live 12 Fert 13 Inse	om	14 Ab 15 Oi 16 Ot	ft. toft.  ft. toft.  pandoned water well I well/Gas well ther (specify below)  Can.  ITERVALS
GRAVEL PACK INTERVALS  ROUT MATERIAL: (1) Near at Intervals: From	From S: From From  t cement 2ft. to	ft. to .	3 Bento ft.	10 Live 12 Fert 13 Inse	om	14 Ab 15 Oi 16 Ot	ft. toft  ft. toft  pandoned water well  well/Gas well  her (specify below)  Cane  ITERVALS
GRAVEL PACK INTERVALS  GROUT MATERIAL:  It Intervals: From  It is the nearest source of possible 1 Septic tank 4 Late 2 Sewer lines 5 Ces 3 Watertight sewer lines 6 Section from well?	From S: From From  t cement 2ft. to	ft. to .	3 Bento ft.	10 Live 12 Fert 13 Inse	om	14 Ab 15 Oi 16 Ot	ft. toft.  ft. toft.  pandoned water well I well/Gas well ther (specify below)  Can.  ITERVALS
GRAVEL PACK INTERVALS  GROUT MATERIAL:  It Intervals: From  It is the nearest source of possible 1 Septic tank 4 Late 2 Sewer lines 5 Ces 3 Watertight sewer lines 6 Section from well?	From S: From From  t cement 2ft. to	ft. to .	3 Bento ft.	10 Live 12 Fert 13 Inse	om	14 Ab 15 Oi 16 Ot	ft. to
GRAVEL PACK INTERVALS  ROUT MATERIAL: ① Nea at Intervals: From  t is the nearest source of possible 1 Septic tank 4 Lat 2 Sewer lines 5 Ces 3 Watertight sewer lines 6 Section from well?	From S: From From  t cement 2ft. to	ft. to .	3 Bento ft.	10 Live 12 Fert 13 Inse	om	14 Ab 15 Oi 16 Ot  OCT	ft. to
GRAVEL PACK INTERVALS  ROUT MATERIAL: ① Nea It Intervals: From	From S: From From  t cement 2ft. to	ft. to .	3 Bento ft.	10 Live 12 Fert 13 Inse	om	14 Ab 15 Oi 16 Ot  OCT	ft. to
GRAVEL PACK INTERVALS  ROUT MATERIAL: ① Nea It Intervals: From	From S: From From  t cement 2ft. to	ft. to .	3 Bento ft.	10 Live 12 Fert 13 Inse	om	14 Ab 15 Oi 16 Ot  OCT	ft. to
GRAVEL PACK INTERVALS  GROUT MATERIAL:  Intervals: From	From S: From From  t cement 2ft. to le contamination: eral lines ss pool epage pit  LITHOLOGIC Lo		3 Bento ft.	tt., Fr. ft., Fr. ft., Fr. ft., Fr. 10 Live 11 Fue 12 Fert 13 Inse How m TO	om	14 Ab 15 Oi 16 Ot 17 OF	tt. to
GRAVEL PACK INTERVALS GROUT MATERIAL:  Intervals: From	From S: From From  t cement 2t. to le contamination: eral lines ss pool epage pit  LITHOLOGIC Le  ER'S CERTIFICATIO	t. to	3 Bento ft.	tt., Fr. ft., Fr. ft., Fr. ft., Fr. 10 Live 11 Fue 12 Fert 13 Inse How m TO	om	14 Ab 15 Oi 16 Ot 17 OF	tt. to
GRAVEL PACK INTERVALS  GROUT MATERIAL:  It Intervals: From  It is the nearest source of possible 1 Septic tank 4 Late 2 Sewer lines 5 Certain 1 Septic tank 5 Certain 1 TO 1 T	From S: From From  t cement 2tt. to	t. to	3 Bento ft.	tted, (2) recand this red	om	If. to ft. to ft	tt. to
GRAVEL PACK INTERVALS  GROUT MATERIAL:  It intervals: From	From S: From From  t cement 2tt. to	t. to	3 Bento ft.	tted, (2) recand this red	om	Iff. to ft. to f	ft. to ft
GRAVEL PACK INTERVALS  GROUT MATERIAL:  Intervals: From	From S: From From  t cement 2tt. to	t. to	3 Bento ft.	tted, (2) recand this red	om	Iff. to ft. to f	ft. to
GRAVEL PACK INTERVALS  ROUT MATERIAL: (1) Near  Int Intervals: From	From S: From From  t cement 2tt. to	t. to	3 Bento ft.	tted, (2) recand this recess completeds	om	Iff. to ft. to f	tt. to