

LOCATION OF WATER WELL: County: Thomas	Fraction NE 1/4 NE 1/4 NE 1/4	Section Number 10	Township Number T 10 S	Range Number R 32 EW
---	----------------------------------	----------------------	---------------------------	-------------------------

Distance and direction from nearest town or city street address of well if located within city?

5 miles north of Oakley

WATER WELL OWNER: John Vawter	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box #: Rt. 2 Box 118	Application Number:
City, State, ZIP Code: Oakley, Kansas 67748	

LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	DEPTH OF COMPLETED WELL: 174 ft. ELEVATION:
	Depth(s) Groundwater Encountered 1 ft. 2 ft. 3 ft. WELL'S STATIC WATER LEVEL 114 ft. below land surface measured on mo/day/yr 5-16-84 Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was not tested ft. after hours pumping gpm Bore Hole Diameter 8 in. to 174 ft. and in. to ft. WELL WATER TO BE USED AS: 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes X No

TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued X Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
2 PVC	4 ABS	7 Fiberglass	Welded
Blank casing diameter 5 in. to 154 ft. Dia	in. to ft. Dia	in. to ft. Dia	Threaded
Casing height above land surface 18 in. weight 10/10 lbs./ft. Wall thickness or gauge No. 1/4"			
TYPE OF SCREEN OR PERFORATION MATERIAL:	7 PVC	10 Asbestos-cement	
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS
SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
1 Continuous slot	3 Mill slot	6 Wire wrapped	9 Drilled holes
2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify)
SCREEN-PERFORATED INTERVALS:	From 154 ft. to 174 ft.	From ft. to ft.	From ft. to ft.
GRAVEL PACK INTERVALS:	From 18 ft. to 174 ft.	From ft. to ft.	From ft. to ft.

GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other
GROUT INTERVALS:	From 4 ft. to 18 ft.	From ft. to ft.	From ft. to ft.	From ft. to ft.
What is the nearest source of possible contamination:	1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	14 Abandoned water well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	15 Oil well/Gas well
Direction from well? southwest			13 Insecticide storage	16 Other (specify below)
			How many feet? 200	

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	35	Top Soil			
35	42	Sand			
42	77	Sandy Clay and Sand Strips			
77	88	Sand			
88	112	Sand fine			
112	119	Sand clay			
119	152	Sand and Sand Rock Strips			
152	157	Sand Rock Hard			
157	174	Sand and Sand Rock Strips			

CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 5-16-84 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No 39 This Water Well Record was completed on (mo/day/yr) 5-23-84	
Under the business name of Bartell Drilling	by (signature) Joyce Surtell
INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks/underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.	