		· · · · · · · · · · · · · · · · · · ·								
LOCATION OF W		Fraction SW	1/4 NE	₁⁄₄ Ne		ection Number 30	Township		Range	Number // ŁW
Julity.	as on from nearest town o	1	/4		74		1 10	<u> </u>	H J'	
	ey 40&83 Hiway	=		Well II locat	.eu within city	•				
		n CLose	· · · · · · · · · · · · · · · · · · ·	F	lue Goos	e Drlo.				
WATER WELL O		ley, Ks			30x 1413	C DI Ig.	Doord o	f Agriculture, [Nivision of M/s	tor Bossuro
R#, St. Address, B ty, State, ZIP Code		icy, Ks	•			d. Ks.	Applicat	•	90006	
	LOCATION WITH 4	DEDTH OF	COMPLET							
AN "X" IN SECTION	ON BOX: De Wi	epth(s) Grou ELL'S STAT	ındwater Enα ΓΙΟ WATER	countered LEVEL 1	1	ft. below land su	2	ft. 3 on mo/day/yr	2/8/9	0
NW	Es						lfter			
"	i wi	ELL WATE	R TO BE US			, , ,	8 Air condition	•	njection well	
sw	- SE	1 Domes					9 Dewatering			
	1 1	2 Irrigation				-	10 Monitoring v			
	S mit	as a chemic tted				Wa	esNo ater Well Disinfe	cted? Yes	No	x
TYPE OF BLANK				_	8 Con			JOINTS: Glued		•
1 Steel	3 RMP (SR)					er (specify below			ed	
2 PVC	4 ABS	400	7 Fiber	•						
	er .5 in.									
•	land surface12		in., weig	ght						. 40
PE OF SCREEN	OR PERFORATION M				_7 F			Asbestos-ceme		
1 Steel	3 Stainless st	eel	5 Fiber			RMP (SR)		Other (specify)		
2 Brass	4 Galvanized	steel	6 Conc	rete tile	9 A	BS	12 1	None used (op	en hole)	
REEN OR PERFO	DRATION OPENINGS				zed wrapped		8 Saw cut		11 None (or	pen hole)
1 Continuous s					wrapped		9 Drilled hole			
2 Louvered shu		punched		7 Tord	ch cut		10 Other (spe	cify)		
HEEN-PERFORA	TED INTERVALS:	From		ft. to .		ft., Fro	m	ft. to	o <i></i>	
	TED INTERVALS:	From	29 · · · · ·	ft. to .	188	ft., Fro	m	ft. to) <i></i>	
GRAVEL P	ACK INTERVALS:	From From	29	ft. to . ft. to <u>1</u> ft. to	188	ft., Fro ft., Fro ft., Fro	m	ft. to)	
GRAVEL P	ACK INTERVALS: AL: 1 Neat cerr	From From From	2 9	ft. to ft. to ft. to ft. to ft. to ft. to	188 · · · · · · · · · · · · · · · · · ·	ft., Fro ft., Fro ft., Fro	m	ft. to)	
GRAVEL P GROUT MATERIA out Intervals: Fr	ACK INTERVALS: AL: 1 Neat cerr om	From From From ent to 2.9	2 Cemer ft.,	ft. to ft. to ft. to ft. to ft. to ft. to	188 · · · · · · · · · · · · · · · · · ·	ft., Froft., Fro ft., Fro tonite 4	m	ft. to	o	
GRAVEL P GROUT MATERIA out Intervals: Fr hat is the nearest	AL: 1 Neat cerrom	From From From nent to 2.9	2 Cemer ft.,	t ft. to ft. to 1 ft. to 1 ft. to 1 ft. to 1 ft. fc. from	188 · · · · · · · · · · · · · · · · · ·	to	m	ft. to ft. to ft. to ft. to ft. to	of the to the pandoned wa	fifi fifi ter well
GRAVEL P GROUT MATERIA out Intervals: Fr nat is the nearest 1 Septic tank	AL: 1 Neat cerror 0. ft. source of possible cor	From From From nent to 29 ntamination:	2 Cemer ft.,	ft. to get to get to growth. It growth. From	3 Ber	ft., Froft., Froft., Frotonite 4	m	ft. to ft	of the total of th	fifi fifi fifi ter well
GRAVEL P GROUT MATERIA out Intervals: Fr nat is the nearest 1 Septic tank 2 Sewer lines	AL: 1 Neat cemon	From From nent to 2.9 ntaminations ines	2 Cemer ft.,	ft. to get to ft. to get to ft. to grout From 7 Pit privy 8 Sewage la	3 Ber	ft., Froft., Froft., Froft., Frotonite 4 10 Lives	m	ft. to ft	of the to the pandoned wa	fi fi fift ter well
GRAVEL P GROUT MATERIA out Intervals: Fr nat is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se	AL: 1 Neat cerrom	From From nent to 2.9 ntaminations ines	2 Cemer ft.,	ft. to get to get to growth. It growth. From	3 Ber	ft., Froft., Froft	m	ft. to ft	oft. to pandoned wa il well/Gas we ther (specify	fi fi fift ter well
GRAVEL P GROUT MATERIA out Intervals: Fr nat is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se ection from well?	AL: 1 Neat cem from	From From nent to 2.9 ntaminations ines	2 Cemer ft.,	ft. to get to ft. to get to ft. to grout From 7 Pit privy 8 Sewage la	3 Ber	ft., Froft., Froft	m	ft. to ft	ft. to pandoned wa il well/Gas we ther (specify	
GRAVEL P GROUT MATERIA out Intervals: Fr nat is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO	ACK INTERVALS: AL: 1 Neat cerr on	From From nent to 29 ntamination: ines pol p pit	2 Cemer ft.,	ft. to get to ft. to get to ft. to grout From 7 Pit privy 8 Sewage la	3 Ber ft.	to	m	14 Al	ft. to pandoned wa il well/Gas we ther (specify	
GRAVEL P GROUT MATERIA out Intervals: Fr at is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO 0 100	AL: 1 Neat cem from	From From nent to 29 ntaminations ines of e pit LITHOLOG clay	2 Cemer ft.,	ft. to get to ft. to get to ft. to grout From 7 Pit privy 8 Sewage la	3 Ber ft.	to	m	14 Al	ft. to pandoned wa il well/Gas we ther (specify	
GRAVEL P GROUT MATERIA out Intervals: Fr tat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO 0 100	ACK INTERVALS: AL: 1 Neat cerrom	From From nent to 29 ntaminations ines of e pit LITHOLOG clay	2 Cemer ft.,	ft. to get to ft. to get to ft. to grout From 7 Pit privy 8 Sewage la	3 Ber ft.	to	m	14 Al	ft. to pandoned wa il well/Gas we ther (specify	
GRAVEL P GROUT MATERIA out Intervals: Fr lat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO 0 100	ACK INTERVALS: AL: 1 Neat cerrom	From From nent to 29 ntaminations ines of e pit LITHOLOG clay	2 Cemer ft.,	ft. to get to ft. to get to ft. to grout From 7 Pit privy 8 Sewage la	3 Ber ft.	to	m	14 Al	ft. to pandoned wa il well/Gas we ther (specify	
GRAVEL P GROUT MATERIA out Intervals: Fr lat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO 0 100	ACK INTERVALS: AL: 1 Neat cerrom	From From nent to 29 ntaminations ines of e pit LITHOLOG clay	2 Cemer ft.,	ft. to get to ft. to get to ft. to grout From 7 Pit privy 8 Sewage la	3 Ber ft.	to	m	14 Al	ft. to pandoned wa il well/Gas we ther (specify	
GRAVEL P GROUT MATERIA out Intervals: Fr nat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO 0 100	ACK INTERVALS: AL: 1 Neat cerrom	From From nent to 29 ntaminations ines of e pit LITHOLOG clay	2 Cemer ft.,	ft. to get to ft. to get to ft. to grout From 7 Pit privy 8 Sewage la	3 Ber ft.	to	m	14 Al	ft. to pandoned wa il well/Gas we ther (specify	
GRAVEL P GROUT MATERIA out Intervals: Fr nat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO 0 100	ACK INTERVALS: AL: 1 Neat cerrom	From From nent to 29 ntaminations ines of e pit LITHOLOG clay	2 Cemer ft.,	ft. to get to ft. to get to ft. to grout From 7 Pit privy 8 Sewage la	3 Ber ft.	to	m	14 Al	ft. to pandoned wa il well/Gas we ther (specify	
GRAVEL P GROUT MATERIA out Intervals: Fr nat is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight serection from well? ROM TO 0 100	ACK INTERVALS: AL: 1 Neat cerrom	From From nent to 29 ntaminations ines of e pit LITHOLOG clay	2 Cemer ft.,	ft. to get to ft. to get to ft. to grout From 7 Pit privy 8 Sewage la	3 Ber ft.	to	m	14 Al	ft. to pandoned wa il well/Gas we ther (specify	
GRAVEL P GROUT MATERIA out Intervals: Fr nat is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight serection from well? ROM TO 0 100	ACK INTERVALS: AL: 1 Neat cerrom	From From nent to 29 ntaminations ines of e pit LITHOLOG clay	2 Cemer ft.,	ft. to get to ft. to get to ft. to grout From 7 Pit privy 8 Sewage la	3 Ber ft.	to	m	14 Al	ft. to pandoned wa il well/Gas we ther (specify	
GRAVEL P GROUT MATERIA out Intervals: Fr nat is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight serection from well? ROM TO 0 100	ACK INTERVALS: AL: 1 Neat cerrom	From From nent to 29 ntaminations ines of e pit LITHOLOG clay	2 Cemer ft.,	ft. to get to ft. to get to ft. to grout From 7 Pit privy 8 Sewage la	3 Ber ft.	to	m	14 Al	ft. to pandoned wa il well/Gas we ther (specify	
GRAVEL P GROUT MATERIA out Intervals: Fr nat is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight serection from well? FROM TO 0 100	ACK INTERVALS: AL: 1 Neat cerrom	From From nent to 29 ntaminations ines of e pit LITHOLOG clay	2 Cemer ft.,	ft. to get to ft. to get to ft. to grout From 7 Pit privy 8 Sewage la	3 Ber ft.	to	m	14 Al	ft. to pandoned wa il well/Gas we ther (specify	
GRAVEL P GROUT MATERIA out Intervals: Fr nat is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight serection from well? FROM TO 0 100	ACK INTERVALS: AL: 1 Neat cerrom	From From nent to 29 ntaminations ines of e pit LITHOLOG clay	2 Cemer ft.,	ft. to get to ft. to get to ft. to grout From 7 Pit privy 8 Sewage la	3 Ber ft.	to	m	14 Al	ft. to pandoned wa il well/Gas we ther (specify	
GRAVEL P GROUT MATERIA out Intervals: Fr nat is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight serection from well? FROM TO 0 100	ACK INTERVALS: AL: 1 Neat cerrom	From From nent to 29 ntaminations ines of e pit LITHOLOG clay	2 Cemer ft.,	ft. to get to ft. to get to ft. to grout From 7 Pit privy 8 Sewage la	3 Ber ft.	to	m	14 Al	ft. to pandoned wa il well/Gas we ther (specify	
GRAVEL P GROUT MATERIA out Intervals: Fr hat is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight serection from well? FROM TO 0 100	ACK INTERVALS: AL: 1 Neat cerrom	From From nent to 29 ntaminations ines of e pit LITHOLOG clay	2 Cemer ft.,	ft. to get to ft. to get to ft. to grout From 7 Pit privy 8 Sewage la	3 Ber ft.	to	m	14 Al	ft. to pandoned wa il well/Gas we ther (specify	
GRAVEL P GROUT MATERIA out Intervals: Fr nat is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight serection from well? FROM TO 0 100	ACK INTERVALS: AL: 1 Neat cerrom	From From nent to 29 ntaminations ines of e pit LITHOLOG clay	2 Cemer ft.,	ft. to get to ft. to get to ft. to grout From 7 Pit privy 8 Sewage la	3 Ber ft.	to	m	14 Al	ft. to pandoned wa il well/Gas we ther (specify	
GRAVEL P GROUT MATERIA out Intervals: Fr nat is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight serection from well? FROM TO 0 100 100 188	ACK INTERVALS: AL: 1 Neat cerr om	From From From From to . 29 ntaminationsines col e pit LITHOLOG clay vel	2 Cemer ft., 7 8 9 IC LOG	ft. to ft	3 Ber ft.	to	om	14 Al 15 O 16 O	ft. to pandoned wa il well/Gas we ther (specify 375	f
GRAVEL P GROUT MATERIA Dut Intervals: Fr ital is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO 0 100 100 188 CONTRACTOR'S	ACK INTERVALS: AL: 1 Neat cerr om	From From From From To . 29 ntaminationsines of e pit LITHOLOG clay vel CERTIFIC,	2 Cemer ft., 7 8 9 1C LOG	ft. to ft.	3 Ber ft. goon FROM	to	onstructed, or (3	ft. to ft	off. to opendoned was ther (specify STERVALS)	ter well below)
GRAVEL P GROUT MATERIA out Intervals: Fr at is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO 0 100 L00 188 CONTRACTOR'S inpleted on (mo/da	AL: 1 Neat cerr from	From From From From From From From From	2 Cemer ft., 7 8 9 1C LOG	ft. to ft	3 Ber ft. goon FROM was (1) const	to	on tructed, or (3 ord is true to the	ft. to ft	of the to open done of the	ter well below) ction and was
GRAVEL P GROUT MATERIA out Intervals: Fr iat is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO 0 100 100 188 CONTRACTOR'S inpleted on (mo/da	ACK INTERVALS: AL: 1 Neat cerr form	From From From From From From From From	2 Cemer ft., 7 8 9 1C LOG	ft. to ft	3 Ber ft. goon FROM was (1) const	to	onstructed, or (3 ord is true to the on (mo/day/yr)	ft. to ft	off. to opendoned was ther (specify STERVALS)	ter well ell below) ction and was