				R WELL RECO	DRD Fo	rm WWC-5	KSA 82			
1 LOCATIO		TER WELL:	Fraction				tion Number	,	_	
County:	County: Thomas V C 1/2 Distance and direction from nearest town or city street				NE	1/4	30	T 10 S	S R 32	E(N)
Distance a			•			,				
								ey, Kansas		
_			n Close		Abero	rombie		ling, Inc.		_
RR#, St. A	ddress, Bo	<pre>< # : Rt.1</pre>	Box 70AAA	4	801 t	Inion	670		ture, Division of Water	Resources
								2 Application Num		
J LOCATE	: WELL'S LO IN SECTION	OCATION WITH						ATION:		
AN A	0207101	1 50%.	Depth(s) Ground	water Encounte	ered 1		ft.	2	. ft. 3	ft.
Ŧ [! !	\vee !	•					urface measured on mo/d		l l
_	- nw1	✓ NE	1	•				after hou		
	i	1						after hou		
Bore Hole Diameter 8 in. to 200 ft., and in. to in.										
								elow)		
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify be								elow)		
	- ''' '	3	2 Irrigation	4 Indust	rial 7	Lawn and g	arden only	10 Monitoring well	,	
Was a chemical/bacteriological sample submitted to Department? YesNoX; If yes, mo/day/yr sa								lf yes, mo/day/yr samp	le was sub-	
	Ş		mitted				W	ater Well Disinfected? Y		!
5 TYPE O	F BLANK C	CASING USED:		5 Wrought ire	on	8 Concre	te tile	CASING JOINTS:	Glued . X Clampe	ed
1 Ste	el	3 RMP (S	SR)	6 Asbestos-C	Cement	9 Other (specify belo	ow)	Welded	
2 PV	С	4 ABS		7 Fiberglass					Threaded	
Blank casir	ng diameter	4 5	5.in. to 1.60) ft., Dia .		in. to		ft., Dia	in. to	ft.
Casing heigh	ght above la	and surface	1.8	.in., weight		38	Ibs	/ft. Wall thickness or gau	_{ige No.} • 248	
TYPE OF	SCREEN O	R PERFORATIO	N MATERIAL:			7 PV		10 Asbestos	-cement	
1 Ste	el	3 Stainles	ss steel	5 Fiberglass		8 RM	P (SR)	11 Other (sp	ecify)	
2 Bra	ISS	4 Galvani	zed steel	6 Concrete ti		9 ABS			ed (open hole)	-
SCREEN C	OR PERFOR	RATION OPENII	NGS ARE:		5 Gauzed	wrapped		8 Saw cut	11 None (oper	hole)
1 Cor	ntinuous slo	t 3 N	Mill slot		6 Wire wr	apped		9 Drilled holes		
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)										
		ED INTERVALS		160	ft. to	200	ft., Fr	om		
								om		
G	RAVEL PA	CK INTERVALS						om		
			From					om		1
6 GROUT	MATERIAL	: 1 Neat						Other		
								ft., From		
			contamination:						14 Abandoned water	
1 Septic tank 4 Lat						11 Fuel storage 15 Oil well/Gas well				
'			s pool 8 Sewage lago						ow)	
3 Watertight sewer lines 6 Se						13 Insecticide storage				
Direction fr	•	Sout			-,			any feet? 100'		
FROM	TO		LITHOLOGIC	LOG		FROM	TO		ING INTERVALS	
0	2	Surface	9			160	170	Sandy Clay		
2	20	Loess				170	178	Med. Sand &	Gravel	
20	38		Some Cali	che		178	183	Sandy Clay		
38	40	Med. Sa				183	187	Caliche w/So	ome Clav	
40	70	Sandy (187	194	Cemented Sar		rks.
70	72		nd w/Clay			194	200	Ochra & Shal		
70	92		Clay & Cal	liche St	rks.	1-7-4				
92	102		and & Grav							
24	102	FICU. De		lay Strk						
102	116	Sandy (Clay w/Ca	liche St	rks.					
116	134	Med Ca	and & Grav	vel/Clav	Strk					
134	141	Sandy (Clay w/fir	ne Sand	Strks	_				
i		Sticky								
1.41	145	DCTCKA	nd & Grave	21 5/012	v Str					
145	158			= T W/CIA	y OLL					
158	160	_						l		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was										
completed on (mo/day/year) 8-30-94 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 554. This Water Well Record was completed on (mo/day/yr) 8-30-94.										
						Record was		_ 1	3-30-94	·····
			ter Pump 8				by (sign	17	4. WELLE	2
								cle the correct answers. Send to DWNER and retain one for your		partment