WATER	WELL F	RECORD	Form WWC-5	Divi	sion of W	ater Reso	ources App. No.	20	71100	180			
ı		VATER WELL:		S	ection N	umber	Township Nu	umber	Range N	umber			
	omas Address of V	Vell Location: if unkn	wn, distance & direction	SE ¼	19 obal Pos		T 10 System (GPS)			_E ⊠w			
from nearest town or intersection: If at owner's address, check here \Box . Latitude: (in decimal degrees)													
17 miles so	17 miles so of Colby on hwy 25, ½ mile east						Longitude: (in decimal degrees)						
2 WATE		Elevation: Datum:											
RR#, St. Address, Box # 505 Maple Ave					Collection Method:								
City, State, ZIP Code Oakley, Ks 67748					☐ GPS unit (Make/Model: ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey								
										vey			
Est. Accuracy: □ <3 m, □ 3-5 m, □ 5-15 m, □ >15 m 3 LOCATE WELL													
1	ITH AN "X" IN 4 DEPTH OF COMPLETED WELL 140 ft.												
SECTI	ON BOX:	Depth(s) Groundy	ft.	ft. (3)									
r	N		C WATER LEVEL N										
			test data: Well water						ing ina				
I NVV	i i i well water to be used as: D Public w						ft. after hours pumping gpm vater supply □ Geothermal □ Injection well						
w	W E □ Domestic □ Feedlot ☑ Oil field water su						ipply □ Dewatering □ Other (Specify below)						
SW SE Irrigation □ Industrial □ Domestic-lawn & garden													
Li	Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☒ No												
	S If yes, mo/day/yr sample was submitted												
1 mile Water Well Disinfected? ⊠ Yes □ No													
5 TYPE OF CASING USED: Steel PVC Other CASING IOINTS: VI Clumber Of Company Of Worlded Of Three-ded													
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter 4.5 in. to 100 ft., Diameter in. to ft.													
CASING JOINTS: Glued													
TYPE OF SCREEN OR PERFORATION MATERIAL:													
☐ Steel ☐ Stainless Steel ☑ PVC ☐ Other (Specify) ☐ Brass ☐ Galvanized Steel ☐ None used (open hole)													
SCREEN OR PERFORATION OPENINGS ARE:													
☐ Continuous Slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)													
		D INTERVALS:	From 100	ft. to	140	ft. Fr	om	ft. t	lo	ft.			
			From 20	ft. to		ft., Fr	rom	ft.	to	ft.			
GRA	- ft. to	140	- ft., Fr	om	ft. (to	ft.						
6 CPOU	r Materia	I. D Nest comen	From										
6 GROUT MATERIAL: ☐ Neat cement Cement grout ☐ Bentonite ☐ Other Grout Intervals From 0 ft. to 20 ft. From ft. to ft. From ft. to ft.													
What is the	nearest source	e of possible contami	nation:										
	tic tank ver lines	☐ Lateral lin☐ Cesspool	es	Livestock			ticide storage		Other (speci	fy below)			
□ Wa		l storage ☐ Abandoned water well ilizer storage ☐ Oil well/gas well None											
1	from well		it	Distance f	4.7								
FROM	ТО		LOGIC LOG	FROM	ТО). LOG (cont.) <u>c</u>			TERVALS			
0		Surface		93	105		& caliche w/sa			19 - 1 - 1			
15		Loess Clay w/caliche strl	KS.	105 120	120 140		o some med sa o med sd w/lo						
40	65	Sandy clay & fine	sand w/clay & caliche	140	145		v ochre/black		uj u cui				
65		Strks	P. anamal milalan P.		ļ								
05		Fine to med sand & Caliche strks	x gravei w/ciay &	-	-	-				- de la companya del companya de la companya del companya de la co			
70	86	Clay & caliche w/s											
86			sd w/clay & caliche			ļ							
strks													
under my jurisdiction and was completed on $(mo/day/year)$ and this record is true to the best of my knowledge and belief.													
Kansas Wa	ter Well Cont	ractor's License No.	554 or 783) . This V	Vater Well l	Record wa	as compl	eted on (mo/day	/year)	1-28	-2011			
		of Woofter Pump		by (signatu			Sette						
INSTRUCTIONS: Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.													