


USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well: V	County Thomas	Fraction SE 1/4 SE/4 SE 1/4	Section number 12	Township number T 10 S	Range number R 33 E/W		
2. Distance and direction from nearest town or city: From Colby 13 South; 6 East; 1 South Street address of well location if in city:			3. Owner of well: Ralph Goossen R.R. or street: City, state, zip code: Colby, Kansas				
4. Locate with "X" in section below: N W E S 1 Mile Sketch map: 			6. Bore hole dia. 30 in. Completion date 7-6-76 Well depth 224 ft.				
5. Type and color of material			7. Cable tool Rotary Driven Dug Hollow rod Jetted Bored X Reverse rotary				
			8. Use: Domestic Public supply Industry X Irrigation Air conditioning Stock Lawn Oil field water Other				
			9. Casing: Material Steel Height: Above or below Threaded Welded X Surface 12 in. RMP PVC Weight 188 lbs./ft. Dia. 16 in. to 154 ft. depth Wall Thickness: inches or Dia. in. to ft. depth gage No. #7				
			10. Screen: Manufacturer's name Brown Type Regular Dia. 16" Slot/gauze 10% Length 60' Set between 154 ft. and 214 ft. 10' Cook 214 ft. and 224 ft. #1 Gravel pack? X Size range of material 5/8 50%				
Clay and Sandy Clay			0	93	11. Static water level: mo./day/yr. 95 ft. below land surface Date 6-18-76		
Coarse Sand and Gravel			93	134	12. Pumping level below land surfaces: ft. after hrs. pumping g.p.m. 211 ft. after 2 hrs. pumping 875 g.p.m. Estimated maximum yield 875 g.p.m.		
Clay			134	145	13. Water sample submitted: mo./day/yr. Yes X No Date		
Coarse Sand and Gravel			145	148	14. Well head completion: Pitless adapter 12 inches above grade		
Clay			148	156	15. Well grouted? X With: Neat cement X Bentonite X Clay Depth: From 0 ft. to 10 ft.		
Coarse Sand & Gravel			156	162	16. Nearest source of possible contamination: ft. 1 M Direction NW Type Farm Well disinfected upon completion? Yes X No		
Clay and Sand Streaks			162	192	17. Pump: Manufacturer's name Nat installed Model number 56074 HP 100 Volts Length of drop pipe 210 ft. capacity g.p.m. Type: 5 stage 12" DOL Bowl Submersible X Turbine Jet Reciprocating Centrifugal Other		
Med. Coarse Sand and Gravel			192	202	20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Western Well & Pump 245 Business name License No. Address Box 852 Colby, KS 67701 Signed [Signature] Date 9-15-76 Authorized representative		
Med. Coarse Sand and Clay			202	207			
Coarse Sand and Gravel			207	222			
Ochre & Shale			222	230			
(Use a second sheet if needed)							
18. Elevation: Topography: Hill Slope X Upland Valley	19. Remarks: BROCK						

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5