

1 LOCATION OF WATER WELL:		Fraction		Section Number		Township Number		Range Number	
County: Thomas		C 1/4 W 1/2 1/4 SW 1/4		33		T 10 S		R 33 EW	
Distance and direction from nearest town or city street address of well if located within city?									
From Monument 2N, 1/2W, 1/2N, East into									
2 WATER WELL OWNER: Ahrens #1					Murfin Drilling				
RR#, St. Address, Box # :					Box 661				
City, State, ZIP Code :					Colby, Ks. 67701				
					Board of Agriculture, Division of Water Resources				
					Application Number: 910268				
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:				4 DEPTH OF COMPLETED WELL: 183' ft. ELEVATION:					
				Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.					
				WELL'S STATIC WATER LEVEL 150' ft. below land surface measured on mo/day/yr					
				Pump test data: Well water was ft. after hours pumping gpm					
				Est. Yield gpm: Well water was ft. after hours pumping gpm					
				Bore Hole Diameter 8" in. to 183' ft., and in. to ft.					
				WELL WATER TO BE USED AS:					
				5 Public water supply 8 Air conditioning 11 Injection well					
				1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)					
				2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well					
				Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted					
				Water Well Disinfected? Yes No X					
5 TYPE OF BLANK CASING USED:									
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped									
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded									
7 Fiberglass Threaded									
Blank casing diameter 4.5 in. to ft., Dia in. to ft., Dia in. to ft.									
Casing height above land surface -36 in., weight 2.38 lbs./ft. Wall thickness or gauge No. 248									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement									
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify)									
12 None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)									
2 Louvered shutter 4 Key punched 7 Torch cut 9 Drilled holes									
10 Other (specify) NA									
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.									
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.									
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other									
Grout Intervals: From 6 ft. to 3 ft., From ft. to ft., From ft. to ft.									
What is the nearest source of possible contamination:									
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well									
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well									
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)									
13 Insecticide storage NONE									
Direction from well? How many feet?									
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS									
183 50 Washed sand									
50 6 Clay									
6 3 Bentonite									
3 0 Top soil									
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 7-6-91 and this record is true to the best of my knowledge and belief. Kansas									
Water Well Contractor's License No. 394 This Water Well Record was completed on (mo/day/yr) 7-10-91									
under the business name of Woofert Pump & Well by (signature)									