1 LOCATI	ON OF WAT	FR WELL:	Fraction	N WELL NEC	JAU FOI	Sec	tion Number	Township Number			Range Number		
	OTTAWA		NW 14	SE 1/2	SE	1/4	22	Т Т		S	1	4 E/W	
		from nearest town of					46	J'	10	3	1	-y	
	ILES NOR					umi ony :							
				ILNNEAPOL	15, KS.								
2 WATE	R WELL OW												
RR#, St.	Address, Box	* # : HCR 66	BOX 75					Boar	d of Agri	culture,	Division of	Water Resources	
City, State	, ZIP Code		POLIS, KS	67487				Appli	cation N	umber:			
3 LOCAT	E WELL'S LO	CATION WITH A	DEPTH OF C	OMPLETED V	/ELL	46	ft. ELEVAT	ΓΙΟΝ:	<i></i>				
- AN "X"	IN SECTION	BOX: De	enth(s) Ground	water Encount	ered 1	27	. ft 2			ft. 3	l		
ī ſ	1	I W											
1	i ["	Pumr	test data: V	dell water w	4	0	tor I		noure nu	moina	30 gpm	
-	WW	NE		g lesi dala. V	Voli Water W	a.s	۱۱. aı	t o i		iouis pu	mping	sn	
1	1 1	I ES	t. YIOIO	rgpm: v	veli water w	as 4.6 · · ·	π. ar	ter		nours pu	imping	gpm	
≗ w F					in. to	:	ft., a	and		in			
₹ % [! !	. WE	ELL WATER T	O BE USED /				8 Air condit	_		Injection w	/ell	
7 I	SW	<u> </u>	1 Domestic	3 Feedl			ter supply					ecify below)	
'	**	'\[\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	2 Irrigation	4 Indus	trial 7 L	awn and g	arden only 1	0 Monitorin	g well .	,			
	- i I	i I wa	as a chemical/t	bacteriological	sample subr	nitted to De	partment? Ye	sN	oX	; If yes	, mo/day/yr	sample was sub-	
1			tted					er Well Disi			v	lo	
5 TYPE	OF BLANK C	ASING USED:	33.5	5 Wrought in	on	8 Concre					77	Clamped	
				_					a 50				
1 St		3 RMP (SR)		6 Asbestos-0			(specify below	•					
2 P\	<u>/C</u>	4 ABS	20	7 Fiberglass			· · · · · · · · · · · ·		•				
Blank casi	ing diameter	5in. .nd surface	to 0	ft., Dia		نin. to		ft., Dia .			in. to	DR 26 ft.	
Casing he	ight above la	nd surface	. † 0	.in., weight		~	Ibs./f	t. Wall thick	ness or	gauge N	اه ۲.	DM 20	
		R PERFORATION M				<u> 7 PV</u>				tos-ceme			
1 St	eel	3 Stainless ste	eel	5 Fiberglass		8 RM	P (SR)	1	1 Other	(specify)			
2 Br	988	4 Galvanized		6 Concrete t		9 AB					en hole)		
		ATION OPENINGS					-			٠.	•	(open hole)	
_			000					9 Drilled h				(open nois)	
	ontinuous slo	<u> </u>			•	•							
	uvered shutt			ete oo	7 Torch cut								
SCREEN-	PERFORATE	ED INTERVALS:											
			From		ft. to	1,72	ft., Fron	n <i></i>		ft. 1	ю		
(GRAVEL PAG	CK INTERVALS:	From		ft. to		ft., Fron	n		ft. t	o		
			From		ft. to		ft., Fron	n		ft. t	0	ft.	
6 GROU	T MATERIAL	: 1 Neat cem	nent	2 Cement gro	ut	3 Bento	nite 4 (Other					
Grout Inte	rvals: From	n 3 ft.	to 24	ft From	n	ft	to	ft Fre	om		ft. to .		
		urce of possible con					10 Livest				bandoned		
		• • • • • • • • • • • • • • • • • • • •		7 Dia				•					
1 Septic tank 4 Lateral li							11 Fuel storage 15 Oil well/Gas well						
	wer lines	5 Cess po					12 Fertilizer storage TO BE PLUGGED BY OWNER 13 Insecticide storage						
3 W	atertight sew	er lines 6 Seepage	e pit	9 Fee	dyard					7. 7.77			
	from well?	WEST					How man	ny feet?	15				
FROM	ТО		LITHOLOGIC	LOG		FROM	то		PLU	JGING I	NTERVALS	<u>S</u>	
0	1	TOP SOIL											
1	10	SAND SILT	Y		1.								
10	25	CLAY GRAY	SILTY										
25	46	FINE SAND	SMALL GR	RAVEL									
46		SHALE							······································		14-11-17		
70	1	DIMB			-								
				· · ·									
	 												
													
	1				-							· · · · · · · · · · · · · · · · · · ·	
							 -						
	1						 						
	l						LL						
		OR LANDOWNER'S											
		year) 6 - .											
											. 1		
Water We	II Contractor'	s License No.	388	This	Water Well	Record wa	s completed t	on (mot/diav/\	/r) //	DF-4-	¥		
1		s License No			Water Well	Record wa				112		<u>></u>	
under the	business na		GER PUMP	SERVICE			by (signat	We Tan	1//	1 ye	copie to Kai	nsas Department	