

USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

CSD

1. Location of well:		County Sherman	Fraction SE 1/4 SE 1/4 SW 1/4	Section number 3	Township number T 10	Range number S R 40	X EW
2. Distance and direction from nearest town or city: 7 miles south 3w Street address of well location if in city: 2s. 2w of goodland			3. Owner of well: Rudy Germer R.R. or street: 604 55th Goodland Kansas 67735 City, state, zip code:				
4. Locate with "X" in section below: N W E S 1 Mile 1 Mile				Sketch map: 		6. Bore hole dia. 10 in. Completion date 3/6/79 Well depth 146 ft.	
5. Type and color of material				From	To	7. Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary	
						8. Use: <input type="checkbox"/> Domestic <input checked="" type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input checked="" type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other	
top soil				0	3	* Casing: Material Stock Height: 20 or below Threaded <input checked="" type="checkbox"/> Welded <input type="checkbox"/> Surface <input type="checkbox"/> in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight 16 lbs./ft. 1 1/2 in. to 136 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gage No. 188	
clay				3	23	10. Screen: Manufacturer's name dorner Type keypunch <input checked="" type="checkbox"/> $4\frac{1}{2}$ Slot/gauze 1/2 Length 10 Set between 136 ft. and 146 ft. ft. and <input type="checkbox"/> ft.	
sandy clay				23	50	Gravel pack? <input checked="" type="checkbox"/> Size range of material 4	
gravel				52	96	11. Static water level: <input type="checkbox"/> mo./day/yr. 70 ft. below land surface Date 3/6/79	
sandy clay				96	102	12. Pumping level below land surfaces: 75 ft. after 8 hrs. pumping 10 g.p.m. <input type="checkbox"/> ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m. Estimated maximum yield 10 g.p.m.	
gravel				102	114	13. Water sample submitted: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date <input type="checkbox"/>	
sandstone				114	125	14. Well head completion: <input checked="" type="checkbox"/> Pitless adapter 12 Inches above grade	
gravel				125	228	15. Well grouted? <input checked="" type="checkbox"/> With <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From 1 ft. to 10 ft.	
soapstone				135	146	16. Nearest source of possible contamination: ft. None Direction <input type="checkbox"/> Type <input type="checkbox"/> Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
BROCK 135'						17. Pump: Not installed Manufacturer's name Goulds 1 Model number 12 em HP 2 Volt 230 Length of drop pipe 130 ft. capacity 10 g.p.m. Type: <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other	
(Use a second sheet if needed)							
18. Elevation:		19. Remarks: concret was run BY 3700 Foust Supply Co Inc Ralph Elman mgr.					
Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input checked="" type="checkbox"/> Upland <input type="checkbox"/> Valley		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Foust Supply Co Inc 144 Business name License No. Address High 24 goodland Kansas 67735 Signed Ralph Elman mgr. Date 4-13-79 Authorized representative					

T
R
E
10
40
3
1/4
SESE SW
1/4