

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: Ottawa	NW ¼ SE ¼ NE ¼	28	T 10 S	R 5 W

Distance and direction from nearest town or city street address of well if located within city?

1 mile east of ADA, KS

2 WATER WELL OWNER: John Boucek	Board of Agriculture, Division of Water Resources Application Number: 43,131
RR#, St. Address, Box #: 1555 N. 30th Rd.	
City, State, ZIP Code: Ada, KS 67414	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: 136 ft. ELEVATION:
	Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.
	WELL'S STATIC WATER LEVEL 18 ft. below land surface measured on mo/day/yr 5/4/98
	Pump test data: Well water was ft. after hours pumping gpm
	Est. Yield 800 gpm: Well water was 101 ft. after 3 hours pumping 800 gpm
	Bore Hole Diameter 30 in. to 137 in. and in. to in.
WELL WATER TO BE USED AS:	
5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) <input checked="" type="checkbox"/> Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well	
Was a chemical/bacteriological sample submitted to Department? Yes.....No..... <input checked="" type="checkbox"/> If yes, mo/day/yr sample was submitted	
Water Well Disinfected? Yes <input checked="" type="checkbox"/> No	

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued <input checked="" type="checkbox"/> Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
<input checked="" type="checkbox"/> PVC	4 ABS	7 Fiberglass	Welded
Blank casing diameter 16 in. to 76 in. Dia. in. to in. Dia. in. to in.			
Casing height above land surface 12 in., weight 16.15 lbs./ft. Wall thickness or gauge No. 500			
TYPE OF SCREEN OR PERFORATION MATERIAL:			
1 Steel	3 Stainless steel	5 Fiberglass	<input checked="" type="checkbox"/> PVC
2 Brass	4 Galvanized steel	6 Concrete tile	8 RMP (SR)
SCREEN OR PERFORATION OPENINGS ARE:			
1 Continuous slot	<input checked="" type="checkbox"/> Mill slot	5 Gauzed wrapped	8 Saw cut
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes
SCREEN-PERFORATED INTERVALS: From 76 ft. to 136 ft., From ft. to ft.			
GRAVEL PACK INTERVALS: From 20 ft. to 136 ft., From ft. to ft.			

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite <input checked="" type="checkbox"/>	4 Other
Grout Intervals: From 0 ft. to 20 ft., From ft. to ft.				
What is the nearest source of possible contamination:				
1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	<input checked="" type="checkbox"/> Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
Direction from well? South How many feet? 100				

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	3	Top Soil			
3	6	Brown Clay			
6	10	Sandstone, Brown			
10	17	Tan Clay			
17	35	Sandstone and shale - soft			
35	70	Gray Shale			
70	75	tan sandstone			
75	90	Gray shale with Sandstone layers			
90	135	Tan sandstone - loose			
135	137	Gray Shale			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <input checked="" type="checkbox"/> constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 5/4/98 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 138 This Water Well Record was completed on (mo/day/yr) 5/8/98 under the business name of Peterson Irrigation, Inc. by signature <i>Michael Peterson</i>

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY T R E W SEC. 1/4 1/4 1/4