WATER	WELI	RECORD	Form WV	VC-5	Division of W	ater Resources App. No		
			Fraction		Section Numbe	. •	Range Number	
Count	y: Linco	in	1/4 SE 1/4 NE		36	T 10 S	R 8 DE VW	
Street	Rural Ad	dress of Well Location; i	f unknown, distance &	Global Positioning System (GPS) information:  Latitude:				
from nearest town or intersection: If at owner's address, check here					Longitude:			
Flevation:								
2 WATER WELL OWNER: Bey Fisher					Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27			
					Collection Method:			
RR#, Street Address, Box #: 1858 N 225th Road City, State, ZIP Code : Barnard, KS 67418				☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
		Darriora	, 10.07410	Est. Accuracy:				
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 184								
	WITH AN "X" IN SECTION BOX: 4 DEPTH OF COMPLETED WELL 194							
	N WELL'S STATIC WATER LEVEL 150 ft. below land surface measured on mo/day/yr. 05/14/13							
ГТ	Pump test data: Well water wasft. after hours pumping gpm							
EST. YIELD. 8gpm. Well water was								
W Bore Hole Diameter							Injection well	
	Devetoring Other (Specify below)							
SWSE							ock	
<u> </u>	Was a chemical/bacteriological sample submitted to Department? Yes V No							
1	S If yes, mo/day/yr sample was submitted							
1 mile  Water well disinfected? ✓ Yes □ No								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter 5 in. to .164								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
Steel Stainless Steel ✓ PVC □ Other (Specify)								
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot  Mill slot  Gauze wrapped  Torch cut  Drilled holes  None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
SCREEN-PERFORATED INTERVALS: From 164 ft. to 184 ft., From ft. to ft., From ft. to ft.								
GRAVEL PACK INTERVALS: From 23								
From ft., From ft. to ft.								
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other								
Grout In	tervals:	From .9 ft. to	) . 49 ft., From	1	ft. to	ft., From	ft. toft.	
What is the nearest source of possible contamination:  Sentic tank  Lateral lines Pit privy  Livestock pens  Insecticide storage  Other (specify below)								
Savage lines								
	Watertigh	t sewer lines   Seepage 1	oit 🗌 Feedyard	Fertilizer s		THE BUILD HOLL	e - in pasture	
		well				LOC (cont.) on DL	UGGING INTERVALS	
FROM 0	TO	LITHOLOG	IC LOG	FROM	TO LITHO	). LOG (cont.) of FL	Odding intervals	
1	1	top soil clav	A CONTRACTOR OF THE CONTRACTOR			<u> </u>	the state of the s	
4		limestone	- i					
17	163	shale						
163		sand rock						
180	184	shale						
							A COMPANY OF THE PROPERTY OF T	
	-						the state of the s	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   ✓ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year) .05/19/13 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 186 This Water Well Record was completed on (mo/day/year) 05/19/13								
under the business name of Kelly's Water Well Service, Inc. by (signature) Kathum Lord Send three copies  INSTRUCTIONS: Use ty pewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies								
(white blue pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666 12-1367.								
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212 Check: ✓ White Copy, ☐ Blue Copy, ☐ Pink Copy								

http://www.ksa. KSA 82a-1212