(1011			R WELL REC	ORD Fo		KSA 82a-		<u>.</u>		
_	ION OF WAT		Fraction	K 11.87			tion Numbe	1		Range Numb	1
County:		Riley rom nearest t	NE ½ own or city street add			1/4 dithin city?	18	Т 10	S	R 8	E
Distance a	na anecaon n	Om nearest t	Own or city street aut	1015 N	I 3 rd St. N	//anhattar	. KS				
2 WATER	R WELL OWN	ER: CM 9	131				,			····	
			enway Piaza,	Room 28	06			Board of Agricu	lture. Divis	sion of Water Res	ources
City, State	, ZIP Code	Hous	ston, TX 77046					Application Num			
LOCAT	E WELL'S LO IN SECTION	CATON WIT	H 4 DEPTH OF C	OMPLETED		44	ft. ELE	VATION:			
	N		Depth(s) Ground	water Encour	ntered 1.5	2	0 1	t. 2	ft.	3	Ft.
†			WELL'S STATIC	WATER LEV	/EL	ft.	below land	t. 2 surface measured or	mo/day/y	/r	
] .	NW	NE	Pump	test data:	Well water	was		Ft. after	hours p	umping	Gpm
	1		Est. Yield	Gpm:	Well water	was		Ft. after	Hours p	umpina	Gpm
∰ w			E Bore Hole Diamet	ter 8.625	5 In. to	4	4	ft. and	in.	to	Ft.
T		!	I VVELL VVAIER I	J DE USEU 1	MS. 3 PL	ibiic water s	ирріу	o Air conditions	mo ii	infection well	
	sw. -	SE						9 Dewatering			elow)
♦	L X							ic) 10 Monitoring v			
	S		Was a chemical/b	acteriologica	i sample s	ubmitted to		Yes No X ater Well Disinfected		• • •	was
5 TYPE C	F BLANK CA	SING USED	:	5 Wrough	t Iron	8 Concr		CASING JOINT			t
1 <u>St</u>	eel	3 RMF	P(SR)	6 Asbesto	s-Cement		(specify belo		Welde		
2 P\	/C	4 ABS		7 Fibergla	iss				Threa	ded X	
Diank	a diam-1		: 20	Ft.,				# D'-			
Casina bair	ig diameter	-	FI LICH	Dia		40 iu∵	(0	ft., Dia		in. to	^{ft.}
Casing neig	gnt above land	I surface	ON MATERIAL:	n., weight		л 40 7	Lbs./ft	. Wall thickness or g	auge No.		
1 Ste				5 Fibergla	icc			10 Asbest			
2 Br			anized steel			9	ABS	11 Other (specify) _ ised (one)	n hole)	
	R PERFORA					d wrapped	_	8 Saw cut			ole)
1 Co	ntinuous slot	3	Mill slot		6 Wire w	rapped		9 Drilled holes			·
2 Lo	uvered shutte	r 4	Key punched		7 Torch			10 Other (specify)		
SCREEN-P	PERFORATED	INTERVAL	S: From	20 ft	. to	44	ft. F	rom	ft. to		ft.
			From	ft	. to		ft. F	rom	ft. to		Ft.
SAI	ND PACK INT	ERVALS:	From	18 ft	. to	44	ft. F	rom	ft. to		Ft. ^
			From	ft	. to		ft. F	rom	ft. to		Ft.
6 GROUT	MATERIAL:	1 Near	t cement 2	Cement grou	t	3 Ben	tonite	4 Other			
Grout interv	als From?	0.5	ft. to 16	Ft.	16	Ft.	18	ft. From			
			contamination:	1101113		, 10		tock pens			
	ptic tank	, ,	4 Lateral lines	7	Pit privy		11 Fuel:	•		ell/ Gas well	
2 Se	wer lines		5 Cess pool		Sewage la	agoon		zer storage	-	er (specify below)	
3 Wa	itertight sewer	lines	6 Seepage pit		Feedyard	_		ticide storage		taminated Si	te
Direction fro							How many	-			
FROM	то	CODE	LITHOLO	GIC LOG		FROM	ТО	PLUG	GING INT	ERVALS	
0	1		opsoil						******		
1	10		ilty Clay								
10 44	TD		andy Clay		*******						
44	עו ו	C	nd of Borehole								
		†	······································				1				
							<u> </u>				
		 								70.	
		-									
			** **** *** **** **** ****								
7 CONTRA	CTOR'S OR	LANDOWNE	R'S CERTIFICATIO	N: This water	er well was	(x) construc	ted, (2) reco	nstructed, or (3) plug	ged unde	r my jurisdiction ar	nd w
	on (mo/day/yr			/14				ue to the best of my	-		i
				585				cord was completed	_		_
under the bu	ısiness name	of	Associate	d Enviror	<u>nm</u> ental	, Inc.	В	v (signature) Brac	lley J	Johnson	
INSTRU	JCTIONS: Ple	ase fill in blan	ks and circle the correc	t answers. Se	end three co	pies to Kansa	s Departmen	t of Health and Environ	ment, Bu	ater Topek	a,
r∖ansas	00020-0001.	relephone: 9°	13-296-5545. Send one	S TO MATER A		EK and retain	one for your	records.	DE S		- 1