			m WWC-5		ion of Water		Well ID
Original Record Correction Change in Well Use 1 LOCATION OF WATER WELL: Fraction			nange in Well Use	Resources App. No. Well ID Section Number Township Number Range Number			
			4 · · · · · · · · · · · · · · · · · · ·				
County:		sell KS	1/4 SEVASE VAN				(if unknown, distance and
2 WELL C Business:)WNEK: L	=	VEILU 4				r's address, check here:
Address:		19067 Amha	ist ab	nort of L	uest will of in	Hay 18 and 20	2ndst 202 Yymi'u
Address: City:	Lui	All State:	ks ZIP: 67649?			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
3 LOCATE		19		12 .	T	····	
WITH "V" IN 4 DEPTH OF COMPLETED WELL				_ 1			
SECTION			ater Encountered: 1)				(decimal degrees)
N			t. 3) ft., or 4) □ WATER LEVEL:			□ WGS 84 □ NAI	
		WELL S STATIC	face, measured on (mo-day-y	9-14-15		or Latitude/Longitude	;)
NOV	NIE.	above land sur	face, measured on (mo-day-y	r)	Lors	(WAAS enabled?	
NW	. 3		ell water was ft.	,	☐ Lan	d Survey Topogr	
w - 1 - 1	 		hours pumpingg	pm			
	CIC C	1	/ell water was ft.				
SW	SE		hours pumpingg	pm	6 Fleveti	n. A	. Ground Level TOC
		Estimated Yield:		Ad			GPS Topographic Map
S 1 m			er				OLO D LoboBrahme with
		BE USED AS:	nr w	. 14.	<u> </u>		
1. Domestic:	VALER IV		c Water Supply: well ID		10. □ Oil I	ield Water Supply: le	ease
☐ Househ	old						
☐ Lawn &							
D Livesto	ck						
2. Irrigation			mental Remediation: well ID				
	3. Feedlot Air Sparge Soil Vapor Ex				b) Open Loop Surface Discharge Inj. of Water 13. Other (specify):		
4. Industr			very Injection				
			submitted to KDHE? Y	es PNo	If yes, date s	ample was submitte	ed:
Water well disinfected? Yes No							
8 TYPE OF CASING USED: Steel PVC Other							
Casing diameter 5 in. to 6.3. ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface 36. in. Weight lbs/ft. Wall thickness or gauge No. 608.26.							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
TYPE OF S	CREEN O	R PERFORATION	MATERIAL:			(Specify)	
	CREEN O	R PERFORATION nless Steel	MATERIAL: Fiberglass PVC	ed (open hole)	☐ Othe	(Specify)	
TYPE OF S Steel Brass	SCREEN OI Stai	R PERFORATION Inless Steel Vanized Steel ATION OPENING	MATERIAL: Fiberglass PVC Concrete tile None us		☐ Othe	r (Specify)	
TYPE OF S Steel Brass SCREEN C	SCREEN OF Stain Grain Gr	R PERFORATION nless Steel vanized Steel ATION OPENING Mill Slot	MATERIAL: Fiberglass PVC Concrete tile None us GS ARE: Gauze Wrapped Tor	ed (open hole)	☐ Other	Other (Specify)	
TYPE OF S Steel Brass SCREEN C Contin	SCREEN OF Stain Grain Gr	R PERFORATION nless Steel	MATERIAL: Fiberglass PVC Concrete tile None us GS ARE: Gauze Wrapped Tor Wire Wrapped Sav	ed (open hole) ch Cut	Other	Other (Specify)	
TYPE OF S Steel Brass SCREEN C Contin	SCREEN OF Stail St	R PERFORATION Inless Steel	MATERIAL: Fiberglass PVC Concrete tile None us GS ARE: Gauze Wrapped Tor Wire Wrapped Sav From	ch Cut Dove Cut No.	Other Other Other Other Other	☐ Other (Specify) le)	ft. to ft.
TYPE OF S Steel Brass SCREEN C Contin Louve SCREEN-P	GCREEN O	R PERFORATION nless Steel	MATERIAL: Fiberglass	ch Cut Do v Cut No ft., From	Other	☐ Other (Specify) le) ft., From ft., From	ft. to ft.
TYPE OF S Steel Brass SCREEN C Contin Louve SCREEN-P G G G GROUT	GCREEN O	R PERFORATION Inless Steel	MATERIAL: Fiberglass	ch Cut Dr v Cut No ft., From	Other	☐ Other (Specify) le) ft., From ft., From	ft. to ft.
TYPE OF S Steel Brass SCREEN C Contin Louve SCREEN-P G GROUT Grout Interve	GCREEN OF Stain Gall Gall Gall Gall Gall Gall Gall Gal	R PERFORATION Inless Steel	MATERIAL: Fiberglass	ch Cut Dr v Cut No ft., From	Other	☐ Other (Specify) le) ft., From ft., From	ft. to ft.
TYPE OF S Steel Brass SCREEN C Contin Louve SCREEN-P G G GROUT Grout Interv. Nearest sou	GCREEN OF State of PERFORMENT Shutter PERFORAT RAVEL PATERIALS: From	R PERFORATION Inless Steel	MATERIAL: Fiberglass PVC Concrete tile None us GS ARE: Gauze Wrapped Tor Wire Wrapped Sav From 3. ft. to Trom 1. 3. ft. to The Cement grout Ber	ch Cut Dr. v Cut No. f. ft., From t.nt., From tonite O	Other Other One (Open Ho	☐ Other (Specify) le)	ft. to ft. ft. to ft. ft. to ft.
TYPE OF S Steel Brass SCREEN C Contin Louve SCREEN-P G GROUT Grout Interve	GCREEN OF State of PERFORMENT PARENT	R PERFORATION Inless Steel	MATERIAL: Fiberglass PVC Concrete tile None us GS ARE: Gauze Wrapped Tor Wire Wrapped Sav From 3. ft. to Tor Torm From 1. 3. ft. to Torm The Comment grout Ber	ch Cut Dr. v Cut No. f. ft., From toft., From tonite O.	Other Other One (Open Ho	☐ Other (Specify) le)	ft. to ft.
TYPE OF S Steel Brass SCREEN C Contin Louve SCREEN-P G G GROUT Grout Interv Nearest sou Septic Sewer Waterti	GCREEN O	R PERFORATION Inless Steel	MATERIAL: Fiberglass	ch Cut Dr. v Cut No. f. ft., From toft., From tonite O.	Other Other One (Open Ho	☐ Other (Specify) le)	fl. to ft
TYPE OF S Steel Brass SCREEN C Contin Louve SCREEN-P G G GROUT Grout Interve Nearest sou Septic Sewer Watert	GCREEN OF STATE ST	R PERFORATION Inless Steel	MATERIAL: Fiberglass	ced (open hole) ch Cut	Other Ot	Other (Specify) te	ft. to ft ft. to ft ft.
TYPE OF S Steel Brass SCREEN C Contin Louve SCREEN-P G GROUT Grout Interv Nearest sou Septic Sewer Waterti Other (Direction fire	GCREEN O	R PERFORATION Inless Steel	MATERIAL: Fiberglass	ch Cut Dr. V Cut No. M. ft., From then the property of the control of the co	Other cone (Open Ho	Dother (Specify) te) ft., From ft., From ft. to Insect Abancage Oil W	fl. to ft ft. to ft ft.
TYPE OF S Steel Brass SCREEN C Contin Louve SCREEN-P G 9 GROUT Grout Interv. Nearest sou Septic Sewer Uther (Direction fro	GCREEN O Gal Gal OR PERFOR TO CHAPTER CHAP	R PERFORATION Inless Steel	MATERIAL: Fiberglass	ced (open hole) ch Cut	Other cone (Open Ho	Dother (Specify) te) ft., From ft., From ft. to Insect Abancage Oil W	ft. to ft ft. to ft ft.
TYPE OF S Steel Brass SCREEN C Contin Louve SCREEN-P G 9 GROUT Grout Interv. Nearest sou Septic Sewer University Other (Direction fro	GCREEN O Gal Gal DR PERFOF RAVEL PA MATERL als: From rce of possib Tank Lines ight Sewer L Specify) TO J	R PERFORATION Inless Steel	MATERIAL: Fiberglass	ced (open hole) ch Cut Do v Cut No f ft., From to	Other cone (Open Ho	Dother (Specify) te) ft., From ft., From ft. to Insect Abancage Oil W	fl. to ft ft. to ft ft.
TYPE OF S Steel Brass SCREEN C Contin Louve SCREEN-F G GROUT Grout Interv Nearest sou Sewer Sewer Other (Direction fro 10 FROM	GCREEN O Gal Gal OR PERFOR Tred Shutter PERFORAT RAVEL PA MATERI als: From rce of possible Tank Lines ight Sewer L Specify) TO 3 20	R PERFORATION Inless Steel	MATERIAL: Fiberglass	ced (open hole) ch Cut Do v Cut No f ft., From to	Other cilled Holes one (Open Ho	☐ Other (Specify) le)	fl. to ft ft. to ft ft.
TYPE OF S Steel Brass SCREEN C Contin Louve SCREEN-F G GROUT Grout Interv Nearest sou Sewer Sewer Other (Direction fro 10 FROM 2	GCREEN O Gal Gal OR PERFOR HOUS Slot red Shutter PERFORAT RAVEL PA MATERI als: From rce of possible Tank Lines light Sewer L Specify) TO 3 20 40	R PERFORATION Inless Steel Vanized Steel Vanized Steel ATION OPENING Mill Slot Key Punched ED INTERVALS: AL: Neat cemen Cess Pines Cess Pines Seepage Contamination: LITHO LITH	MATERIAL: Fiberglass	ced (open hole) ch Cut Do v Cut No f ft., From to	Other cilled Holes one (Open Ho	☐ Other (Specify) le)	fl. to ft ft. to ft ft.
TYPE OF S Steel Brass SCREEN C Contin Louve SCREEN-F G GROUT Grout Interv Nearest sou Sewer Sewer Other (Direction fro 10 FROM	GCREEN O Gal Gal OR PERFOR Tred Shutter PERFORAT RAVEL PA MATERI als: From rce of possible Tank Lines ight Sewer L Specify) TO 3 20	R PERFORATION Inless Steel	MATERIAL: Fiberglass	ced (open hole) ch Cut Do v Cut No f ft., From to	Other cilled Holes one (Open Ho ft. to ther ft., From Livestock Pen Fuel Storage Fertilizer Stora	Dother (Specify) te) ft., From ft. to Insect Abanc age Dil W ft. ITHO. LOG (cont.) co	fl. to ft ft. to ft
TYPE OF S Steel Brass SCREEN C Contin Louve SCREEN-F G GROUT Grout Interv Nearest sou Sewer Sewer Other (Direction fro 10 FROM 2	GCREEN O Gal Gal OR PERFOR HOUS Slot red Shutter PERFORAT RAVEL PA MATERI als: From rce of possible Tank Lines light Sewer L Specify) TO 3 20 40	R PERFORATION Inless Steel Vanized Steel Vanized Steel ATION OPENING Mill Slot Key Punched ED INTERVALS: AL: Neat cemen Cess Pines Cess Pines Seepage Contamination: LITHO LITH	MATERIAL: Fiberglass	ced (open hole) ch Cut Do v Cut No f ft., From to	Other cilled Holes one (Open Ho ft. to ther ft., From Livestock Pen Fuel Storage Fertilizer Stora	☐ Other (Specify) le)	fl. to ft ft. to ft
TYPE OF S Steel Brass SCREEN C Contin Louve SCREEN-F G GROUT Grout Interv Nearest sou Sewer Sewer Other (Direction fro 10 FROM 2	GCREEN O Gal Gal OR PERFOR HOUS Slot red Shutter PERFORAT RAVEL PA MATERI als: From rce of possible Tank Lines light Sewer L Specify) TO 3 20 40	R PERFORATION Inless Steel Vanized Steel Vanized Steel ATION OPENING Mill Slot Key Punched ED INTERVALS: AL: Neat cemen Cess Pines Cess Pines Seepage Contamination: LITHO LITH	MATERIAL: Fiberglass	ced (open hole) ch Cut Do v Cut No f ft., From to	Other cilled Holes one (Open Ho ft. to ther ft., From Livestock Pen Fuel Storage Fertilizer Stora	Dother (Specify) te) ft., From ft. to Insect Abanc age Dil W ft. ITHO. LOG (cont.) co	fl. to ft ft. to ft
TYPE OF S Steel Brass SCREEN C Contin Louve SCREEN-F G GROUT Grout Interv Nearest sou Sewer Sewer Other (Direction fro 10 FROM 2	GCREEN O Gal Gal OR PERFOR HOUS Slot red Shutter PERFORAT RAVEL PA MATERI als: From rce of possible Tank Lines light Sewer L Specify) TO 3 20 40	R PERFORATION Inless Steel Vanized Steel Vanized Steel ATION OPENING Mill Slot Key Punched ED INTERVALS: AL: Neat cemen Cess Pines Cess Pines Seepage Contamination: LITHO LITH	MATERIAL: Fiberglass	red (open hole) reh Cut	Other cilled Holes one (Open Ho ft. to ther ft., From Livestock Pen Fuel Storage Fertilizer Stora	Dother (Specify) te) ft., From ft. to Insect Abanc age Oil W ft. ITHO. LOG (cont.) c	fl. to ft ft. to ft
TYPE OF S Steel Brass SCREEN C Contin Louve SCREEN-F GG GROUT Grout Interv Nearest sou Septic Sewer Waterst Other (Direction fix 10 FROM	GCREEN O	R PERFORATION Inless Steel Inless St	MATERIAL: Fiberglass	red (open hole) reh Cut	Other cilled Holes one (Open Ho	Dother (Specify) te) ft., From ft. to ft. to Insect Abancage Oil W ITHO. LOG (cont.) of the correction December 1.	ft. to
TYPE OF S Steel Brass SCREEN C Contin Louve SCREEN-P G G GROUT Grout Interv Nearest soic Sewer Sewer Other (Direction fix 10 FROM 2 40 40	GCREEN O Gal Gal OR PERFORMOUS Slot red Shutter PERFORAT RAVEL PA MATERIA als: From ree of possible Tank Lines ight Sewer L Specify) TO 3 20 40 60 60 763	R PERFORATION Inless Steel	MATERIAL: Fiberglass Concrete tile SARE: Gauze Wrapped Wire Wrapped From	ced (open hole) ch Cut	Other cilled Holes cone (Open Ho ft. to ft. to ther ft., From Livestock Pener Fuel Storage Fertilizer Storage TO I	Other (Specify) le)	ft. to
TYPE OF S Steel Brass SCREEN C Contin Louve SCREEN-F G GROUT Grout Interv Nearest sou Sewer Sewer Sewer Tother (Direction fre 10 FROM 2 3 20 90 11 CONT under my i	GCREEN O Gal Gal OR PERFORMOUS Slot red Shutter PERFORAT RAVEL PA MATERIA als: From ree of possible Tank Lines ight Sewer L Specify) TO 3 20 40 60 73 RACTOR' urisdiction	R PERFORATION Inless Steel	MATERIAL: Fiberglass	ced (open hole) ch Cut	Other cilled Holes one (Open Ho	Other (Specify) it, From ft., From ft. to Insect Abancage Oil W ITHO. LOG (cont.) of true to the best of reconstructed, reconstructed reconstruct	ft. to