WATER WELL RECORD	Form WWC-5	Divisi	ion of Water Res	ources; App. No.		
1 LOCATION OF WATER WELL: Fr	NW 1/2 SW 1/4 N	TE 12	7	т 11	mber Range Number	
Distance and direction from nearest town or	city street address of w	ell if Glo	bal Positionir	g System (decin	nal degrees, min. of 4 digits)	
located within city? 106 Main St, Paradise, I	KS		atitude: $\frac{N3}{W9}$			
2 WATER WELL OWNER: KDHE		E	levation: RIN	1: 1697.76; TOC	C: 1697.44	
RR#, St. Address, Box # : 1000 SW Ja	ackson, Suite 410	D	atum: NA	D 27		
City, State, ZIP Code : Topeka, KS	S 66612	D		Method: legal s	survey	
3 LOCATE WELL'S 4 DEPTH OF C	OMPLETED WELL	30.30		ft.		
LOCATON			MW15			
WITH AN "X" IN Depth(s) Groundy	water Encountered 1		ft. 2		ft. 3ft.	
					n mo/day/yr 1/9/15	
N Pump te	est data: Well water w	as	ft. after	hours	pumping gpm	
	gpm: Well water w	as	ft. after	hours	pumping gpm	
WELL WATER T	TO BE USED AS: 5 P	ublic wate	r supply 8 A	ir conditioning	11 Injection well	
Domestic 3 Fe	ed lot 6 Oil field wa	ter supply	9 Dev	vatering 1	2 Other (Specify below)	
2 Irrigation 4 In	dustrial 7 Domestic (l	awn & ga	rden) (10)Mo	nitoring well		
sw — se —				**	** TC /1 /	
Was a chemical/ba	acteriological sample si	ubmitted t	o Department?	Yes No	X; If yes, mo/day/yrs	
S Sample was subm 5 TYPE OF CASING USED: 5 W 1 Steel 3 RMP (SR) 6 As 2 PVC 4 ABS 7 Fit Blank casing diameter 2 in. to 1 Casing height below land surface 0.32 TYPE OF SCREEN OR PERFORATION M 1 Steel 3 Stainless steel 5 Fibers	itted		Water	Well Disinfected	? Yes No X	
5 TYPE OF CASING USED: 5 W	rought Iron 8	Concrete	tile CAS	SING JOINTS:	Glued Clamped	
1 Steel 3 RMP (SR) 6 As	sbestos-Cement 9	Other (sp	ecify below)		Welded	
(2) PVC 4 ABS 7 Fi	berglass				Threaded X	
Blank casing diameter 2 in. to 1	5.30 ft., Dia	in.	to ft	., Dia	in. to tt.	
Casing height below land surface 0.32	ft., Weight		Ibs./ft. Wa	ali thickness or g	gauge No.	
TYPE OF SCREEN OR PERFORATION M	AATERIAL:	0.40	C	11 Other (cn.	acifu)	
1 Steel 3 Stainless steel 5 Fibers 2 Brass 4 Galvanized steel 6 Concr	rete tile 8 RM (SR)	9 A.D.	oestos-Cement	12 None use	d (open hole)	
ISCREEN OR PERFORATION OPENINGS	ARE:					
1 Continuous slot Mill slot 2 Louvered shutter Key punched SCREEN-PERFORATED INTERVALS:	5 Gauze wrapped	7 Torch	cut 9 Dri	led holes 11	None (open hole)	
2 Louvered shutter 4 Key punched	6 Wire wrapped	8 Saw Ci	ut 10 Oth	er (specify)		
SCREEN-PERFORATED INTERVALS:	From 15.30 f	t. to3	30.30 ft. F	rom	ft. to ft.	
	From f	t. to	ft. F	rom	ft. to ft.	
GRAVEL PACK INTERVALS:	From 13 f	t. to3	30.30 ft. F	rom	ft. to ft.	
GRAVEL PACK INTERVALS:	Fromf	t. to	ft. F	rom	ft. to ft.	
6 CROUT MATERIAL: 1 Neat cemen	t 2 Cement grout	3 Benton	ite (4)Othe	r Concrete: 0-1	lft	
Grout Intervals From 1 ft. to	13 ft. From	ft. to) ft	. From	ft. to ft.	
What is the nearest source of possible contar	mination:					
1 Septic tank 4 Lateral lines		Livestock		secticide Storage		
2 Sewer lines 5 Cess pool	8 Sewage lagoon (11)	Fuel stora	age 14 At	andoned water and well gas well	well below)	
3 Watertight sewer lines 6 Seepage pit Direction from well? S			eet? ~80ft		**	
		FROM	TO	DI LIGGINO	G INTERVALS	
FROM TO LITHOLO 10 Grass on top; Light b		TROW	10	LEOGGING	TIMERANDO	
10 Grass on top; Eight b					7	
15 30.30 Brown silty clay	<u>'</u>					
15 Soles Brown site cia						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (Constructed, 2) econstructed, or (3) plugged						
under my jurisdiction and was completed on (mo/day/year) 12/29/14 and this record is true to the best of my knowledge and belief.						
Kansas Water Well Contractor's License No. 757 . This Water Well Record was completed on (moldey/year) 2/12/15						
under the business name of Larsen & Associa	ates, Inc. b	y (signatur	e) k		•	
INSTRUCTIONS: Please fill in blanks or circle the co Geology Section, 1000 SW Jackson St., Suite 420, Topp	orrect answers. Send top three	e copies to l	Kansas Departmen	of Health and Env	ironment, Bureau of Water,	
Geology Section, 1000 SW Jackson St., Suite 420, Topologour records. Fee of \$5.00 for each constructed well.	eka, Kansas 66612-1367. Te	ephone 785	-296-5522. Send : rell	WATER WE	LL OWNER and retain one for	

State of Kansas KDHE/BER Well Tag Form

Thompson Service

KDHE Project Code:	\mathbf{U}	6	0	8	4	1	0	8	9	2	
Well Tag Number						Wel	ell Number				
	0050937			MW2R							
00509	38	,			MW8R						
00509	35			MW12							
00511	36			MW13							
00509	36			MW14							
00511	37					M	IW15				
00511	38			MW16 ·							
									<u> </u>		
				· · · · · · · · · · · · · · · · · · ·				<u> </u>			
				<u>, , , , , , , , , , , , , , , , , , , </u>							

After completing this form, photocopy it and keep the copy for your files. Send the original to the address below.

Kansas Department of Health & Environment Bureau of Environmental Remediation 1000 SW Jackson, Suite 410 Topeka, KS 66612-1367

TRITERRA LAND SERVICES

P.O. Box 546 Clearwater, Kansas 67026 Cell (316) 648-3617 Fax (620) 584-4371 E-mail: triterrals@yahoo.com

RECEIVED

FEB 20 2015

ENVIRONMENTAL REMEDIATION

SURVEYING OF MONITORING WELLS THOMPSON SERVICE PARADISE, KANSAS

The above site is in Section 7, Township 11 South, Range 14 West of the Sixth Principal Meridian, Russell County, Kansas. The Southeast corner of Section 35 was assigned coordinates of 00.00 North and 00.00 West.

The vertical control was the top of casing elevation of previously surveyed MW-1. The previously established control point had been destroyed. A new control point was established as a chiseled 'X' on the back of curb in front of the site at the southwest corner of the lot.

The Latitude and Longitude were recorded from a GPS unit. The Site is located on the 7.5' quad map titled "Paradise".

ID	NORTH	EAST	LATITUDE	LONGITUDE	ELEVATION
SE CORNER 7-11S-14W	00.00	00.00			
CP	3924.38	2408.30	39.11432	98.91823	1697.54
MW-2R ⁻ NE NW SW NE	3899.28	2279.75	39.11426	98.91779	RIM 1698.45 TOC 1698.07
MW-8R~ NW NW SW NE	3808.07	2321.22	39.11400	98.91792	RIM 1695.92 TOC 1695.66
MW-12 – NE NW SW NE	3839.79	2071.25	39.11409	98.91700	RIM 1698.58 TOC 1698.04
MW-13 - SE SW NW NE	3996.05	2199.62	39.11451	98.91752	RIM 1701.07 TOC 1700.54
MW-14 _ SW SW NW NE	3997.70	2353.29	39.11452	98.91802	RIM 1699.49 TOC 1699.16
MW-15 ~ NW NW SW NE	3954.65	2492.68	39.11438	98.91852	RIM 1697.76 TOC 1697.44
MW-16 ~ NW NW SW NE	3797.77	2543.17	39.11397	98.91869	RIM 1696.08 TOC 1695.80

