WATER	WELL RE	CORD	Form W	WC-5	Divis	sion of Wate	r Resources App. N	0.	
		ATER WELL:	Fraction		1	Number	Township No.	Range Number	
	: Shawnee	C777 11 Y		1/4 SE 1/4		26	T 11 S	R 15 ZE W	
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here									
North of SW 6th & MacVicar						Longitude: -95.707894 (in decimal degrees)			
North of SW out a macrical						Elevation:			
2 WATE	R WELL O	WNER: Tarrage	n Canaciltanta Inc				4, □ NAD 83, ∠	NAD 27	
2 WATER WELL OWNER: Terracon Consultants, Inc. RR#, Street Address, Box #: 3113 SW VanBuren						Collection Method:			
	tate, ZIP Code		Kansas 66611		☑ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
3 LOCATE WELL Est. Accuracy:								5-15 m, >15 m	
	TE WELL AN "X" IN	4 DEPTH OF C	COMPLETED WELL	r, 15		ft.			
	ON BOX:	0.4							
	N WELL'S STATIC WATER LEVEL. 3.1ft. below land surface measured on mo/day/yr. 2/18/14								
Pump test data: Well water wasft. after hours pumping								ping gpm	
EST. YIELDgpm. Well water wasft. afterhours pumpinggpm. gpm.								ft gping gpin	
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well									
Domestic									
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☑ Monitoring well B-16									
Was a chemical/bacteriological sample submitted to Department? Yes No									
S If yes, mo/day/yr sample was submitted									
water were distributed at 1 to 1									
5 TYPE OF CASING USED: Steel V PVC Other O									
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter .2									
Casing height above land surface									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel ☑ PVC ☐ Other (Specify)									
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous slot									
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)									
SCREEN-PERFORATED INTERVALS: From 10 ft. to 15 ft., From ft. to ft.									
GRAVEL PACK INTERVALS: From									
From									
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☐ Bentonite ☐ Other									
Grout Intervals: From . ft. to . ft., From . ft. to . ft., From . ft., From . ft., From . ft. to . ft.									
What is the nearest source of possible contamination:									
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☑ Fuel storage ☐ Abandoned water well									
Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well									
Direction from well SE Distance from well 500 feet									
FROM	TO Silty I	LITHOLOG		FROM	TO	LITHU. L	OG (cont.) or PLU	JGGING INTERVALS	
		<u>∟ean Clay, It br w</u> ∟ean Clay, w san							
		e, w rock fragmen							
							-		
							- Laborate de la constitución de		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged									
under my jurisdiction and was completed on (mo/day/year) .2/18/14									
Kansas Water Well Contractor's License No. 416 This Water Well Record was completed on (mo/day/year) 3721/44									
under the business name of .Terracon Consultants, Inc. by (signature)									
K	ansas Departmen	t of Health and Enviror	nnent. Bureau of Water, Ge	ology Section.	1000 SW Jac	ckson St., Suit	te 420, 🏿 opeka, Kans	as 66612-1367.	
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at									
http://www.kdheks.gov/waterwell/index.html									