							I Ran		
LOCATION OF WATE		14 NN 14 N K		tion Numbe	r Township	/ s	R	ge Numbe	5/Wn
county: KusseL Distance and direction fr	om nearest town or city street						<u> </u>	/	<u>ت</u>
/ 1/.	niles West a	1 1/		Parad	in Ve				
WATER WELL OWN			7//	14144	70 C AS.	1			
R#, St. Address, Box		d			Board o	f Agriculture, I	Division of	Water Re	SOUTCE
ity, State, ZIP Code	Russell Ks	1.71 1.5				ion Number:	311101011 07	110.0	000.00.
	CATION WITH 4 DEPTH OF	COMPLETED WELL	48	# FLEV					
AN "X" IN SECTION		ndwater Encountered 1							ft.
7		C WATER LEVEL							
اندا	Pur	mp test data: Well water	ال ۱۰۰۰ الله الله الله الله الله الله الله ا	eiuw ianu s	unace measured	on mo/day/yr	. J I	1.0. · · ·	
NW	- NE	Tip lest data. Well water	was	.υπ.	aπer	nours pu	mping	<i>I</i> , 3	. gpm
	Bare Hele Dies	6. f. gpm: Well water meter J. O in. to	was	π.	aπer	hours pu	mping	• • • • • • •	. gpm
w ;			Public wate						π.
	1 Domesti		Oil field water		8 Air conditioni	•	Injection w		
SW	- SE 2 Irrigation				9 Dewatering 10 Monitoring w		Other (Sp		
	• • •	l/bacteriological sample sul	Lawn and y	arden only	You Monitoring W	/eli / 4.5T	4r E	Kq7C/	77
<u> </u>	mitted	ii/bacteriological sample sui	טוווונפט נט טפ					-	/aș sur
TYPE OF BLANK CA		5 Wrought iron	8 Concre		/ater Well Disinfer			lo Nama ad	
1 Steel	3 RMP (SR)	6 Asbestos-Cement		ste tile (specify belo		OINTS: Glued	a . 🖊 C ed	•	
PVC	4 ABS	7 Fiberglass			ow) 		ea .ded		
		ft., Dia				ITITE	idea		
-	d surface/8	in., weight		the	://://////////////////////////////////	e or gouge M	Ø	21	π.
• •	PERFORATION MATERIAL:	weight	⊘ PV			s or gauge in	-		• • • • •
1 Steel	3 Stainless steel	5 Fiberglass	_	P (SR)					
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS			Other (specify)			
	TION OPENINGS ARE:	5 Gauzed		•	8 Saw cut	lone used (op	•	(ones hel	la\
1 Continuous slot	(1) Mill slot	6 Wire wr	• •		9 Drilled hole	•	i i None	(open hol	ie)
2 Louvered shutter		7 Torch c							
CREEN-PERFORATED		111			10 Other (spec				
CHEEN-PERFORATED	INTERVALS. FIUITI								π.
	From	ft to	2 <i>(</i>	π., ⊢r •-	om	ا الله الله	.		
GRAVEL BACK	From	ft. to	<u>.</u>	ft., Fr	om	ft. t	o <i>.</i>		ft.
GRAVEL PACK	K INTERVALS: From	ft. to ft. to	<u>.</u>	ft., Fr ft., Fr	om	ft. to	o o		ft. ft.
	CINTERVALS: From	ft. to	25	ft., Fr ft., Fr ft., Fr	om	ft. t ft. t ft. t	o o o		ft. ft. ft.
GROUT MATERIAL:	(INTERVALS: From From 1 Neat cement	ft. to ### ft. to ft. to ft. to 2 Cement grout	25 (3)Benton	ft., Fr ft., Fr ft., Fr nite	om	ft. t	o		ft. ft. <u>ft.</u>
GROUT MATERIAL: rout Intervals: From.	1 Neat cement	ft. to	25 (3)Benton	ft., Fr ft., Fr ft., Fr nite	om	ft. to	o		ftftftft.
GROUT MATERIAL: rout Intervals: From. hat is the nearest sour	1 Neat cement 25ft. to5 ree of possible contamination:	ft. to #6 ft. to ft. to 2 Cement grout ft., From	25 (3)Benton	ft., Fr ft., Fr ft., Fr nite4 to	om om 4 Other ft., From estock pens	ft. ti ft. ti ft. ti	oo	water well	ftftftft.
GROUT MATERIAL: rout Intervals: From. hat is the nearest sour 1 Septic tank	1 Neat cement 25 ft. to 5 ree of possible contamination: 4 Lateral lines	ft. to #6 ft. to ft. to 2 Cement grout ft., From 7 Pit privy	3Benton	ft., Frft., Fr ft., Fr nite 20	omom 4 Otherft., From estock pens		oo.	water well	ft ft
GROUT MATERIAL: rout Intervals: From. hat is the nearest sour 1 Septic tank 2 Sewer lines	1 Neat cement 25ft. to5 ree of possible contamination: 4 Lateral lines 5 Cess pool	ft. to #### ft. to ft. to ft. to 2 Cement grout 7 Pit privy 8 Sewage lagoo	3Benton	ft., Fr. ft.	omom 4 Otherft., From estock pens I storage		oo	water well	ftft. <u>ft.</u> ftft.
GROUT MATERIAL: rout Intervals: From. hat is the nearest sour 1 Septic tank 2 Sewer lines 3 Watertight sewer	1 Neat cement 25 ft. to 5 ree of possible contamination: 4 Lateral lines	ft. to #6 ft. to ft. to 2 Cement grout ft., From 7 Pit privy	3Benton	ft., Fr. ft.	om		oo.	water well	ftft. <u>ft.</u> ftft.
GROUT MATERIAL: out Intervals: From. hat is the nearest sour 1 Septic tank 2 Sewer lines 3 Watertight sewer rection from well?	1 Neat cement 25ft. to5 ree of possible contamination: 4 Lateral lines 5 Cess pool	ft. to ft. to ft. to Comment grout ft., From Pit privy Sewage lagoon Feedyard	3Benton	ft., Fr. ft.	om		of the to open dependent of the total open dependent open	water well	ft ft
GROUT MATERIAL: rout Intervals: From. hat is the nearest sour 1 Septic tank 2 Sewer lines 3 Watertight sewer rection from well?	INTERVALS: From From 1 Neat cement 25ft. to5 ree of possible contamination: 4 Lateral lines 5 Cess pool lines 6 Seepage pit	ft. to ft. to ft. to Comment grout ft., From Pit privy Sewage lagoon Feedyard	3Benton	ft., Fr. ft.	om	14 Al 15 O 16 O	of the to open dependent of the total open dependent open	water well	ftft. <u>ft.</u> ftft.
GROUT MATERIAL: rout Intervals: From. hat is the nearest sour 1 Septic tank 2 Sewer lines 3 Watertight sewer rection from well? FROM TO	INTERVALS: From From 1 Neat cement 25ft. to5 ree of possible contamination: 4 Lateral lines 5 Cess pool Ilines 6 Seepage pit LITHOLOGIC	ft. to ft. to ft. to ft. to 2 Cement grout 7 Pit privy 8 Sewage lagoor 9 Feedyard	3Benton	ft., Fr. ft.	om	14 Al 15 O 16 O	of the to open dependent of the total open dependent open	water well	ftft. <u>ft.</u> ftft.
GROUT MATERIAL: rout Intervals: From. hat is the nearest sour 1 Septic tank 2 Sewer lines 3 Watertight sewer rection from well? FROM TO 0 4 4 26	INTERVALS: From From 1 Neat cement 25ft. to5 ree of possible contamination: 4 Lateral lines 5 Cess pool lines 6 Seepage pit LITHOLOGIC 10153 Silty Clay	ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagoor 9 Feedyard	3Benton	ft., Fr. ft.	om	14 Al 15 O 16 O	of the to open dependent of the total open dependent open	water well	ft ft
GROUT MATERIAL: rout Intervals: From. hat is the nearest sour 1 Septic tank 2 Sewer lines 3 Watertight sewer rection from well? FROM TO 0 4 4 26 26 37	INTERVALS: From From 1 Neat cement 25ft. to5 ree of possible contamination: 4 Lateral lines 5 Cess pool lines 6 Seepage pit LITHOLOGIC Silty Clay Stick	ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagoon 9 Feedyard C LOG	3Benton	ft., Fr. ft.	om	14 Al 15 O 16 O	of the to open dependent of the total open dependent open	water well	ft ft
GROUT MATERIAL: rout Intervals: From. hat is the nearest sour 1 Septic tank 2 Sewer lines 3 Watertight sewer rection from well? FROM TO 0 4 4 26	INTERVALS: From From 1 Neat cement 25ft. to5 ree of possible contamination: 4 Lateral lines 5 Cess pool lines 6 Seepage pit LITHOLOGIC ALSS Silty Clay Clay Stick Founded	ft. to ft. to ft. to ft. to 2 Cement grout 7 Pit privy 8 Sewage lagoon 9 Feedyard C LOG	3Benton ft. t	ft., Fr. ft.	om	14 Al 15 O 16 O	of the to open department of the total open department open department of the total open department of	water well	ftft. <u>ft.</u> ftft.
GROUT MATERIAL: rout Intervals: From. hat is the nearest sour 1 Septic tank 2 Sewer lines 3 Watertight sewer rection from well? FROM TO 0 4 4 26 26 37	INTERVALS: From From 1 Neat cement	ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagoon 9 Feedyard C LOG	3Benton ft. t	ft., Fr. ft.	om	14 Al 15 O 16 O	of the to open department of the total open department open department of the total open department of	water well	ftft. <u>ft.</u> ftft.
GROUT MATERIAL: rout Intervals: From. hat is the nearest sour 1 Septic tank 2 Sewer lines 3 Watertight sewer rection from well? FROM TO 0 4 4 36 26 37 37 47	INTERVALS: From From 1 Neat cement 25ft. to5 ree of possible contamination: 4 Lateral lines 5 Cess pool lines 6 Seepage pit LITHOLOGIC ALSS Silty Clay Clay Stick Founded	ft. to ft. to ft. to ft. to 2 Cement grout 7 Pit privy 8 Sewage lagoon 9 Feedyard C LOG	3Benton ft. t	ft., Fr. ft.	om	14 Al 15 O 16 O	of the to open department of the total open department open department of the total open department of	water well	ftft. <u>ft.</u> ftft.
GROUT MATERIAL: out Intervals: From. hat is the nearest sour 1 Septic tank 2 Sewer lines 3 Watertight sewer rection from well? FROM TO 0 4 4 26 26 37	INTERVALS: From From 1 Neat cement	ft. to ft. to ft. to ft. to 2 Cement grout 7 Pit privy 8 Sewage lagoon 9 Feedyard C LOG	3Benton ft. t	ft., Fr. ft.	om	14 Al 15 O 16 O	of the to open department of the total open department open department of the total open department of	water well	ft ft
GROUT MATERIAL: out Intervals: From. nat is the nearest sour 1 Septic tank 2 Sewer lines 3 Watertight sewer rection from well? ROM TO 0 4 4 36 26 37 37 47	INTERVALS: From From 1 Neat cement	ft. to ft. to ft. to ft. to 2 Cement grout 7 Pit privy 8 Sewage lagoon 9 Feedyard C LOG	3Benton ft. t	ft., Fr. ft.	om	14 Al 15 O 16 O	of the to open department of the total open department open department of the total open department of	water well	ft ft
GROUT MATERIAL: out Intervals: From. nat is the nearest sour 1 Septic tank 2 Sewer lines 3 Watertight sewer rection from well? ROM TO 0 4 4 36 26 37 37 47	INTERVALS: From From 1 Neat cement	ft. to ft. to ft. to ft. to 2 Cement grout 7 Pit privy 8 Sewage lagoon 9 Feedyard C LOG	3Benton ft. t	ft., Fr. ft.	om	14 Al 15 O 16 O	of the to open department of the total open department open department of the total open department of	water well	ft ft
GROUT MATERIAL: out Intervals: From. nat is the nearest sour 1 Septic tank 2 Sewer lines 3 Watertight sewer rection from well? ROM TO 0 4 4 36 26 37 37 47	INTERVALS: From From 1 Neat cement	ft. to ft. to ft. to ft. to 2 Cement grout 7 Pit privy 8 Sewage lagoon 9 Feedyard C LOG	3Benton ft. t	ft., Fr. ft.	om	14 Al 15 O 16 O	of the to open department of the total open department open department of the total open department of	water well	ft ft
GROUT MATERIAL: out Intervals: From. nat is the nearest sour 1 Septic tank 2 Sewer lines 3 Watertight sewer rection from well? ROM TO 0 4 4 36 26 37 37 47	INTERVALS: From From 1 Neat cement	ft. to ft. to ft. to ft. to 2 Cement grout 7 Pit privy 8 Sewage lagoon 9 Feedyard C LOG	3Benton ft. t	ft., Fr. ft.	om	14 Al 15 O 16 O	of the to open department of the total open department open department of the total open department of	water well	ft ft
GROUT MATERIAL: out Intervals: From. nat is the nearest sour 1 Septic tank 2 Sewer lines 3 Watertight sewer rection from well? ROM TO 0 4 4 36 26 37 37 47	INTERVALS: From From 1 Neat cement	ft. to ft. to ft. to ft. to 2 Cement grout 7 Pit privy 8 Sewage lagoon 9 Feedyard C LOG	3Benton ft. t	ft., Fr. ft.	om	14 Al 15 O 16 O	of the to open department of the total open department open department of the total open department of	water well	ft ft
GROUT MATERIAL: rout Intervals: From. hat is the nearest sour 1 Septic tank 2 Sewer lines 3 Watertight sewer rection from well? FROM TO 0 4 4 36 26 37 37 47	INTERVALS: From From 1 Neat cement	ft. to ft. to ft. to ft. to 2 Cement grout 7 Pit privy 8 Sewage lagoon 9 Feedyard C LOG	3Benton ft. t	ft., Fr. ft.	om	14 Al 15 O 16 O	of the to open department of the total open department open department of the total open department of	water well	ft ft
GROUT MATERIAL: rout Intervals: From. hat is the nearest sour 1 Septic tank 2 Sewer lines 3 Watertight sewer rection from well? FROM TO 0 4 4 36 26 37 37 47	INTERVALS: From From 1 Neat cement	ft. to ft. to ft. to ft. to 2 Cement grout 7 Pit privy 8 Sewage lagoon 9 Feedyard C LOG	3Benton ft. t	ft., Fr. ft.	om	14 Al 15 O 16 O	of the to open department of the total open department open department of the total open department of	water well	ft ft
GROUT MATERIAL: rout Intervals: From. that is the nearest sour 1 Septic tank 2 Sewer lines 3 Watertight sewer irection from well? FROM TO 0 4 4 36 26 37 37 47	I Neat cement 25ft. to5 The ce of possible contamination: 4 Lateral lines 5 Cess pool I lines 6 Seepage pit LITHOLOGIC LATS Silty Clay Clay Stick Tounded Counse pc's hand blue	ft. to ft. to ft. to Comment grout This privy Sowage lagood Feedyard CLOG	3Benton ft. ft.	ft., Fr. ft., Fr. ft., Fr. ft., Fr. ft., Fr. 10. Live 11 Fue 12 Fert 13 Inse How m TO	omom 4 Other	14 Al 15 O 16 O PLUGGING II	of the to control of the total	water well well fy below)	ft ft
GROUT MATERIAL: rout Intervals: From. that is the nearest sour 1 Septic tank 2 Sewer lines 3 Watertight sewer rection from well? FROM TO 0 4 4 26 26 37 37 47 47 48 CONTRACTOR'S OR	I Neat cement 25ft. to5 Tree of possible contamination: 4 Lateral lines 5 Cess pool Ilines 6 Seepage pit LITHOLOGIC ALSS Silty Clay Clay Stick Course PC'S Aard Sive	ft. to ft. to ft. to Comment grout This privy Sowage lagood Feedyard CLOG	Benton ft. ft. ft.	tt., Fr. ft., Fr. ft.	om	ft. to ft	or ft. to or pandoned ill well/Gas ther (special NTERVALS)	water well well fy below)	ft. ft. ft. ft.
GROUT MATERIAL: rout Intervals: From. hat is the nearest sour 1 Septic tank 2 Sewer lines 3 Watertight sewer rection from well? FROM TO 0 4 4 26 26 37 37 47	I Neat cement 25ft. to5 rece of possible contamination: 4 Lateral lines 5 Cess pool Ilines 6 Seepage pit LITHOLOGIC LAXS Silfy Clay Clay Clay Stick Counse PC'S Aard Alwe- R LANDOWNER'S CERTIFICAT Bar) 5 - 1 - 98	ft. to ft	3Benton ft. ft. ft.	tt., Fr. ft., Fr. ft.	om	ft. to ft	or ft. to or pandoned ill well/Gas ther (special NTERVALS)	water well well fy below)	ft. ft. ft. ft.
GROUT MATERIAL: rout Intervals: From. hat is the nearest sour 1 Septic tank 2 Sewer lines 3 Watertight sewer rection from well? FROM TO 0 4 26 26 37 37 47 47 48 CONTRACTOR'S OR	INTERVALS: From	ft. to ft	3Benton ft. ft. ft.	tt., Fr. ft., Fr. ft.	om	ft. to ft	or ft. to or pandoned ill well/Gas ther (special NTERVALS)	water well well fy below)	ft. ft. ft. ft.