

1 LOCATION OF WATER WELL: County: Ottawa Fraction SE 1/4 NE 1/4 NE 1/4 Section Number 7 Township Number T 11 S Range Number R 2 EW

Distance and direction from nearest town or city street address of well if located within city? 1 1/2 Miles West & 2 Miles South of Wells, Ks.

2 WATER WELL OWNER: Tom Kendrick RR#, St. Address, Box #: R.R. #2 City, State, ZIP Code: Minneapolis, Ks. 67467 Board of Agriculture, Division of Water Resources Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: [Diagram of a 2x2 section box with an 'X' in the NE quadrant] 4 DEPTH OF COMPLETED WELL: 76 ft. ELEVATION: ... WELL'S STATIC WATER LEVEL: 55 ft. below land surface measured on mo/day/yr 9/9/86

5 TYPE OF BLANK CASING USED: 1 Steel, 2 PVC, 3 RMP (SR), 4 ABS, 5 Wrought iron, 6 Asbestos-Cement, 7 Fiberglass, 8 Concrete tile, 9 Other (specify below), CASING JOINTS: Glued X, Clamped, Welded, Threaded. Blank casing diameter: 5 in. to 66 ft., Dia. Casing height above land surface: 12 in., weight: 2.91 lbs./ft. Wall thickness or gauge No.: 265. TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel, 2 Brass, 3 Stainless steel, 4 Galvanized steel, 5 Fiberglass, 6 Concrete tile, 7 PVC, 8 RMP (SR), 9 ABS, 10 Asbestos-cement, 11 Other (specify), 12 None used (open hole). SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot, 2 Louvered shutter, 3 Mill slot, 4 Key punched, 5 Gauzed wrapped, 6 Wire wrapped, 7 Torch cut, 8 Saw cut, 9 Drilled holes, 10 Other (specify), 11 None (open hole). SCREEN-PERFORATED INTERVALS: From 66 ft. to 76 ft. GRAVEL PACK INTERVALS: From 15 ft. to 76 ft.

6 GROUT MATERIAL: 1 Neat cement, 2 Cement grout, 3 Bentonite, 4 Other. Grout intervals: From 5 ft. to 15 ft. What is the nearest source of possible contamination: 1 Septic tank, 2 Sewer lines, 3 Watertight sewer lines, 4 Lateral lines, 5 Cess pool, 6 Seepage pit, 7 Pit privy, 8 Sewage lagoon, 9 Feedyard, 10 Livestock pens, 11 Fuel storage, 12 Fertilizer storage, 13 Insecticide storage, 14 Abandoned water well, 15 Oil well/Gas well, 16 Other (specify below). Direction from well? WEST How many feet? 120 ft.

LITHOLOGIC LOG table with columns FROM, TO, and LITHOLOGIC LOG. Rows include: 0 to 2 Top Soil, 2 to 25 Sand Rock & Sandstone, 25 to 72 Light Sandstone, 72 to 77 Brown Sandstone.

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 9-9-86 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 138 This Water Well Record was completed on (mo/day/yr) 9-11-86 under the business name of Peterson Irrigation, Inc. by signature Mike Petersen

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Office of Oil Field and Environmental Geology, Regulation and Permitting Section, Topeka, Kansas 66620-7500, Telephone: 913-862-9360. Send one to WATER WELL OWNER and retain one for your records.