WATE	ER WE	LL RECORD	Form W	WC-5	D	ivision of Wate	r Resources App. N	o. L		
1 LOCATION OF WATER WELL:			Fraction		Sect	ion Number	Township No.	Range Number		
County: Ottawa			1/4 Near1/4 Ct	r.1/4 NW 1/	4 2	9	T 11 S	R 2 □E <b>K</b> W		
Stre	Street/Rural Address of Well Location; if unknown, distance & direction						Global Positioning System (GPS) information:			
	from nearest town or intersection: If at owner's address, check here .						Latitude: (in decimal degrees)			
				Long	Longitude: (in decimal degrees)					
2 miles North, 1 mile East & 1 mile North of Bennington Datum   WGS 84   NAD 83										
			ш. 🔲 жоз 6-	4, 🔲 NAD 83, 🗀	NAD 27					
1			Serrault		Collection Method:					
1	,	TTD 0 1	N. 190th		☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey					
Cit	y, State, A	ZIP Code : Ber	nington, KS 67	422						
Est. Accuracy: □ <3 m, □ 3-5 m, □ 5-15 m, □ >15 m										
1	WITH AN "X" IN 4 DEPTH OF COMPLETED WELL									
1	TION BO									
	N									
,	Pump test data: Well water was									
w   N	70 C 1									
"	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well									
	<u>'</u> ,   ,	Domostia	☐ Feedlot ☐					Other (Specify below)		
8	SWSE   Domestic   Feedfot   Off field water supply   Dewatering   Mother (specify below)   Irrigation   Industrial   Domestic-lawn & garden   Monitoring well . Stock									
L	Was a chemical/bacteriological sample submitted to Department? Yes No									
S If yes, mo/day/yr sample was submitted										
1 mile  Water well disinfected?  ▼ Yes  No										
5 TYPE OF CASING USED: Steel X PVC Other										
CASING JOINTS: X Glued Clamped Welded Threaded										
Casing diameter										
Casing height above land surface. 12. in., Weight2.37. lbs./ft., Wall thickness or gauge No214										
TYPE OF SCREEN OR PERFORATION MATERIAL:										
☐ Steel ☐ Stainless Steel										
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE:										
Continuous slot  Mill slot  Gauze wrapped  Torch cut  Drilled holes  None (open hole)										
Louvered shutter										
SCREEN-PERFORATED INTERVALS: From										
From										
GRAVEL PACK INTERVALS: From										
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other										
	ntervals:	From 0 ft. to	20 ft From	n Denk	ft to	Ouici	From	ft to ft		
				1	. 11. 10	11.,	110111	. 11. 10		
What is the nearest source of possible contamination:  Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)										
Sewer lines										
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well										
		m well				ell				
FROM		LITHOLOG	IC LOG	FROM	TO	LITHO. LC	OG (cont.) or PLU	GGING INTERVALS		
0	2	Topsoil			. ,					
2	38	Shale, gray w/sand								
_38	80	Sandstone, soft ta	an							
	<u> </u>									
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ▼ constructed, □ reconstructed, or □ plugged										
under my jurisdiction and was completed on (mo/day/year)5/21/12 and this record is true to the best of my knowledge and belief.										
Kansas Water Well Contractor's License No1.38 This Water Well Record was completed on another in the contractor.										
under the business name of										
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.										
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at										
http://www.kdheks.gov/waterwell/index.html.										
KSA 82a-1212										