				WELL RECORD	Form WWC-5	KSA 82a			
LOCATIO	ON OF WAT	ER WELL:	Fraction	-, l		tion Number	Township Nun		Range Number
	OTTAL		NW4			16	<u> </u>	S	R Z 9W
stance a	nd direction	from nearest town of	or city street add	ress of well if locate	d within city?				
		1, - 1,	- 11 1 PA		5110 10	a			
WATER	WELL OW	NER: W	To Sa	rps of	206111	eerci			:-:6 W/-A D
R#, St. #	ddress, Box	* : 655	PEDERT	L' Buildi	الاراقة	<b>Λ</b> . ( -	_		ision of Water Resources
ty, State,	ZIP Code	: Kan	sas, C	ty, Me	9 67/	,00	Application I		
LOCATE	WELL'S LO IN SECTION	CATION WITH 4	DEPTH OF CO	MPLĖTEĎ WELL	! <del></del> . /	. ft. ELEVA	TION: 2		
Г	1	ı Wi	ELL'S STATIC W	ATER LEVEL	<b>フ</b> ぬ ft. b	elow land sur	face measured on r	no/day/yr .	.1.7.2.1.7.3
			Pump t	est data: Well wate	rwas	ft. a	fter	hours pump	oing gpm
-	- NW	X 1 Es	t. Yield	gpm: Well water	erwas	ft. a	fter	hours pump	oing gpm
	i (	Bo	re Hole Diamete	r		<i>!3:4</i> /ft., .	and	in. to	o
~ <u> </u>	1	ı vı	ELL WATER TO	BE USED AS:	5 Public water	r supply	8 Air conditioning	11 Inj	ection well
ŀ		1 1	1 Domestic		6 Oil field wat	er supply	9 Dewatering	12 Ot	her (Specify below)
<b>i</b> -	- sw	2E	2 Irrigation	4 Industrial	7 Lawn and g	arden only	Monitoring well	,	
	-	i I Iwa	as a chemical/ba						o/day/yr sample was sub-
	<del></del>		tted	,			ter Well Disinfected		
TYPE C	E BLANK C	ASING USED:		Wrought iron	8 Concre				Clamped
1 Ste		3 RMP (SR)		S Asbestos-Cement		specify below			
PV	_	4 ABS		7 Fiberglass					J. Flus.H.
									to ft.
				n, weight					SCH 40
	•	R PERFORATION M		ii, weigiit	7 PV			stos-cement	<u> </u>
				Fibereless		P (SR)			
1 Ste		3 Stainless st		Fiberglass	9 AB				
2 Bra		4 Galvanized		6 Concrete tile		5		used (open	·
		ATION OPENINGS			ed wrapped		8 Saw cut	'	1 None (open hole)
	ntinuous slo			6 Wire wrapped			9 Drilled holes 10 Other (specify)		
	uvered shutte	•	punched	7 Torch		^~	· · · · · · · · · · · · · · · · · · ·		
CREEN-F	PERFORATE	D INTERVALS:							
						_			
9	RAVEL PAG	CK INTERVALS:	From		<i>1.0</i>	<b>う</b> ft., Fro	m	ft. to.	
			From	ft. to		ft., Fro	m	ft. to	ft.
GROUT	MATERIAL			Cement grout	3 Bento				
Frout Inter	vals: Fron	n <b>7.8</b> . ft	to	. ft., From	ft.	to	ft., From		ft. to
Vhat is the	e nearest so	urce of possible cor	ntamination:			10 Lives	tock pens	14 Aba	ndoned water well
1 Septic tank 4 Lateral I			nes 7 Pit privy			11 Fuel storage		15 Oil well/Gas well	
2 Sewer lines 5 Cess po			8 Sewage lagoo		oon	12 Fertilizer storage		16 Oth	er (specify below)
3 Watertight sewer lines 6 Seepage			e pit	oit 9 Feedyard		13 Insecticide storage			
)irection f	rom well?	VIA	•	·		How ma	ny feet? V/A	•	TCE
FROM	TO	<del>- /</del>	LITHOLOGIC LO	OG	FROM	то		IGGING INT	ERVALS
0	4		ic /Cl						
4	105	SAND	STONE						
105	128		STONE						
/28	134	SHALE					,		
120	7.37	JATILE	-						,
	<u> </u>					<u> </u>			
						-			
	<u></u>					<del>                                     </del>			
					<del>                                     </del>	L			
					-	<b> </b>			
							-		
						L			
							<u> </u>		
CONT	ACTOR'S	OR I ANDOWNER'S	CERTIFICATIO	N: This water well w	as (f) constru	cted (2) reco	enstructed or (3) plu	igged rinder	my jurisdiction and was
		year) . O1. /.22			as my constitu				riedge and belief. Kansas
			797	This Motor 14	Vell Becord wa		on (mg/day/yr)		
		s License No.			veli mecora wa				Z0/.3
	business na			GYEAR		by (signa			
INSTRU	CTIQNS Use ty	pewriter or ball point pen.	PLEASE PRESS FIRI	MLY and PRINT clearly. Ple 0001. Telephone: 913-296-	ease fill in blanks,	Underline or circle	the correct answers.	vour records	oles to Kansas Department
or mean	II and Environm	on, puredu or water, Top	70na, Nelisas 00020-0				The state of the s	, 1000100.	