1 LOCATIO	ON OF WAT	er well:	Fraction			Sectio	n Number	Township I	łumber	Range Number	er 🛌
County:	TREGO		SW 1/4	SE 1/4	NE 1/4	1	28	т	$11\mathrm{s}$	R 21	EW)
		rom nearest town	or city street a	address of well if le	ocated within	city?					
			-	miles Nort							ĺ
				TITES MOTO	II UI WORK	cite					
2 WATER	WELL OWN		OMONDON								l
RR#, St. A	ddress, Box		ULEAVER					Board of	Agriculture,	Division of Water Re	sources
City, State,	ZIP Code	LITTLE	SON CO	80121				Application	n Number:		
		CATION WITH	DEPTH OF C	OMPLETED WEL	1112		# FIFVAT	ION-			
AN "X" I	N SECTION	BOX:	DEF 111 OF C	Austra Carrier		3£	4.0	11011.	4 6	3	
ī [<u> </u>		ELL'S STATIC	WATER LEVEL	85	ft. belo	w land surf	ace measured o	n mo/day/yr	11-27-95	
	1		Pum	p test data: Well	water was .		ft. af	ter <i></i>	. hours pu	ımping	. gpm
-	- NM	- NE Es	st. Yield LQ.	apm: Well	water was .		ft. af	ter	. hours pu	ımping	. gpm
<u>'</u>	-		•	•					•	. to	
* w	- ; - +	F		TO BE USED AS:				8 Air conditionin		Injection well	
-	- i - I	"							•	,	
1 -	_ sw	SE	♣ XDomestic							Other (Specify below	
1 1	ï	ï	2 Irrigation	4 Industria							
1 1	i	ı w	as a chemical	bacteriological sar	nple submitted	to Depa	artment? Ye	sNo	XX; If yes	, mo/day/yr sample w	vas sub-
1 -	5	mi	itted				Wat	er Well Disinfect	ed? Yes	No XX	
E TYPE O	E BI ANK C	ASING USED:		5 Wrought iron	8.0	oncrete				d . XX Clamped .	
				_						led	I
1 Stee	-	3 RMP (SR)		6 Asbestos-Cer		, ,	ecify below	•			
XX PV				7 Fiberglass						aded	
										in. to $\ldots\ldots$	
Casing heig	nt above la	nd surface2	₽	.in., weight	160		Ibs./f	t. Wall thickness	or gauge N	lo	
	•	PERFORATION N				R PVC			bestos-ceme		i
1 Stee		3 Stainless st		5 Fiberglass			(SD)) <i></i>	- 1
	_			-			(3/1)			•	
2 Bras		4 Galvanized		6 Concrete tile					one used (or	•	
SCREEN O	OR PERFOR	ATION OPENINGS	S ARE:	5	Gauzed wrapp	ed		8 Saw cut		11 None (open ho	ile)
1 Cor	ntinuous slot	JEXAM III s	slot	6	Wire wrapped			9 Drilled holes			
2 Lou	vered shutte	r 4 Key	punched	7	Torch cut			10 Other (speci	fy)		
		D INTERVALS:		92 #	to	112				to	
30HEER-F	LINI ONAIL	D HATEITALO.		-			,			to	
G	RAVEL PAC	K INTERVALS:	From							to	
			From	ft.	to		ft., Fron	n	ft.	to	ft.
6 GROUT	MATERIAL:	1 Neat cen	nent	2 Cement grout	XX3	Bentonit	e 4	Other			
Grout Interv	vals: From	n Q ft.	to40	ft., From .		ft. to		ft., From .	.	ft. to	ft.
		urce of possible co	•				10 Livest			bandoned water wel	1
		•		7 Pit priv				•		Dil well/Gas well	
•	otic tank	4 Lateral I		•	•		11 Fuel s	•			
	wer lines	5 Cess po		8 Sewag			12 Fertili:	zer storage	16 C	Other (specify below)	
3 Wat	tertight sewe	er lines 6 Seepage	e pit	9 Feedya	ard		13 Insect	icide storage			
Direction fro	om well?						How mar	y feet?			- 1
FROM	то		LITHOLOGIC	LOG	FRC	M	ТО	F	LUGGING	INTERVALS	
0	12	Surface Cl									
12	35	Hard Yello		_1_							
35	45	White Lime		CK							
45	60	Gray Clay									<u>-</u>
60	70	Fine Sand									
70	80	White lime	estone ro	ck							
			D VOIC IV	7-55							
80	98	Med Sand									
98	110	Mede to La									
110	112	Blue Shale	9								
				101 T			L			4	
7 CONTR	ACTOR'S C	H LANDOWNER'S	CERTIFICAT							der my jurisdiction a	
completed of	on (mo/day/y	/ear)	↓ ナとルナソン。。							nowledge and belief.	Kansas
Water Well	Contractor's	License No	!!! !	This Wa	ater Well Reco	rd was	completed of	on (mo/da <u>y/</u> yr)	ا الم	27.–95	
	ousiness nan	A BITCI	ERSON DRI				by (signat		. (1	ale ra	
					nd. Disease on the	last-			1	anning to Variation	
INSTRUC	CHONS: Use typ	ewriter or ball point pen	. PLEASE PRESS	rimmLY and PRINT clea	arry. Please fill in b	ianks, und	BETIINE OF CITCLE	trie correct answers.	sena top three	copies to Kansas Departm	nent

WATER WELL RECORD Form WWC-5 KSA 82a-1212