

			RECORD	-	·· ·· C-3	054	D		n of Wat					
	0		Correction		ge in Well Use		1		es App. 1		<b>T</b> 1' N 1	Well ID		
			WATER WE	LL:	Fraction $\frac{1}{4}$ $\frac{1}{4}$	1⁄4	1/4 S	ectioi	n Numb	er	Township Number T S		nge Number	
	unty:								A 11	1.		R		
Business: Address: Address:				First:		rection from nearest town or intersection): If at owner's address, check here:								
	City: State: ZIP:   3 LOCATE WELL 4 DEDTH OF GOMENETED WELL 6													
					IPLETED WELL									
	<b>WITH "X" IN</b> SECTION BOX:						Longitude:(decimal degrees)							
	N 2) ft. 3) ft., or 4) $\Box$ I								WGS 84 🗌 NAD		JAD 27			
				WELL'S STATIC WATER LEVEL: ft. below land surface, measured on (mo-day-yr)					·· <u>Source for Latitude/Longitude</u> : ·· □ GPS (unit make/model:)					
	3.7	NE		above land surface, measured on (mo-day-yr)					$(WAAS enabled? \square Yes \square No)$					
14	w   -	- NE X		mp test data: Well water was ft.					□ Land Survey □ Topographic Map □ Online Mapper:					
w			after.	hour	pumping gpm vater was ft.									
51	W	- SE												
		J I			s pumping	gr	pm		6 Elevation:ft. □ Ground Level □ TOC Source: □ Land Survey □ GPS □ Topographic Map					
	S			Yield:	gpm in. to		ft and							
	~~	le	Dore Hole		in. to							her		
7 WEI	LL W	ATER 1	O BE USED											
1. Dome					ater Supply: well ID				10. 🗖 O	il Fie	eld Water Supply: le	ase		
🗌 Ho					g: how many wells?			•	11. Test	Hole	: well ID			
		Garden			echarge: well ID					Cased Uncased Geotechnical				
					g: well ID al Remediation: well						al: how many bores			
2. □ Irr 3. □ Fe		n		Air Sparg				•			l Loop 🔲 Horizonta Loop 🔲 Surface Dis			
4. □ Inc		վ		Recovery			lituetion				(specify):			
				•	nitted to KDHE?		es 🗆 No				mple was submitted			
			d? □ Yes [		Inter to RDITE:			, 11	yes, uai	c sai	inple was sublittee	u	, <b></b>	
					C 🗌 Other		CAS	ING	JOINTS	S: Г	Glued Clamped	□ Welde	d 🗆 Threaded	
					Diameter									
Casing h	neight	above lan	d surface	ir	n. Weight									
			OR PERFORA	ATION MA	TERIAL:									
□ St			ainless Steel	🗌 Fibei					🗌 Ot	her (	Specify)		•••••	
			alvanized Steel			e use	ed (open ho	ole)						
		ous Slot	Mill Slo			Tore	h Cut □	Drill	ed Holes		Other (Specify)			
							Cut $\square$					•••••		
					n ft. to				` I			ft. to	ft.	
GRAVEL PACK INTERVALS:   From														
	Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft.													
			ble contamina			,	г	ד ד <b>ר</b>	astock D	200	🗖 Insostia	ida Storago		
	Septic Tank   Lateral Lines   Pit Privy   Livestock Pens   Insecticide Storage     Sewer Lines   Cess Pool   Sewage Lagoon   Fuel Storage   Abandoned Water Well													
			Lines	] Cess Pool ] Seepage Pit	☐ Feedyard	d d			tilizer Sto					
Ot	her (S	pecify)								-				
Direction from well? ft.														
10 FRC	OM	TO		LITHOLO	GIC LOG		FROM		ТО	LIT	THO. LOG (cont.) or	PLUGGIN	G INTERVALS	
								+						
								_						
								_						
			1					+						
								-						
			1				Notes:			<u> </u>				
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed, reconstructed, or plugged														
under n	under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief.													
Kansas Water Well Contractor's License No This Water Well Record was completed on (mo-day-year) under the business name of														
			Send one copy	to WATER W	ELL OWNER and reta	in one	e for your re	ecords.	. Fee of \$	5.00 f	for each constructed we	11.		
	-				Water, Geology Section,	, 1000	) SW Jackso	on St.,	Suite 420	, Tope	eka, Kansas 66612-136			
Visit u	Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212													

Form	WWC5
Contractor	Chas. Sargent Irrigation, Inc.
Well Owner	
Doc ID	1305444

## Litholgy

From	То	LithologicLog
0	3	Topsoil
3	10	Brown Sandy Clay
10	20	Cemented Sand w/Sand Stringers
20	25	White Clay
25	33	Cemented Sand w/Sand Stringers
33	38	Small gravel & coarse sand
38	42	Cemented Sand
42	51	Sandy Clay
51	55	Medium Sand Stringers & clay
55	60	Coarse sand
60	61	Cemented sand
61	68	Coarse sand
68	69	Clay
69	75	Clay w/sand stringers
75	80	Medium Sand
80	90	Medium sand w/Clay stringers
90	95	Clay w/sand stringers
95	105	Medium Sand
105	106	Medium Sand and Clay
106	121	Medium Sand
121	125	Stiff White Clay
125	138	Medium Sand

Form	WWC5
Contractor	Chas. Sargent Irrigation, Inc.
Well Owner	
Doc ID	1305444

Litholgy

From	То	LithologicLog
138	143	Oaker
143	155	Black Shale