	ELL RECORD	Form WV	VC-5	Division of Wate	r Resources App. N	0.	
1 LOCATIO County: T	ON OF WATER WELL: REGO	Fraction 4 NW 4 NW	1/4 NW 1/4	Section Number 9	Township No.	Range Number R 23 DE WW	
Street/Rura	Address of Well Location;	Global Positioning					
from neare	st town or intersection: If at	owner's address, check	Latitude:		(in decimal degrees)		
FROM WAKEENEY NORTH 5 MILES, 1 MILE WEST, 1/2 MILE				Longitude: (in decimal degrees)			
SOUTH				Elevation:			
2 WATER WELL OWNER: GEORGE DELANEY				Datum: WGS 84, NAD 83, NAD 27			
RR#, Street Address, Box #: 1941 N MERIDIAN				Collection Method:  GPS unit (Make/Model:)			
City, State, ZIP Code : WICHITA, KS 67203				☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
		A. NO 07200		Est. Accuracy:	3 m, 3-5 m,	5-15 m. $\square > 15$ m	
3 LUCATE WELL							
	WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered (1) ft (2) ft (3)						
N							
X	Pump test data: Well water was						
Tion vitti is							
W - NW NE - EST. YIELDgpm. Well water wasft. after						թուց gpm	
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well						niection well	
SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)							
Irrigation   Industrial   Domestic-lawn & garden   Monitoring well							
Was a chemical/bacteriological sample submitted to Department? Yes V No							
S If yes, mo/day/yr sample was submitted							
Water well disinfected? Water Well disinfected? Water Well disinfected?							
5 TYPE OF CASING USED: Steel PVC Other							
CASING JOINTS: ☑ Glued ☐ Clamped ☐ Welded ☐ Threaded							
Casing diameter 5							
Casing height above land surface24							
Steel Stainless Steel ✓ PVC ☐ Other (Specify) ☐ Brass ☐ Galvanized Steel ☐ None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
☐ Continuous slot ☑ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)							
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)							
SCREEN-PERFORATED INTERVALS: From50							
From							
From ft. to ft. From ft. to ft.							
OROUI MAI ERIAL:   Neat cement   Cement grout V Bentonite   Other							
Grout Intervals: From 0 ft. to 24 ft., From ft. to ft., From ft. to ft., From ft. to ft.							
What is the nearest source of possible contamination:							
Septic tank  Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)							
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well							
Direction from wall SOUTH							
FROM TO	LITHOLOG	CLOG				GGING INTERVALS	
0 5	TOPSOIL			LO DITTIOL DO	G (Cont.) of TEC	DOING HYTEKYALS	
5 18	SILTY CLAY		<del></del>	<del>*************************************</del>			
18 24	TAN CLAY						
24   32	BROWN CLAY / GRAY	MUD			·		
32 41	SANDY CLAY						
41 48	SAND						
48 52	SAND W/ DARK GRAY	CLAY					
52 58	SAND						
58 59	WHITE HARD CLAY				****		
59 60 SHALE							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   ☐ constructed, ☐ reconstructed, or ☐ plugged							
under my jurisdiction and was completed on (mo/day/year) .6/11/2013 and this record is true to the best of my knowledge and belief.  Kansas Water Well Contractor's License No. 489 This Water Well Record was completed on (mo/day/year) .6/27/2013							
under the business name of AQUA PUMP LLC by (signature)							
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three conies.							
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367							
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.							
VCA 00-1010							
<b>~~</b> ~~******************************	100 000			CHCCA. [_] WIII	ic copy, 🔲 Bitt	e Copy, L Pink Copy	

KSA 82a-1212