WATE	R WELI	RECORD	Form WWC-5	Divi	sion of Wate	er Resources; App. No.	980	
		F WATER WELL:	Fraction			Township Number	Range Number	
Countycego Distance and direction from nearest town or cit			N 4 N 4 SW	1/4	24	T 11 S	R 25 E/W	
					Global Positioning Systems (decimal degrees, min. of 4 digits)			
located within city3, Ks 1 1/2 N-2W 1/4 N					Latitude:			
2 WATER WELL OWNER: John McTinowelly					Longitude: Elevation:			
	St. Addre	D " COMM MALLE		Elevati	ion:			
C't- C-t- 7ID C-1-				Datum	Data Collection Method:			
Collyer, KS 67631 3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL								
ı	ATE WEI	LL'S 4 DEPTH OF COM	IPLETED WELL		It.			
	.ATION 'H AN "X"	IN Depth(s) Groundwate	er Encountered (1)	12 ft	(2)	ft (3)	ft	
	WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered (1) 12 ft. (2) ft. (3) 4/15/09							
SEC	Pump test data: Well water was 1.3 ft. after 6. hours pumping 1.5 gpn							
Г		T Est. Yield	m: Well water was	ft. afte	r	hours pumping	gpm	
l l N	WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well							
W E 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)								
	X	2 Irrigation 4 Ir	dustrial 7 Domestic (1	lawn & garder	i) 10 Moi	nitoring well		
SW SE								
Sample was submitted								
5 TYPE OF CASING USED: 2 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped								
			t Iron 8 Concrete s-Cement 9 Other (sp	e me posify bolow)	CASIN	G JOINTS: Glued	K Clamped	
1		4 ABS 7 Fibergla	s-Cement 9 Omer (s)	pechy below)		Welded Threaded	• • • • • • • • • • • • • • • • • • • •	
Blank ca	asing diam	eter 5 in to30	ft. Diameter	in. to	ft	Diameter	in toft	
Blank casing diameter 5 in. to 30 ft., Diameter in. to ft., Diameter in. to ft., Diameter in. to ft. Wall thickness or guage No. 15 Wall thickness or guage No. 15 in. to 5 which is the casing height above land surface 15 in. Weight 15 in., Weight 15 in. to 5 in. to 6								
TYPE C	OF SCREE	N OR PERFORATION MAT	ERIAL: 7	•			• hel-	
1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify)								
1 -	Brass	4 Galvanized Steal 6 Cor		10 Asbestos	s-Cement	12 None used (open	hole)	
SCREEN OR PERFORATION OPENINGS ARE: 8								
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw cut 10 Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From								
GRAVEL PACK INTERVALS: From3Qft. to								
From								
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other								
Grout Intervals: From								
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide storage 16 Other (specify								
						below)		
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/gas well								
Directio	n from wel	1?		v many feet? .				
FROM	TO	LITHOLOGI	C LOG F	ROM TO		PLUGGING INT	ERVALS	
0	4	Top soil						
4	12	Gumbo clay						
1.2	15	Corce sand					****	
1.5	30	shale						
-						XIII XXIII X		
		and the second of the second o				· · · · · · · · · · · · · · · · · · ·		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged								
under my jurisdiction and was completed on (mo/day/year) 4/15/02 and this record is true to the best of my knowledge and belief								
Kansas Water Well Contractor's License No								
under the business name Seret Water Well Drilling & Certice by Rignature) INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top								
INSTRUC	CTIONS: Us	se typewriter or ball point pen. <u>PLI</u>	EASE PRESS FIRMLY and PRIN	T clearly. Please	fill in blank	s, underline or circle the co	oriect answers. Send top	
785-296-5		Department of Health and Environm I one to WATER WELL OW						
785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each <u>constructed</u> well. Visit us at http://www.kdheks.gov/waterwell/index.html .								