

SVE-17

WATER WELL RECORD

Form WWC-5

KSA 82a-1212 ID No.

00317883

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: Gove		NW 1/4 NW 1/4 NW 1/4	32	T 11 S	R 26 E
Distance and direction from nearest town or city street address of well if located within city? Intersection of I-70 and K212, Quinter, KS					
2 WATER WELL OWNER: Jim Graham					
RR#, St. Address, Box #: P.O. Box 398					
City, State, ZIP Code: Quinter, KS 67752					
Board of Agriculture, Division of Water Resources Application Number:					
3 LOCATE WELL'S LOCATION WITH		4 DEPTH OF COMPLETED WELL: 80 ft. ELEVATION:			
AN "X" IN SECTION BOX:		Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.			
		WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr			
		Pump test data: Well water was ft. after hours pumping gpm			
		Est. Yield gpm: Well water was ft. after hours pumping gpm			
		Bore Hole Diameter: 8 in. to 80 ft., and in. to ft.			
		WELL WATER TO BE USED AS:			
		5 Public water supply 8 Air conditioning 11 Injection well			
		1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)			
		2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well Soil Ventilation			
Was a chemical/bacteriological sample submitted to Department? Yes. <input checked="" type="radio"/> No. <input type="radio"/> If yes, mo/day/yr sample was submitted					
Water Well Disinfected? Yes <input checked="" type="radio"/> No <input type="radio"/>					
5 TYPE OF BLANK CASING USED:					
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued. <input checked="" type="radio"/> Clamped.					
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded.					
Blank casing diameter: 4.5 in. to 60 ft., Dia. in. to ft., Dia. in. to ft.					
Casing height above land surface. in., weight lbs./ft. Wall thickness or gauge No. Sch. 40					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement					
2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify)					
9 ABS 12 None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot 2 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)					
2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes					
7 Torch cut 10 Other (specify) ft.					
SCREEN-PERFORATED INTERVALS: From 60 ft. to 80 ft., From ft. to ft.					
From 57 ft. to 60 ft., From ft. to ft.					
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft.					
From ft. to ft., From ft. to ft.					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other					
Grout Intervals: From 0 ft. to 52 ft., From ft. to ft., From ft. to ft.					
What is the nearest source of possible contamination:					
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well					
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well					
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)					
13 Insecticide storage					
Direction from well? How many feet?					
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0'	10'	Very coarse silt. Light yellowish brown. Moist.			sorted with caliche nodules, and some coarse sand (qtz) grains.
10'	15'	Silty clay, medium reddish brown, with caliche nodules. Moist.	30'	35'	Very light whitish tan. Moist.
15'	20'	Very coarse sandy silt, with abundant caliche nodules. Moist.			Fine to medium sand, very light brown, Moist, Poorly sorted. With caliche nodules and clay streaks.
20'	25'	Very light whitish tan. Fine to v. fine silty sand, with some coarse sand grains and caliche nodules. Moderately sorted. Light yellowish brown. Moist.	35'	45'	same as above, medium sand.
			45'	50'	Fine to v. fine sand. Moderately to well sorted. Light brown. Moist.
			50'	60'	Fine sand. Med. to poorly sorted. w/pebbles & caliche nodules. Medium sand. Poorly sorted.
25'	30'	Fine clayey sand. Poorly	60'	70'	
			70'	80'	Med. to coarse sand. Poorly sorted, with gravel.
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <input checked="" type="radio"/> (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 6.25.03 and this record is true to the best of my knowledge and belief. Kansas					
Water Well Contractor's Licence No. SS4 This Water Well Record was completed on (mo/day/yr) 9.24.03					
under the business name of Walter Pumpwell by (signature) Walter Pumpwell					
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone 785-296-5524. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.					