		WA	TER WELL F	ECORD	Form WWC	-5 KSA	82a-1212 II	O No.					
		ATER WELL:	Fraction			- 10,1	Section Numb		Township Nur	nber	Range Nu	mber	
County:				14 NW		1/4	32		r 11	s	R 26	E/W	
		from nearest tov stle Rock Ro											
L		NER: Graha										emeronore/elecunicae-schools insi-	
RR#, St. A	ddress, Box	# : Interst	ate 70 & (		ock Road				Board of Agri	culture, D	Division of Water F	Resources	
City, State,	ZIP Code	Quinte	er, KS 67	752		20.7			Application N	lumber:			
3 LOCATE WELL'S LOCATION WITH 4 DEPTH OF COMPLETED WELL 89.7 ft. ELEVATION: 2659  AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1 .74.89 ft. 2 ft. 3 ft.													
AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1 .74.89 ft. 2 ft. 3 WELL'S STATIC WATER LEVEL 74.89 ft. below land surface measured on mo/day/yr .06-12-2006											ft.		
Pump test data: Well water							was hours pumping gpm						
-	-NW	NE	Est. Yield .⊋ WELL WATI		/ater was								
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 07 12									OZ 12 C	Other (Specify belo	ow)		
W-		E	2 Irrigati	on 4	Industrial	7 Domestic	c (lawn & garde	n) [10]Mo	nitoring well		/		
SW SE Was a chemical/hacteriological sample submitted to Department? Ves No. X - If we mol/tsylvin sample													
Was a chemical/bacteriological sample submitted to Department? Yes No .x													
L													
5 TYPE	OF BLANK	CASING USED:		5 Wro	ought iron	8 C	oncrete tile	C	ASING JOIN	TS: Glue	ed Clampe	d	
1 Stee		3 RMP (SI	•				9 Other (specify below)			Welded			
2 PVC		4 AB\$	in to	7 Fiberglass in. to ft., Dia									
		and surface0.2			weight 0.70		lbs./ft. Wall thickne				ess or quage No. sch 40		
TYPE OF SCREEN OR PERFORATION MATERIAL:						7	7 PVC 10 Ast				estos-Cement		
k .	1 Steel 3 Stainless Steel 5 Fiberglass 2 Brass 4 Galvanized Steel 6 Concrete tile						8 RMP (SR) 9 ABS			11 Other (Specify)			
E Didos							(					holel	
SCREEN OR PERFORATION OPENINGS ARE: 5 Guazeo  1 Continuous slot 3 Mill slot 6 Wire wi							wrapped 9 Drilled holes						
	vered shutte		ey puriched	_		orch cut					***************************************		
SCREEN-PERFORATED INTERVALS: From 87.7 ft. to 89.5 ft., From ft. to ft.													
From													
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other													
Grout Intervals: From 81 tt. to 2 ft., From 2 ft., From												ft.	
What is the nearest source of possible contamination:							10 Livestock pens 14 Abandoned water we					well	
1 Septic tank 4 Lateral lines 7 Pit pr						•		el storage	9				
2 Sewer lines 5 Cess pool					8 Sewage lagoon 9 Feedyard			12 Fertilizer storage 13 Insecticide storage			6 Other (specify below)		
3 Waterlight sewer lines 6 Seepage pit 9 Feedyal Direction from well? East						, ard	How many feet? 150					••••	
FROM TO LITHOLOGIC LOG						FRO	·			GING IN	NTERVALS		
0	1	topsoil and fil	1										
1	20	Silt							<del></del>				
20	89.7	Sand											
		<del> </del>							and the second s	**********	and the first property and the state of the	-	
			Addressed and a secondary of the seconda					<del> </del>					
	THE PARTY OF THE P		A STATE OF THE STA					<u> </u>					
7 CONTR	ACTOR'S	OR LANDOWNE	R'S CERTIFI	CATION: 7	his water well	was 1 co	enstructed, (2) r	econstruct	ed, or (3) plu	igged un	der my jurisdiction	and was	
Completed o	on (mo/day/) Contractor!	year) .06-12-06 s Licence No 554		•••••	This Me	ter Well Da	and this	s record is t	true to the bes	st of my ki -18-06	nowledge and beli	ef. Kansas	
	usiness nar		ofter Pump &			Her Well He		by (signatu	/	1.//	100/20 11	1	
						ease fill in blank				pree copies	s Kansas Department	t of Health	
and Enviro	nment, Bureau										R and retain one for y		