WATER	R WEL	L RECORD	Form WV	VC-5	Div	ision of Wate	r Resources App. N	0.	
1 LOCATION OF WATER WELL: County: GOVE		Fraction ¹ / ₄ NW ¹ / ₄ SE	Section Number Township No. Range Number 29 T 11 S R 26 □E ✓W						
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:									
from nearest town or intersection: If at owner's address, check here . Latitude:									
1/2 MILE EAST OF QUINTER ON COUNTY ROAD Z						Longitude: (in decimal degrees)			
1,2	VIII	OF OF GOILLETT OF C	O O I I I I I I I I I I I I I I I I I I	Elevation:					
2 33/47	CED WE	III OWNED					4, 🔲 NAD 83, 🔲	NAD 27	
2 WATER WELL OWNER: DON TILTON						Collection Method:			
RR#, Street Address, Box #: 519 W 6TH						GPS unit (Make/Model:)			
City, State, ZIP Code : QUINTER. KS 67752					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m				
3 LOCATE WELL									
	WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 103 ft.								
SECT									
	SECTION BOX: Depth(s) Groundwater Encountered (1)								
	Pump test data: Well water wasft. after hours pumping gpm								
EST. YIELD. 40gpm. Well water wasft. after hours pumping									
W Bore Hole Diameter									
WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☐ Injection well									
SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)									
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No									
S If yes, mo/day/yr sample was submitted									
mile Water well disinfected? ✓ Yes □ No									
5 TYPE OF CASING USED: Steel V PVC Other									
CASING JOINTS: Glued Clamped Welded Threaded									
Casing diameter 5. in. to 30. ft., Diameter in. to									
Casing height above land surface									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel									
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:									
Continuous slot									
□ Continuous stot □ Mill stot □ Gauze wrapped □ Forch cut □ Diffied notes □ Notic (open note) □ Louvered shutter □ Key punched □ Wire wrapped □ Saw cut □ Other (specify)									
SCREEN-PERFORATED INTERVALS: From									
From									
GRAVEL PACK INTERVALS: From									
From									
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout									
Grout Intervals: From .0 ft. to .30 ft., From ft. to ft., From ft. to ft.									
What is the nearest source of possible contamination:									
Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below)									
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well NONE									
		n well							
FROM	TO	LITHOLOG		FROM	TO			JGGING INTERVALS	
0	5	TOP SOIL			98	SAND	, / _		
5	30	BROWN CLAY			99	WHITE R	OCK		
30	42	CLAY WITH FINE SAN	ND		103		CLAY WITH SAI	ND	
42	50	SANDSTONE		103		ROCK			
50	56	CLAY (BROWN)		100					
56	68	SANDSTONE							
68	74	SAND							
74	77	SANDSTONE							
77	91	SAND (COARSE)							
91	93	BROWN CLAY							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \(\nabla\) constructed, \(\pi\) reconstructed, or \(\pi\) plugged									
under my jurisdiction and was completed on (mo/day/year) .5/3/2010									
Kansas Water Well Contractor's License No. 489 This Water Well Record was completed on (mo/day/year)									
by (signature)									
INSTRUCTIONS. He present or ball point pen PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies									
1 (1 to Live wints) to Veness Department of Health and Environment, Bureau of Water Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Natisas 00012-1307.									
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.									
KSA 82a-1212 Check: ✓ White Copy, ☐ Blue Copy, ☐ Pink Copy									
NOA 02a	-1414				٠.				