VATER WELL PLUGGING R	ECORD Form WV	VC-5P KSA	/C-5P KSA 82a-1212 _{1.25} H638.		
LOCATION OF WATER WELL:	Fraction 1/4 1/4 1/4	Section Number	r Township Number	Range Number	
Street/Rural Address of Well Location; direction from nearest town or intersecti check here	if unknown, distance &	Latitude:	T S ng Systems (GPS) infor	(in decimal degrees	
WATER WELL OWNER: RR#, St. Address, Box #: City, State ZIP Code:		Collection Method: ☐ GPS unit (Make/Model: ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ < 3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ > 15 m			
MARK WELL'S LOCATION WITH AN "X" IN SECTION BOX: N NW NE NW NE SW SE S	WELL'S STATIC W WELL WAS USED A Domestic Irrigation Feedlot Industrial Was a chemical/bacter	ATER LEVEL AS: Public Water St Oil Field Water Domestic (Lawn Air Conditionin	pply Dew Supply Mon 1 & Garden) Inject	atering itoring ction Well er Yes	
TYPE OF BLANK CASING USE Steel RMP (SR) RBlank casing diameter in. Casing height above or below land and steel results.	Wrought Asbestos-Cement Was casing pulled? Yes	Concrete Tile	Other (Specify below how much		
Grout Plug Intervals: From What is the nearest source of possible Septic tank Sewer lines Pi Watertight sewer lines Lateral lines Fe	eepage pit Fuel t privy Fertil ewage lagoon Insectedyard Aban	storage [izer storage ticide storage doned water well		ft. to ft.	
FROM TO PLUG	GING MATERIALS	FROM TO	PLUGGINO	G MATERIALS	
CONTRACTOR'S OR LANDOW completed on (mo/day/year)	and this re	cord is true to the b		nd belief. Kansas Wat	

KSA82a-1212

Revised 1/29/2014