


1 LOCATION OF WATER WELL: Fraction SW 1/4 SE 1/4 NW 1/4 Section Number 5 Township Number T 11 S Range Number R 28 **EW**
 County: Gove Distance and direction from nearest town or city street address of well if located within city?

2 WATER WELL OWNER: Dwight Hartman
 RR#, St. Address, Box #: Rt. 2 Box 1A Board of Agriculture, Division of Water Resources
 City, State, ZIP Code: Grainfield, Ks. 67737 Application Number: 19553

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  4 DEPTH OF COMPLETED WELL: 203 ft. ELEVATION: 203 ft.
 Depth(s) Groundwater Encountered 1 ft. 2 ft. 3 ft.
 WELL'S STATIC WATER LEVEL 119 ft. below land surface measured on mo/day/yr
 Pump test data: Well water was ... ft. after ... hours pumping ... gpm
 Est. Yield ... gpm Well water was ... ft. after ... hours pumping ... gpm
 Bore Hole Diameter 30 in. to 203 ft., and ... in. to ... ft.
 WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well
 Was a chemical/bacteriological sample submitted to Department? Yes ... No **X** ... If yes, mo/day/yr sample was submitted
 Water Well Disinfected? Yes ... No **X**

5 TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued **X** Clamped
 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded
 2 PVC 4 ABS 7 Fiberglass Threaded
 Blank casing diameter 16 in. to 123 ft., Dia. in. to ... ft., Dia. in. to ... ft.
 Casing height above land surface 24 in., weight 16.150 lbs./ft. Wall thickness or gauge No. 500
 TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)
 SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes
 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)
 SCREEN-PERFORATED INTERVALS: From 123 ft. to 203 ft., From ... ft. to ... ft.
 GRAVEL PACK INTERVALS: From 20 ft. to 203 ft., From ... ft. to ... ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other
 Grout Intervals: From 0 ft. to 20 ft., From ... ft. to ... ft.
 What is the nearest source of possible contamination: None
 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Insecticide storage
 Direction from well? How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	2	Surface	133	140	Sandy Clay, Caliche, & Some Fine Sand
2	15	Loess			
15	20	Clay & Caliche	140	149	Fine to Med. Sand w/Clay St.
20	26	Cemented Sand	149	167	Sandy Clay & Caliche w/Sand Strks.
26	43	Med. Sand & Gravel			
43	44	Caliche	167	176	Caliche & Cemented Sand
44	54	Sandy Clay & Caliche w/S.Sand	176	180	Caliche w/Clay & Sand Strks.
54	57	Sandy Clay w/Sand	180	187.5	Med. Sand & Gravel w/Caliche
57	63	Med. Sand w/a Few Clay Strks.	187.5	188	Caliche Strk
63	67	Sandy Clay & Caliche w/S.Sand	188	195	Clay, Caliche & Sand
67	75	Med. Sand w/Clay Strks.	195	197	Flint & Caliche
75	81	Sandy Clay	197	203	Ochre
81	93	Med. Sand & Gravel			
93	109	Sandy Clay, Caliche, & Med. Sand			
109	133	Fine to Med. Sand w/Clay Strk & Gravel			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 11-16-95 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 554 This Water Well Record was completed on (mo/day/yr) 11-22-95 under the business name of Woofter Pump & Well, Inc. by (signature) *Jay C. Woofter*

OFFICE USE ONLY
T
R
EW
SEC