

WATER WELL R		** ** C-3	J 4 090		ion of Water		W 11 ID	
		ge in Well Use			rces App. No.	T 1: N 1	Well ID	NY 1
1 LOCATION OF WATER WELL:		Fraction	1/ 1/	Secti	on Number	Township Numb		ige Number
County:		1/4 1/4	. D	1 4 1 1 1	T S	R	□E □W	
				treet or Rural Address where well is located (if unknown, distance and				
Address:	direction from nearest town or intersection): If at owner's address, check here:							
Address:								
City:	State:	ZIP:						
3 LOCATE WELL	4 DEPTH OF COM	PI FTFD WFI I	•	ft	5 Letitud	e:		(desimal desmoss)
WITH "X" IN								
SECTION BOX:	Depth(s) Groundwater Encountered: 1)							
N	WELL'S STATIC WATER LEVEL:							
	☐ below land surface.				GPS (unit make/model:)
NW NE	above land surface,							
	Pump test data: Well w			☐ Land Survey ☐ Topographic Map			,	
W E		s pumping			Online Mapper:			
SW SE		vater was						
	Estimated Yield:	s pumping	gpm	m 6 Elevation :ft. ☐ Ground Level ☐ TOC				
S	Bore Hole Diameter:		ft and					
1 mile		in. to						
7 WELL WATER TO								
1. Domestic:		ter Supply: well ID			10 □ Oil F	ield Water Supply: 1	ease	
Household		g: how many wells?						
☐ Lawn & Garden		echarge: well ID				d Uncased		
Livestock		g: well ID				mal: how many bore		
2. Irrigation	Environmenta	al Remediation: well				ed Loop Horizon		
3. Feedlot	Air Sparge		or Extraction	n		Loop Surface D		
4. Industrial	☐ Recovery	☐ Injection			13. \square Other	(specify):		• • • • • • • • • • • • • • • • • • • •
Was a chemical/bacter	iological sample subm	itted to KDHE? [☐ Yes ☐	No]	If yes, date sa	ample was submitte	ed:	
Water well disinfected?	☐ Yes ☐ No							
8 TYPE OF CASING								
Casing diameter	in. to ft.,	Diameter	in. to		ft., Diamete	er in. to	ft.	
Casing height above land s			lbs	s./ft.	Wall thickne	ss or gauge No		
TYPE OF SCREEN OR								
	less Steel					(Specify)		• • • • • • • • • • • • • • • • • • • •
	anized Steel Conc		e used (oper	n hole)				
SCREEN OR PERFORA			т 10.	пъ.		104 (g :c)		
	☐ Mill Slot ☐ Ga ☐ Key Punched ☐ W				ne (Open Hole	Other (Specify)		•••••
SCREEN-PERFORATE	ID INTERVALS. From	ft to	Saw Cui ft Fi	rom	ft to	ft From	ft to	ft
GRAVEL PACK INTERVALS: From								
Grout Intervals: From								
Nearest source of possible contamination:								
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage								
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well								
☐ Watertight Sewer Lin				□ F	ertilizer Storag	ge 🔲 Oil We	ell/Gas Well	
☐ Other (Specify)								
								C DITEDUAL C
10 FROM TO	LITHOLOG	JIC LUG	FRO	IVI	TO LI	THO. LOG (cont.) o	r PLUGGIN	JINTEKVALS
			-					
					-			
 			-					
			Notes	2•				
Autes.								
11 CONTRACTOR'S	11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged							
under my jurisdiction an	d was completed on (m	no-day-year)	11113	and th	nis record is t	rue to the best of m	ny knowleds	ge and belief.
Kansas Water Well Con	tractor's License No	This V	Water Wel	l Reco	rd was comp	leted on (mo-day-y	ear)	
under the business name	under the business name of							
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.								
As Department of Health at	KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.							

KSA 82a-1212 Visit us at http://www.kdheks.gov/waterwell/index.html

Form	WWC5	
Contractor	Woofter Pump & Well, Inc.	
Well Owner	Ed Goetz	
Doc ID	1104090	

Litholgy

From	То	LithologicLog
0	2	surface
2	17	loess
17	31	clay
31	50	clay w/caliche strks
50	55	fine to med sand w/clay & caliche strks
55	67	clay & caliche w/sand lenses
67	75	fine to med sand w/clay & caliche strks
75	93	fine to med sand w/clay lenses
93	97	clay w/sand strks
97	107	fine to some med sand w/clay & caliche strks
107	122	fine sand w/clay & caliche strks
122	136	fine to med sand w/clay lenses
136	150	clay & caliche w/fine sand strks
150	155	fine to med sand w/clay & caliche lenses
155	165	clay & caliche w/sand strks
165	177	clay & caliche w/sand lenses
177	185	fine to med sand w/clay & caliche lenses
185	186	flint

Form	WWC5	
Contractor	Woofter Pump & Well, Inc.	
Well Owner	Ed Goetz	
Doc ID	1104090	

Litholgy

From	То	LithologicLog
186		fine to med sand & gravel strks w/yellow strks
225	228	flint w/sand strks
228	240	yellow ochre