1 LOCATIO	N OF WAT	TER WELL	Fraction	WELL RECORD	Form vvv			n Number	Pones Nos	nho-	
1 LOCATION OF WATER WELL: County: OTTAWA			NI 1/4	NW 1/4	NR 14	Section Number 26	T	p Number 11 S	Range Nun		
		from nearest town					<del>                                     </del>	11 2		E/W	
		HOMESTEAD F			acco waanin o	•	TIMEOD AWA	Y PERMIT	#99-204		
2 WATER		NER: LARRY LE		T OPID, ND.		- UII.	THIE GOOTIE	1 11111111	, <del></del>		
_				ANTO			D	-4 A1	St. det	<b>D</b>	
RR#, St. Address, Box # : 2164 PEADOWLARK LANE City, State, ZIP Code : SALTNA KS . 67401						Board of Agriculture, Division of Water Resources					
					(0			ation Number:			
AN "X" I	N SECTION	OCATION WITH 4 N BOX:	DEPTH OF CO	OMPLETED WELL.	69	ft. ELEVA	TION:				
		1 De		vater Encountered							
† l	-	× ¦	ELL'S STATIC	WATER LEVEL test data: Well wa	10.0	ft. below land su	rface measured	d on mo/day/yr	<del>4-1-25</del>		
	- NW	NE	Pump	test data: Well wa	ater was	ft. a	ifter	hours pu	mping ~	gpm	
1	1	ı Es	st. Yield ( ~	. gpm: Well wa	ater was	ft. a	ifter	hours pu	mping	<b>gp</b> m	
* w	!		WELL WATER TO BE USED AS: 5 Public			Public water supply 8 Air conditioning 11 Injection well					
3	-	i i w									
1	- sw	SE	1 Domestic	3 Feedlot		water supply	•		Other (Specify be		
1 1	- 1	ŧ	2 Irrigation	4 Industrial			_	7.7			
<b>↓</b> ∟	1			acteriological sample	e submitted t			•		e waş sub	
<del>-</del>	<u> </u>		tted			Wa	ter Well Disinfo		X No		
_		ASING USED:		5 Wrought iron	8 Co	ncrete tile	CASING	JOINTS: Glued	. X Clamped	<b></b>	
1 Stee	əl	3 RMP (SR)		6 Asbestos-Cemen	t 9 Ot	her (specify below	<b>w</b> )	Welde	ed		
2 PVC	_	4 ABS	~0	7 Fiberglass				Threa	ded		
Blank casing	g diameter	5in.	to 59	ft., Dia	in	. to	ft., Dia	<i>.</i> i	in. to dob as	ft.	
	00010 10			in., weight	100	Ibs./	ft. Wall thickne	ess or gauge No	) SUR 20		
TYPE OF S	CREEN OF	R PERFORATION N	MATERIAL:		7	PVC		Asbestos-ceme			
1 Stee	el	3 Stainless st	eel	5 Fiberglass	8	RMP (SR)					
2 Bras	SS	4 Galvanized	steel	6 Concrete tile	9	ABS	12	None used (op-	en hole)		
SCREEN O	R PERFOR	RATION OPENINGS			uzed wrappe	d	8 Saw cut		11 None (open	hole)	
1 Con	tinuous slo	t 3 <u>Mills</u>		•	e wrapped		9 Drilled hol				
2 Louv	vered shutt	er 4 Key <sub>l</sub>	punched	7 Tore	ch cut		10 Other (spe	ecify)			
SCREEN-PE	ERFORATE	D INTERVALS:									
			From	ft. to		ft., Fro	m	ft. to	<b>)</b>	ft.	
GF	RAVEL PAG	CK INTERVALS:	From 20	ft. to		ft., Fro	m	ft. to	<b>)</b> <i></i>	ft.	
-			From	ft. to		ft., Fro	m	ft. to	)	ft.	
6 GROUT	MATERIAL	: 1 Neat cem		Cement grout							
Grout Interva	als: Fron	nft.	to	ft., From		ft. to	ft., From	1 <i></i>	. ft. to	ft.	
What is the	nearest so	urce of possible cor	ntamination:			10 Lives	tock pens	14 At	oandoned water w	vell	
1 Septic tank 4 Lateral lines			ines	7 Pit privy		11 Fuel	11 Fuel storage		15 Oil well/Gas well		
2 Sew	er lines	5 Cess po	ol	8 Sewage lagoon		12 Fertili	izer storage	16 Ot	her (specify below	w)	
3 Wate	ertight sew	er lines 6 Seepage	pit pit	9 Feedyard			ticide storage				
Direction fro	····					How ma	ny feet? OPE		ONE APPAREI	NT	
FROM	TO		LITHOLOGIC L	OG	FROM	1 TO	,	PLUGGING IN	ITERVALS		
0	1.5	TOP SOIL T									
1.5	22			SAND LAYERS	3						
22	70	SANDSTONE	TAN TO RE	D TO WHITE							
										manadas i mada i Principi II i militare	
				<del></del>				1			
7 CONTRA	CTOR'S C	OR LANDOWNER'S	CERTIFICATIO	N: This water well	was (1) con	structed (2) reco	nstructed or (	3) plugged upd	my jurisdiction	and was	
completed or		h 4 C		in: This water well					wedge and belie		
•	•	year) :≄∢ s License No	388	This Water		1	1 1				
		ne of PESTINGE			****** UGCOLO	by (signation		.UNS	ellaz	9	
								7/		0	
INSTRUCT	IONS: Use typendent for the control of the control	pewriter or ball point pen. ent, Bureau of Water, Top	PLEASE PHESS FIF leka. Kansas 66620-	<u>mLY</u> and <u>PHINI</u> clearly. I 0001. Telephone: 913-296	riease till in blai 5-5545. Send on	iks, underline or circle e to WATER WELL OV	WNER and retain b	ns. Send top three one for your records.	opies to Jansas Depa	Territ	
G. HOURIT		, 22.222 3: ***ator, Top					<i>f</i>	,	-		