

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: Ottawa	SE ¼ NE ¼ NE ¼	6	T 11 S	R 3 W

Distance and direction from nearest town or city street address of well if located within city?
In city limits - 950 E. 5th St., Minneapolis, KS

2 WATER WELL OWNER: Jamie Baker	Board of Agriculture, Division of Water Resources Application Number:
RR#, St. Address, Box #: 950 E. 5th St.	
City, State, ZIP Code: Minneapolis, KS 67467	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: 124 ft. ELEVATION:
	Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.
	WELL'S STATIC WATER LEVEL 80 ft. below land surface measured on mo/day/yr 7/25/01
	Pump test data: Well water was ft. after hours pumping gpm
	Est. Yield 20-25 gpm: Well water was ft. after hours pumping gpm
	Bore Hole Diameter: 9 in. to 125 ft., and in. to ft.
	WELL WATER TO BE USED AS: 5 Public water supply <input checked="" type="checkbox"/> Air conditioning 11 Injection well
	1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
	2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well
	Was a chemical/bacteriological sample submitted to Department? Yes. No. <input checked="" type="checkbox"/> ; If yes, mo/day/yrs sample was submitted
	Water Well Disinfected? Yes <input checked="" type="checkbox"/> No

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued. <input checked="" type="checkbox"/> Clamped.
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
<input checked="" type="checkbox"/> PVC	4 ABS	7 Fiberglass	Welded
Blank casing diameter 5 in. to 104 ft., Dia in. to ft., Dia in. to ft.			Threaded.
Casing height above land surface. 12 in., weight 2.37 lbs./ft. Wall thickness or gauge No. 214			
TYPE OF SCREEN OR PERFORATION MATERIAL:		<input checked="" type="checkbox"/> PVC	10 Asbestos-cement
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS
SCREEN OR PERFORATION OPENINGS ARE:		8 Saw cut	11 None (open hole)
1 Continuous slot	<input checked="" type="checkbox"/> Mill slot	6 Wire wrapped	9 Drilled holes
2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify) ft.
SCREEN-PERFORATED INTERVALS: From 104 ft. to 124 ft., From ft. to ft.			
GRAVEL PACK INTERVALS: From 27 ft. to 124 ft., From ft. to ft.			

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	<input checked="" type="checkbox"/> Bentonite	4 Other
Grout intervals: From 4 ft. to 27 ft., From ft. to ft.				
What is the nearest source of possible contamination:		10 Livestock pens	14 Abandoned water well	
1 Septic tank	4 Lateral lines	7 Pit privy	11 Fuel storage	
2 Sewer lines	5 Cess pool	8 Sewage lagoon	12 Fertilizer storage	
<input checked="" type="checkbox"/> Watertight sewer lines	6 Seepage pit	9 Feedyard	13 Insecticide storage	
Direction from well? West		How many feet? 100		

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	2	Topsoil			
2	8	Clay, gray			
8	10	Sand, fine and sandrock			
10	13	Shale, gray			
13	125	Sandstone			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <input checked="" type="checkbox"/> constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 7/27/01 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No. 138 . This Water Well Record was completed on (mo/day/yr) 8/1/01 under the business name of Peterson Irrigation, Inc. by (signature) <i>Mike Peterson</i>	
---	--

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone 785-296-5524. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.