CORRECTION TO WATER WELL RECORD (WWC-5)

The following correction(s) was made to the attached WWC-5 log, in order to file the item or to rectify lacking or incorrect information.

Fraction (1/4 1/4) Section-Township-Range changed:
listed as $5-1/5-3\omega$
changed to $SENESW$, $6-1/5-3W$
Other changes: Initial statements:
Changed to:
Comments:
verification method: well address on form, city map on internet, and
verification method: well address on form, city map on internet, and Minneapolis S. 1:24,000 topo map. initials: DRL date: 6/15/200
submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726 to: Kansas Dept of Health & Environment Bureau of Water Industrial Programs, Bldg 283, Forbes Field, KS 66620

	WATE	ER WELL RECORD	Form WWC-5	KSA 82a-121	2	-	
1 LOCATION OF WATER WELL County: Offowa	Fraction 1/4	1/4	Section 1/4	Number	Township Number T // S	Range Nur	_
Distance and direction from nearest				of well if local	red within city?	<u> </u>	400
IN' MINN			,				
2 WATER WELL OWNER:	EVE BACK	CUS	De	O NOR	TH		
" O. A.I.I P #					Board of Agriculture,	Division of Water	Resource
City, State, ZIP Code : M/	NNEAPO	LIS KANSI	95 6/	461	Application Number:		
DEPTH OF COMPLETED WELL	L <i>].O.O</i> ft. E	Bore Hole Diameter	8 in. to		ft., and	in. to	f
Well Water to be used as:	5 Public water	supply	8 Air condition	ning	11 Injection wel	l	
Oomestic 3 Feedlot	6 Oil field water	• • •	9 Dewatering		12 Other (Speci	fy below)	
2 Irrigation 4 Industrial	7 Lawn and ga		10 Observation				
Well's static water level							
Pump Test Data		ft. after ft. after ft. after					
Est. Yield 30 + gpm:			0.0		rs pumping	· ¥ 。	gpm
4 TYPE OF BLANK CASING USE		5 Wrought iron	8 Concrete		Casing Joints: Glue	-	
1 Steel 3 RMP	` '	6 Asbestos-Cement		ecify below)		ded	
Blank casing dia		7 Fiberglass				aded	
Casing height above land surface TYPE OF SCREEN OR PERFORA	•	. н., weignt	DPVC	ا IOS./π. ۷ €ب	Vall thickness or gauge 10 Asbestos-cem		
		5 Fiberalass	8 RMP (SB)			
	nless steel vanized steel	5 Fiberglass 6 Concrete tile	9 ABS	ony	11 Other (specify) 12 None used (or		
Screen or Perforation Openings Are			d wrapped	6	` '	pen noie) 11 None (open	hole)
, -	3 Mill slot	6 Wire w			Drilled holes	ri None (open	noie)
	4 Key punched	7 Torch			Other (specify)		
Screen-Perforation Dia							
		80. ft. to					
		ft. to	•				
	₽	<i>3</i> ft. to					
Froi	•	ft. to	•	From	ft. to		f
5 GROUT MATERIAL: 1 Ne	eat cement		3 Bentonite	4 Othe	r		
Grouted Intervals: From							
What is the nearest source of possi				10 Fuel stora		bandoned water	
1 Septic tank 4 C	Cess pool	7 Sewage lago	on	11 Fertilizer s	torage 15 C	Dil well/Gas well	
2 Sewer lines 5 S	Seepage pit	8 Feed yard		12 Insecticide	2 Insecticide storage 16 Other (specify belo		ow)
3 Lateral lines 6 P	Pit privy	ivestock per	ns	13 Watertight	sewer lines		·
Direction from well W.E.	57 75. How	many feet	<i>75</i>	? Water Well	Disinfected? Yes .X.	No	
Was a chemical/bacteriological sam	ple submitted to De	partment? Yes		No	X	: If yes, da	te sample
was submitted			-	•		•	
If Yes: Pump Manufacturer's name.							
Depth of Pump Intake			Pumps Capacity	y rated at			. gal./min
 			3 Jet	4 Centrifuga			
6 CONTRACTOR'S OR LANDOW							
completed on		month	برجر	day			<i>8.0</i> yea
and this record is true to the best o	of my knowledge and	l belief. Kansas Water W	ell Contractor's l	License No	.35%		
This Water Well Record was completed	leted on.			<i>39</i> 7 day		year under th	e busines
	+ SONS	1 1 2	by (signature)	Was	pecon	ITUO 0010 1 00	
J LOCATE WELL'S LOCATION WITH AN "X" IN SECTION	FROM TO	LITHOLOGI	IC LOG	FROM 4	TO I	LITHOLOGIC LOG	i
BOX:	2 3	TOPSOIL		_			
N	3 6	BROWN C		- 			
, <u> </u>	6 12	SANDROC					
1 NW NE	12 13	BROWN	CLAY				
		SANDED		+			
W 1 1 E	100	5701					
SW SE							
<u> </u>				+			
		+		+			
S	1						
1 Mile							
ELEVATION:							
1					(Use a second st		ton three