	WELL RE		Form W	WC-5	Di	vision of Wate	er Resources App. N	10. 16j 340	
Count	y: Ottawa	ATER WELL:	Fraction 1/4 SW 1/4 NW		Section	on Number	Township No. T 11 S	Range Number R 3 DE XXW	
Street/Rural Address of Well Location; if from nearest town or intersection: If at or 2 miles West & 3-1/2 miles N			owner's address, check here .		Latitu Long Eleva	Global Positioning System (GPS) information: Latitude:			
RR#, Street Address, Box #: 157			hn Tibbets 75 Nugget Rd. nneapolis, KS 67467		Collec	Datum: WGS 84, NAD 83, NAD 27 Collection Method: GPS unit (Make/Model:) Digital Map/Photo, Topographic Map, Land Survey Est. Accuracy: S			
WITH SECT	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well Domestic Feedlot Oil field water supply Dewatering Other (Specify below) Industrial Domestic-lawn & garden Monitoring well								
	Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sample was submitted Water well disinfected? X Yes No								
5 TYPE OF CASING USED: Steel NPVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter 1.0 in. to 39 ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface 12 in., Weight 8.878 lbs./ft., Wall thickness or gauge No. 413 TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel PVC Other (Specify) Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:									
Continuous slot Mill slot Gauze wrapped Torch cut Orilled holes None (open hole) Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From 39 ft. to 79 ft., From ft. to From ft. to ft., From ft. to GRAVEL PACK INTERVALS: From 30 ft. to 79 ft., From ft. to From ft. to ft., From ft. to From ft. to ft., From ft. to								to ft. to ft. to ft.	
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other. Grout Intervals: From 0 ft. to 20 ft., From ft. to ft., From ft. to ft.									
What is the nearest source of possible contains a Septic tank Lateral line Sewer lines Cesspool Watertight sewer lines Seepage pi			amination: nes	Livestock pens				her (specify below)	
FROM	ТО	LITHOLOG	GIC LOG	FROM	TO			UGGING INTERVALS	
0	2 Tops								
2 35		y, gray Istone, soft	tan						
75		le, gray /w i							

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was $\sqrt{\ }$ constructed, $/$ reconstructed, or $/$ plugged under my jurisdiction and was completed on (mo/day/year) 5/3/12 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No 138 This Water Well Record was completed on (mo/day/year) 5/9/12 under the business name of Peterson Irrigation, Inc by (signature)									
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include <u>fee</u> of \$5.00 for each <u>constructed</u> well. Visit us at http://www.kdheks.gov/waterwell/index.html .									