WATE	R WELL RE	CORD	Form V	VWC-5	Division of Water	er Resources App. N	o	
	CATION OF WA		Fraction	(N. N.).	Section Number	Township No.	Range Number	-4
	ty: OTTAL		NW45W 14 N		ک (۱۲)	T // S	R 3 □E	X W
			if unknown, distance		Global Positioning			rees)
from nearest town or intersection: If at owner's address, check here [].					Latitude: (in decimal degrees) Longitude: (in decimal degrees)			
Yanı	i West Y	4 MILE SOU	TH 18 EAST		Elevation:		••••	,
2 WA	TER WELL OV	VNER: DAAA	IN LAWS		Datum: WGS 8 Collection Method:	4, □ NAD 83, □	NAD 27	
RR#	, Street Address,	Box #: \$110	WOODLAN	7		ke/Model:)
City,	, State, ZIP Code		NEAPOLIS, K		Digital Map/Pl	noto, 🔲 Topographi	c Map, 🔲 Land Sur	vey
3 LOC	ATE WELL				Est. Accuracy:		5-15 m, >15 m	
WITE	H AN "X" IN	4 DEPTH OF	COMPLETED WEI	LL	∮ ft.			
SECT	TION BOX:	Depth(s) Groun	dwater Encountered IC WATER LEVEL.	(1)1 <i>O</i>	ft. (2)	ft. (3)	. ft.
	N .	WELL'S STAT	test data: Well wat	ter was	below land surface i	measured on mo/d	ay/yr	!eX
		EST. YIELD	gpm Well wat	er was	ft. after	hours pum	ningg	,piii nm
w NV	V NE E	Bore Hole Dian	neter9in. to		t., andin	to	ft.	P
WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☐ Injection well								
SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well								
S If yes, mo/day/yr sample was submitted								
Water well disinfected? ▼ Yes □ No								
5 TYPE OF CASING USED: Steel M PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter in. to ft., Diameter in. to ft., Diameter ft.								
Casing diameter in. to								
Casing height above land surface								
☐ Steel ☐ Stainless Steel ☐ Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot. Question Gauze wrapped Torch cut Drilled holes None (open hole)								
Continuous slot Mill slot, 235 Gauze wrapped Torch cut Drilled holes None (open hole) Louvered shutter Wire wrapped Saw cut Other (specify)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft.								
From								
GRAVEL PACK INTERVALS: From								
6 GROUT MATERIAL: Neat cement Cement grout Sentonite Other								
Grout In		ı 🥰 ft. to	26 ft., From					
		e of possible conta						
	Septic tank Sewer lines	Cesspool	nes Pit privy Sewage lagoon	☐ Livestock po			er (specify below)	
	Watertight sewer 1	ines 🔲 Seepage r	oit 🔲 Feedyard	Fertilizer sto	orage 🔲 Oil well/ga	s well		
		DPER FICH			rom well			
FROM	TO 70P	Soi Beo		FROM	TO LITHO. LO	OG (cont.) <u>or</u> PLU	GGING INTERVA	ALS
03		SOIL BED	YER OF CLAY	DHITE				
36	114 SANO	STONE TAN	J	011.110				
114	SHAL	E GRAY						
								•
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year) 04-24-12 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. (300) This Water Well Record was completed on (me/day/sear) OCTOI-12								
Kansas Water Well Contractor's License No. 31.8 This Water Well Record was completed on (me/day year) 05-01-12								
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone	e, pink) to Kansas I 785-296-5524. Sen	Department of Health and one copy to WAT	and Environment, Bureau ER WELL OWNER and	retain one for yo	gy Section, 1000 SW Jac our records. Include fee	exson St., Suite 420, 1 of \$5.00 for each co	opeka, Kansas 66612- onstructed well. Visit	-1367. Lus at
http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212								