WATEF	R WEL	L RECORD	Form W	WC-5	Division of Water Resour	ces App. N	0.
1 LOCATION OF WATER WELL:			Fraction			ship No.	Range Number
Count	y: Ot	tawa	1/4 SW 1/4 NW		6 T 11		R 3 DE KW
		ddress of Well Location; i		Global Positioning System (GPS) information:			
from i	from nearest town or intersection: If at owner's address, check here				Latitude:		
					Elevation: (In decimal degrees)		
					Datum: WGS 84, N	AD 83.	 NAD 27
			Eckett		Collection Method:		
RR#, Street Address, Box #: 916 N. Rock Rd. City, State, ZIP Code : Minneapolis, KS 67467				☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
City,	State, Z	IP Code : <b>Minn</b> e	eapolis, KS 6746	) /	Digital Map/Photo, C	Γopographi	c Map, Land Survey
Est. Accuracy:							
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL							
SECT	ION BO	Depth(s) Groundwater Encountered (1)					
pie	WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr						
Pump test data: Well water was							
WNW EST. YIELD. 50gpm. Well water was							
W   E   Bore Hole Diameter 9							
Demostic Description Description Demostration Demostration Description							
sw -  se -   Domestic   Feediot   On field water supply   Dewatering   Other (specify below)							
Was a chemical/bacteriological sample submitted to Department?  Yes  No							
S If yes, mo/day/yr sample was submitted							
1 mile  Water well disinfected? ₩ Yes □ No							
5 TYPE OF CASING USED: Steel X PVC Other							
CASING JOINTS: X Glued Clamped Welded Threaded							
Casing diameter 5 in to 96 ft., Diameter in to ft. Casing height above land surface 12 in., Weight 2.37 lbs./ft., Wall thickness or gauge No214							
Casing height above land surface!4							
TYPE OF SCREEN OR PERFORATION MATERIAL:  Steel Stainless Steel X PVC Other (Specify)							
Brass Galvanized Steel None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
Continuous slot X Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)							
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)							
From							
GRAVEL PACK INTERVALS: From 21 ft. to 11.6 ft., From ft. to ft.							
From ft. to ft. From ft. to ft.							
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other							
What is the nearest source of possible contamination:							
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)  Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well							
Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well  Direction from well West.							
					HOIH WOH		
FROM	TO	LITHOLOG		FROM	TO LITHO. LOG (cor	nt.) <u>or</u> PLU	JGGING INTERVALS
0	3	Topsoil/Fill dirt					
3	18	Silty clay Clay w/fines					
18 24	24 25	Very hard sand ro	ck				And the second of the second o
25	70	Sandstone/shale	UK				The many tables and ATT AND THE CONTROL OF THE CONT
70	95	Sandstone Sandstone					
95	98	Shale					
98	120	Sandstone w/iron	pyrite				
							TO STATE OF THE ST
		AMMATICAL MATERIAL CONTRACTOR OF THE PROPERTY					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \( \bigsiz \) constructed, \( \bigsiz \) reconstructed, or \( \bigsiz \) plugged under my jurisdiction and was completed on \( \bigsiz \) (mo/day/year) \( \bigsiz \) 11/8/12 \( \bigsiz \) and this record is true to the best of my knowledge and belief.							
under my jurisdiction and was completed on (mo/day/year)							
Kansas Water Well Contractor's License No. 138 This Water Well Record was completed on (mo/day/year)							
under the business name of Peterson Irrigation, Inc by (signature)							
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.							
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at							
http://www.kdheks.gov/waterwell/index.html.  KSA 82a-1212							
KDA 82a-1212							